

LANVEC LF1

▲ SPECIFICATIONS 21inch 2PIECE/REVERSE (STEP RIM)

SIZE	STANDARD	DEEP RIM
	A - Disk	O - Disk
	5H-114.3	5H-114.3
	Lip Size (mm)	Lip Size (mm)
	Offset Range	Offset Range
21 × 8.5J	34(48)~-8(90)	49(48)~7(90)
21 × 9.0J	40(48)~-14(102)	55(48)~1(102)
21 × 9.5J	46(48)~-20(114)	61(48)~-5(114)
21 × 10.0J	53(48)~-27(128)	68(48)~-12(128)
21 × 10.5J	59(48)~-33(140)	74(48)~-18(140)
21 × 11.0J	65(48)~-39(152)	80(48)~-24(152)
21 × 11.5J	72(48)~-46(166)	85(50)~-31(166)
21 × 12.0J	75(51)~-52(178)	85(56)~-37(178)
21 × 12.5J	68(64)~-58(190)	83(64)~-43(190)

● Available finishes: Black (B) / Machine Silver Polish (MSP) / Glim Black (GTK) / Transparent Gray Polish (TGP)

● Included accessories: (1) center cap / (1) valvestem (V24C)

※Please note that with lip size less than 70mm, the disk is protruding from the rim fitment portion.

▲ SPECIFICATIONS 20inch 2PIECE/REVERSE (STEP RIM)

SIZE	STANDARD	DEEP RIM
	A - Disk	O - Disk
	5H-114.3	5H-100 5H-114.3
	Lip Size (mm)	Lip Size (mm)
	Offset Range	Offset Range
20 × 8.0J	34(48)~6(76)	46(48)~18(76)
20 × 8.5J	41(48)~-1(90)	53(48)~11(90)
20 × 9.0J	47(48)~-7(102)	59(48)~5(102)
20 × 9.5J	53(48)~-13(114)	65(48)~-1(114)
20 × 10.0J	60(48)~-20(128)	72(48)~-8(128)
20 × 10.5J	66(48)~-26(140)	78(48)~-14(140)
20 × 11.0J	72(48)~-32(152)	84(48)~-20(152)
20 × 11.5J	79(48)~-39(166)	85(54)~-27(166)
20 × 12.0J	82(51)~-45(178)	85(60)~-33(178)
20 × 12.5J	73(66)~-51(190)	85(66)~-39(190)

● Available finishes: Black (B) / Machine Silver Polish (MSP) / Glim Black (GTK) / Transparent Gray Polish (TGP)

● Included accessories: (1) center cap / (1) valvestem (V24C)

※Please note that with lip size less than 66mm, the disk is protruding from the rim fitment portion.

▲ SPECIFICATIONS 20inch 2PIECE/FULL REVERSE

SIZE	STANDARD A - Disk 5H-114.3		DEEP RIM O - Disk 5H-114.3	
	Lip Size (mm)		Lip Size (mm)	
	Offset Range #1	Offset Range #2	Offset Range #1	Offset Range #2
20 × 8.0J	38(39)~18(59)	17(60)~-5(82)	53(39)~33(59)	32(60)~10(82)
20 × 8.5J	45(39)~11(73)	10(74)~-12(96)	60(39)~26(73)	25(74)~3(96)
20 × 9.0J	51(39)~5(85)	4(86)~-18(108)	66(39)~20(85)	19(86)~-3(108)
20 × 9.5J	57(39)~-1(97)	-2(98)~-24(120)	72(39)~14(97)	13(98)~-9(120)
20 × 10.0J	64(39)~-8(111)	-9(112)~-31(134)	79(39)~7(111)	6(112)~-16(134)
20 × 10.5J	70(39)~-14(123)	-15(124)~-37(146)	85(39)~1(123)	0(124)~-22(146)
20 × 11.0J	76(39)~-20(135)	-21(136)~-43(158)	85(45)~-5(135)	-6(136)~-28(158)
20 × 11.5J	81(41)~-27(149)	-28(150)~-50(172)	85(52)~-12(149)	-13(150)~-35(172)
20 × 12.0J	75(53)~-33(161)	-34(162)~-56(184)	85(58)~-18(161)	-19(162)~-41(184)
20 × 12.5J	68(66)~-39(173)	-40(174)~-62(196)	83(66)~-24(173)	-25(174)~-47(196)

- Available finishes: Black (B) / Machine Silver Polish (MSP) / Glim Black (GTK) / Transparent Gray Polish (TGP)
- Included accessories: (1) center cap / (1) valvestem (V24C or V39A depending on spec)
- Offset range: #1 will use V24C, #2 will use V39A

※Please note that with lip size less than 40mm, the disk is protruding from the rim fitment portion.

▲ SPECIFICATIONS 19inch 2PIECE/REVERSE (STEP RIM)

SIZE	STANDARD A - Disk 5H-114.3	DEEP RIM O - Disk 5H-100 5H-114.3
	Lip Size (mm)	Lip Size (mm)
	Offset Range	Offset Range
19 × 8.0J	35(48)~5(78)	50(48)~20(78)
19 × 8.5J	42(48)~-2(92)	57(48)~-13(92)
19 × 9.0J	48(48)~-8(104)	63(48)~7(104)
19 × 9.5J	54(48)~-14(116)	69(48)~1(116)
19 × 10.0J	61(48)~-21(130)	76(48)~-6(130)
19 × 10.5J	67(48)~-27(142)	82(48)~-12(142)
19 × 11.0J	73(48)~-33(154)	85(51)~-18(154)
19 × 11.5J	80(48)~-40(168)	85(58)~-25(168)
19 × 12.0J	81(53)~-46(180)	85(64)~-31(180)
19 × 12.5J	75(65)~-52(192)	85(70)~-37(192)

- Available finishes: Black (B) / Machine Silver Polish (MSP) / Glim Black (GTK) / Transparent Gray Polish (TGP)
- Included accessories: (1) center cap / (1) valvestem (V24C)

※Please note that with lip size less than 64mm, the disk is protruding from the rim fitment portion.

▲ SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

SIZE	STANDARD A – Disk 5H-114.3		DEEP RIM O – Disk 5H-114.3	
	Lip Size (mm)		Lip Size (mm)	
	Offset Range #1	Offset Range #2	Offset Range #1	Offset Range #2
19 × 7.5J	41(34)~22(53)	21(54)~9(66)	53(34)~34(53)	33(54)~21(66)
19 × 8.0J	47(34)~16(65)	15(66)~3(78)	59(34)~28(65)	27(66)~15(78)
19 × 8.5J	54(34)~9(79)	8(80)~-4(92)	66(34)~21(79)	20(80)~8(92)
19 × 9.0J	60(34)~3(91)	2(92)~-10(104)	72(34)~15(91)	14(92)~2(104)
19 × 9.5J	66(34)~-3(103)	-4(104)~-16(116)	78(34)~9(103)	8(104)~-4(116)
19 × 10.0J	73(34)~-10(117)	-11(118)~-23(130)	85(34)~2(117)	1(118)~-11(130)
19 × 10.5J	79(34)~-16(129)	-17(130)~-29(142)	85(40)~-4(129)	-5(130)~-17(142)
19 × 11.0J	85(34)~-22(141)	-23(142)~-35(154)	85(46)~-10(141)	-11(142)~-23(154)
19 × 11.5J	85(41)~-29(155)	-30(156)~-42(168)	85(53)~-17(155)	-18(156)~-30(168)
19 × 12.0J	82(50)~-35(167)	-36(168)~-48(180)	85(59)~-23(167)	-24(168)~-36(180)
19 × 12.5J	76(62)~-41(179)	-42(180)~-54(192)	85(65)~-29(179)	-30(180)~-42(192)

- Available finishes: Black (B) / Machine Silver Polish (MSP) / Glim Black (GTK) / Transparent Gray Polish (TGP)
- Included accessories: (1) center cap / (1) valvestem (V24C or V39A depending on spec)
- Offset range: #1 will use V24C, #2 will use V39A

※Please note that with lip size less than 40mm, the disk is protruding from the rim fitment portion.

▲ SPECIFICATIONS 18inch 2PIECE/FULL REVERSE

SIZE	STANDARD A – Disk 5H-114.3	DEEP RIM O – Disk 5H-114.3
	Lip Size (mm)	Lip Size (mm)
	Offset Range	Offset Range
18 × 7.0J	38(32)~27(43)	53(32)~42(43)
18 × 7.5J	44(32)~26(50)	59(32)~41(50)
18 × 8.0J	50(32)~20(62)	65(32)~35(62)
18 × 8.5J	57(32)~19(70)	72(32)~34(70)
18 × 9.0J	63(32)~13(82)	78(32)~28(82)
18 × 9.5J	69(32)~7(94)	84(32)~22(94)
18 × 10.0J	76(32)~0(108)	85(38)~15(108)
18 × 10.5J	82(32)~-6(120)	85(44)~9(120)
18 × 11.0J	85(35)~-12(132)	85(50)~3(132)
18 × 11.5J	85(42)~-19(146)	85(57)~-4(146)
18 × 12.0J	81(52)~-25(158)	85(63)~-10(158)
18 × 12.5J	75(64)~-31(170)	85(69)~-16(170)

- Available finishes: Black (B) / Machine Silver Polish (MSP) / Glim Black (GTK) / Transparent Gray Polish (TGP)
- Included accessories: (1) center cap / (1) valvestem (V24C)

※Please note that with lip size less than 64mm, the disk is protruding from the rim fitment portion.