

SIZE	STANDARD 5H-100 5H-114.3										Adisk	DEEP RIM 5H-100 5H-114.3										Odisk
	LIP SIZE ( mm)											LIP SIZE ( mm)										
	34	46	59	72	84	97	110	122	135	148	160	34	46	59	72	84	97	110	122	135	148	160
18×7.0J	28 C	15 B	2 A									34 C	21 B	8 A								
18×7.5J	34 D	21 C	9 B	-5 A								40 D	27 C	15 B	1 A							
18×8.0J	40 E	28 D	15 C	1 B	-11 A							46 E	34 D	21 C	7 B	-5 A						
18×8.5J	47 F	34 E	21 D	8 C	-5 B	-18 A						53 F	40 E	27 D	14 C	1 B	-12 A					
18×9.0J	53 G	40 F	28 E	14 D	1 C	-11 B	-24 A					59 G	46 F	34 E	20 D	7 C	-5 B	-18 A				
18×9.5J	59 H	47 G	34 F	20 E	8 D	-5 C	-18 B	-30 A				65 H	53 G	40 F	26 E	14 D	1 C	-12 B	-24 A			
18×10.0J		53 H	40 G	27 F	14 E	1 D	-11 C	-24 B	-37 A				59 H	46 G	33 F	20 E	7 D	-5 C	-18 B	-31 A		
18×10.5J			47 H	33 G	20 F	8 E	-5 D	-18 C	-30 B	-43 A				53 H	39 G	26 F	14 E	1 D	-12 C	-24 B	-37 A	
18×11.0J				39 H	27 G	14 F	1 E	-11 D	-24 C	-37 B	-49 A				45 H	33 G	20 F	7 E	-5 D	-18 C	-31 B	-43 A
18×11.5J					33 H	20 G	8 F	-5 E	-18 D	-30 C	-43 B				39 H	26 G	14 F	1 E	-12 D	-24 C	-37 B	
18×12.0J						27 H	14 G	1 F	-11 E	-24 D	-37 C					33 H	20 G	7 F	-5 E	-18 D	-31 C	
18×12.5J							20 H	8 G	-5 F	-18 E	-30 D						26 H	14 G	1 F	-12 E	-24 D	
18×13.0J								14 H	1 G	-11 F	-24 E								20 H	7 G	-5 F	-18 E
18×13.5J									8 H	-5 G	-18 F									14 H	1 G	-12 F
18×14.0J										1 H	-11 G										7 H	-5 G
18×14.5J											-5 H											1 H
PCD RANGE	5H-98~120.65																					

SIZE	BIG CALIPER 5H-114.3										Ldisk	BIG CALIPER 5H-114.3										Rdisk
	LIP SIZE ( mm)											LIP SIZE ( mm)										
	34	46	59	72	84	97	110	122	135	148	160	34	46	59	72	84	97	110	122	135	148	160
18×7.0J	16 C	3 B	-10 A									8 C	-5 B	-18 A								
18×7.5J	22 D	9 C	-3 B	-17 A								14 D	1 C	-11 B	-25 A							
18×8.0J	28 E	16 D	3 C	-11 B	-23 A							20 E	8 D	-5 C	-19 B	-31 A						
18×8.5J	35 F	22 E	9 D	-4 C	-17 B	-30 A						27 F	14 E	1 D	-12 C	-25 B	-38 A					
18×9.0J	41 G	28 F	16 E	2 D	-11 C	-23 B	-36 A					33 G	20 F	8 E	-6 D	-19 C	-31 B	-44 A				
18×9.5J	47 H	35 G	22 F	8 E	-4 D	-17 C	-30 B	-42 A				39 H	27 G	14 F	0 E	-12 D	-25 C	-38 B	-50 A			
18×10.0J		41 H	28 G	15 F	2 E	-11 D	-23 C	-36 B	-49 A				33 H	20 G	7 F	-6 E	-19 D	-31 C	-44 B	-57 A		
18×10.5J			35 H	21 G	8 F	-4 E	-17 D	-30 C	-42 B	-55 A				27 H	13 G	0 F	-12 E	-25 D	-38 C	-50 B	-63 A	
18×11.0J				27 H	15 G	2 F	-11 E	-23 D	-36 C	-49 B	-61 A				19 H	7 G	-6 F	-19 E	-31 D	-44 C	-57 B	-69 A
18×11.5J					21 H	8 G	-4 F	-17 E	-30 D	-42 C	-55 B				13 H	0 G	-12 F	-25 E	-38 D	-50 C	-63 B	
18×12.0J						15 H	2 G	-11 F	-23 E	-36 D	-49 C					7 H	-6 G	-19 F	-31 E	-44 D	-57 C	
18×12.5J							8 H	-4 G	-17 F	-30 E	-42 D						0 H	-12 G	-25 F	-38 E	-50 D	
18×13.0J								2 H	-11 G	-23 F	-36 E								-6 H	-19 G	-31 F	-44 E
18×13.5J									-4 H	-17 G	-30 F									-12 H	-25 G	-38 F
18×14.0J										-11 H	-23 G										-19 H	-31 G
18×14.5J											-17 H											-25 H
PCD RANGE	5H-98~120.65																					

●STANDARD COLOR: MATT DARK GUNMETAL( MDG) / BRILLIANT SILVER BLACK( BSB) / SILKY RICH SILVER( SRS)

VS-XV·55~105Y

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC( V27C)

※STANDARD BARREL FINISH: BLUE ANODIZED( D)

SIZE	STANDARD 5H-100 5H-114.3											DEEP RIM 5H-100 5H-114.3										
	Adisk											Odisk										
	LIP SIZE ( mm)											LIP SIZE ( mm)										
	34	46	59	72	84	97	110	122	135	148	160	34	46	59	72	84	97	110	122	135	148	160
19×7.5J	34 D	21 C	9 B	-4 A								40 D	27 C	15 B	2 A							
19×8.0J	40 E	28 D	15 C	2 B	-10 A							46 E	34 D	21 C	8 B	-4 A						
19×8.5J	47 F	34 E	21 D	9 C	-4 B	-17 A						53 F	40 E	27 D	15 C	2 B	-11 A					
19×9.0J	53 G	40 F	28 E	15 D	2 C	-10 B	-23 A					59 G	46 F	34 E	21 D	8 C	-4 B	-17 A				
19×9.5J	59 H	47 G	34 F	21 E	9 D	-4 C	-17 B	-29 A				65 H	53 G	40 F	27 E	15 D	2 C	-11 B	-23 A			
19×10.0J	66 I	53 H	40 G	28 F	15 E	2 D	-10 C	-23 B	-36 A			72 I	59 H	46 G	34 F	21 E	8 C	-4 B	-17 A	-30 A		
19×10.5J	72 J	59 I	47 H	34 G	21 F	9 E	-4 D	-17 C	-29 B	-42 A		78 J	65 I	53 H	40 G	27 F	15 E	2 D	-11 C	-23 B	-36 A	
19×11.0J		66 J	53 I	40 H	28 G	15 F	2 E	-10 D	-23 C	-36 B	-48 A		72 J	59 I	46 H	34 G	21 F	8 E	-4 D	-17 C	-30 B	-42 A
19×11.5J			59 J	47 I	34 H	21 G	9 F	-4 E	-17 D	-29 C	-42 B			65 J	53 I	40 H	27 G	15 F	2 E	-11 D	-23 C	-36 B
19×12.0J				53 J	40 I	28 H	15 G	2 F	-10 E	-23 D	-36 C			59 J	46 I	34 H	21 G	8 F	-4 E	-17 D	-30 C	
19×12.5J					47 J	34 I	21 H	9 G	-4 F	-17 E	-29 D				53 J	40 I	27 H	15 G	2 F	-11 E	-23 D	
19×13.0J						40 J	28 I	15 H	2 G	-10 F	-23 E					46 J	34 I	21 H	8 G	-4 F	-17 E	
19×13.5J							34 J	21 I	9 H	-4 G	-17 F						40 J	27 I	15 H	2 G	-11 F	
19×14.0J								28 J	15 I	2 H	-10 G							34 J	21 I	8 H	-4 G	
19×14.5J									21 J	9 I	-4 H								27 J	15 I	2 H	
19×15.0J										15 J	2 I									21 J	8 I	
19×15.5J											9 J											15 J
PCD RANGE	5H-98~120.65																					

SIZE	BIG CALIPER 5H-114.3											BIG CALIPER 5H-114.3										
	Ldisk											Rdisk										
	LIP SIZE ( mm)											LIP SIZE ( mm)										
	34	46	59	72	84	97	110	122	135	148	160	34	46	59	72	84	97	110	122	135	148	160
19×7.5J	22 D	9 C	-3 B	-16 A								14 D	1 C	-11 B	-24 A							
19×8.0J	28 E	16 D	3 C	-10 B	-22 A							20 E	8 D	-5 C	-18 B	-30 A						
19×8.5J	35 F	22 E	9 D	-3 C	-16 B	-29 A						27 F	14 E	1 D	-11 C	-24 B	-37 A					
19×9.0J	41 G	28 F	16 E	3 D	-10 C	-22 B	-35 A					33 G	20 F	8 E	-5 D	-18 C	-30 B	-43 A				
19×9.5J	47 H	35 G	22 F	9 E	-3 D	-16 C	-29 B	-41 A				39 H	27 G	14 F	1 E	-11 D	-24 C	-37 B	-49 A			
19×10.0J	54 I	41 H	28 G	16 F	3 E	-10 D	-22 C	-35 B	-48 A			46 I	33 H	20 G	8 F	-5 E	-18 D	-30 C	-43 B	-56 A		
19×10.5J	60 J	47 I	35 H	22 G	9 F	-3 E	-16 D	-29 C	-41 B	-54 A		52 J	39 I	27 H	14 G	1 F	-11 E	-24 D	-37 C	-49 B	-62 A	
19×11.0J		54 J	41 I	28 H	16 G	3 F	-10 E	-22 D	-35 C	-48 B	-60 A		46 J	33 I	20 H	8 G	-5 F	-18 E	-30 D	-43 C	-56 B	-68 A
19×11.5J			47 J	35 I	22 H	9 G	-3 F	-16 E	-29 D	-41 C	-54 B			39 J	27 I	14 H	1 G	-11 F	-24 E	-37 D	-49 C	-62 B
19×12.0J				41 J	28 I	16 H	3 G	-10 F	-22 E	-35 D	-48 C				33 J	20 I	8 H	-5 G	-18 F	-30 E	-43 D	-56 C
19×12.5J					35 J	22 I	9 H	-3 G	-16 F	-29 E	-41 D				27 J	14 I	1 H	-11 G	-24 F	-37 E	-49 D	
19×13.0J						28 J	16 I	3 H	-10 G	-22 F	-35 E					20 J	8 I	-5 H	-18 G	-30 F	-43 E	
19×13.5J							22 J	9 I	-3 H	-16 G	-29 F						14 J	1 I	-11 H	-24 G	-37 F	
19×14.0J								16 J	3 I	-10 H	-22 G							8 J	-5 I	-18 H	-30 G	
19×14.5J									9 J	-3 I	-16 H									1 J	-11 I	-24 H
19×15.0J										3 J	-10 I										-5 J	-18 I
19×15.5J											-3 J											-11 J
PCD RANGE	5H-98~120.65																					

●STANDARD COLOR: MATT DARK GUNMETAL( MDG) / BRILLIANT SILVER BLACK( BSB) / SILKY RICH SILVER( SRS)

VS-XV·55~105EF

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC( V27C)

※STANDARD BARREL FINISH: BUFF ANODIZED( D)

SIZE	STANDARD								DEEP RIM							
	Adisk								Odisk							
	5H-100 5H-114.3								5H-100 5H-114.3							
	LIP SIZE (mm)								LIP SIZE (mm)							
47	60	73	85	98	111	123	136	47	60	73	85	98	111	123	136	
19×7.5J	21 C							27 C								
19×8.0J	28 D	15 C						34 D	21 C							
19×8.5J	34 E	21 D	9 C					40 E	27 D	15 C						
19×9.0J	40 F	28 E	15 D	2 C				46 F	34 E	21 D	8 C					
19×9.5J	47 G	34 F	21 E	9 D	-4 C			53 G	40 F	27 E	15 D	2 C				
19×10.0J		40 G	28 F	15 E	2 D	-10 C			46 G	34 F	21 E	8 D	-4 C			
19×10.5J			34 G	21 F	9 E	-4 D	-17 C			40 G	27 F	15 E	2 D	-11 C		
19×11.0J				28 G	15 F	2 E	-10 D	-23 C			34 G	21 F	8 E	-4 D	-17 C	
19×11.5J					21 G	9 F	-4 E	-17 D				27 G	15 F	2 E	-11 D	
19×12.0J						15 G	2 F	-10 E					21 G	8 F	-4 E	
19×12.5J							9 G	-4 F						15 G	2 F	
19×13.0J								2 G							8 G	
PCD RANGE	5H-98~120.65															

SIZE	BIG CALIPER								BIG CALIPER							
	Ldisk								Rdisk							
	5H-114.3								5H-114.3							
	LIP SIZE (mm)								LIP SIZE (mm)							
47	60	73	85	98	111	123	136	47	60	73	85	98	111	123	136	
19×7.5J	9 C							1 C								
19×8.0J	16 D	3 C						8 D	-5 C							
19×8.5J	22 E	9 D	-3 C					14 E	1 D	-11 C						
19×9.0J	28 F	16 E	3 D	-10 C				20 F	8 E	-5 D	-18 C					
19×9.5J	35 G	22 F	9 E	-3 D	-16 C			27 G	14 F	1 E	-11 D	-24 C				
19×10.0J		28 G	16 F	3 E	-10 D	-22 C			20 G	8 F	-5 E	-18 D	-30 C			
19×10.5J			22 G	9 F	-3 E	-16 D	-29 C			14 G	1 F	-11 E	-24 D	-37 C		
19×11.0J				16 G	3 F	-10 E	-22 D	-35 C			8 G	-5 F	-18 E	-30 D	-43 C	
19×11.5J					9 G	-3 F	-16 E	-29 D				1 G	-11 F	-24 E	-37 D	
19×12.0J						3 G	-10 F	-22 E					-5 G	-18 F	-30 E	
19×12.5J							-3 G	-16 F						-11 G	-24 F	
19×13.0J								-10 G							-18 G	
PCD RANGE	5H-98~120.65															

●STANDARD COLOR: MATT DARK GUNMETAL( MDG) / BRILLIANT SILVER BLACK( BSB) / SILKY RICH SILVER( SRS)

VS-XVSR・60~95Y

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC・VALVE STEM/ 1PC( V27C)

※STANDARD BARREL FINISH: BUFF ANODIZED( D)

SIZE	STANDARD 5H-114.3														Adisk	DEEP RIM 5H-114.3														Odisk	
	LIP SIZE ( mm)															LIP SIZE ( mm)															
	34	46	59	72	84	97	110	122	135	148	160	173	186	198	211	34	46	59	72	84	97	110	122	135	148	160	173	186	198	211	
20×7.5J	34 D	21 C	9 B	-4 A											40 D	27 C	15 B	2 A													
20×8.0J	40 E	28 D	15 C	2 B	-10 A										46 E	34 D	21 C	8 B	-4 A												
20×8.5J	47 F	34 E	21 D	9 C	-4 B	-17 A									53 F	40 E	27 D	15 C	2 B	-11 A											
20×9.0J	53 G	40 F	28 E	15 D	2 C	-10 B	-23 A								59 G	46 F	34 E	21 D	8 C	-4 B	-17 A										
20×9.5J	59 H	47 G	34 F	21 E	9 D	-4 C	-17 B	-29 A							65 H	53 G	40 F	27 E	15 D	2 C	-11 B	-23 A									
20×10.0J	66 I	53 H	40 G	28 F	15 E	2 D	-10 C	-23 B	-36 A						72 I	59 H	46 G	34 F	21 E	8 D	-4 C	-17 B	-30 A								
20×10.5J	72 J	59 I	47 H	34 G	21 F	9 E	-4 D	-17 C	-29 B	-42 A					78 J	65 I	53 H	40 G	27 F	15 E	2 D	-11 C	-23 B	-36 A							
20×11.0J	78 K	66 J	53 I	40 H	28 G	15 F	2 E	-10 D	-23 C	-36 B	-48 A					72 J	59 I	46 H	34 G	21 F	8 E	-4 D	-17 C	-30 B	-42 A						
20×11.5J		72 K	59 J	47 I	34 H	21 G	9 F	-4 E	-17 D	-29 C	-42 B	-55 A				78 K	65 J	53 I	40 H	27 G	15 F	2 E	-11 D	-23 C	-36 B	-49 A					
20×12.0J		78 L	66 K	53 J	40 I	28 H	15 G	2 F	-10 E	-23 D	-36 C	-48 B	-61 A					72 K	59 J	46 I	34 H	21 G	8 F	-4 E	-17 D	-30 C	-42 B	-55 A			
20×12.5J			72 L	59 K	47 J	34 I	21 H	9 G	-4 F	-17 E	-29 D	-42 C	-55 B	-67 A				78 L	65 K	53 J	40 I	27 H	15 G	2 F	-11 E	-23 D	-36 C	-49 B	-61 A		
20×13.0J				66 L	53 K	40 J	28 I	15 H	2 G	-10 F	-23 E	-36 D	-48 C	-61 B	-74 A					72 L	59 K	46 J	34 I	21 H	8 G	-4 F	-17 E	-30 D	-42 C	-55 B	-68 A
20×13.5J					59 L	47 K	34 J	21 I	9 H	-4 G	-17 F	-29 E	-42 D	-55 C	-67 B					65 L	53 K	40 J	27 I	15 H	2 G	-11 F	-23 E	-36 D	-49 C	-61 B	
20×14.0J						53 L	40 K	28 J	15 I	2 H	-10 G	-23 F	-36 E	-48 D	-61 C						59 L	46 K	34 J	21 I	8 H	-4 G	-17 F	-30 E	-42 D	-55 C	
20×14.5J							47 L	34 K	21 J	9 I	-4 H	-17 G	-29 F	-42 E	-55 D							53 L	40 K	27 J	15 I	2 H	-11 G	-23 F	-36 E	-49 D	
20×15.0J								40 L	28 K	15 J	2 I	-10 H	-23 G	-36 F	-48 E								46 L	34 K	21 J	8 I	-4 H	-17 G	-30 F	-42 E	
PCD RANGE															5H-100~120.65																

SIZE	BIG CALIPER 5H-114.3														Ldisk	BIG CALIPER 5H-114.3														Rdisk			
	LIP SIZE ( mm)															LIP SIZE ( mm)																	
	34	46	59	72	84	97	110	122	135	148	160	173	186	198	211	34	46	59	72	84	97	110	122	135	148	160	173	186	198	211			
20×7.5J	22 D	9 C	-3 B	-16 A											14 D	1 C	-11 B	-24 A															
20×8.0J	28 E	16 D	3 C	-10 B	-22 A										20 E	8 D	-5 C	-18 B	-30 A														
20×8.5J	35 F	22 E	9 D	-3 C	-16 B	-29 A									27 F	14 E	1 D	-11 C	-24 B	-37 A													
20×9.0J	41 G	28 F	16 E	3 D	-10 C	-22 B	-35 A								33 G	20 F	8 E	-5 D	-18 C	-30 B	-43 A												
20×9.5J	47 H	35 G	22 F	9 E	-3 D	-16 C	-29 B	-41 A							39 H	27 G	14 F	1 E	-11 D	-24 C	-37 B	-49 A											
20×10.0J	54 I	41 H	28 G	16 F	3 E	-10 D	-22 C	-35 B	-48 A						46 I	33 H	20 G	8 F	-5 E	-18 D	-30 C	-43 B	-56 A										
20×10.5J	60 J	47 I	35 H	22 G	9 F	-3 E	-16 D	-29 C	-41 B	-54 A					52 J	39 I	27 H	14 G	1 F	-11 E	-24 D	-37 C	-49 B	-62 A									
20×11.0J	66 K	54 J	41 I	28 H	16 G	3 F	-10 E	-22 D	-35 C	-48 B	-60 A				58 K	46 J	33 I	20 H	8 G	-5 F	-18 E	-30 D	-43 C	-56 B	-68 A								
20×11.5J	73 L	60 K	47 J	35 I	22 H	9 G	-3 F	-16 E	-29 D	-41 C	-54 B	-67 A			65 L	52 K	39 J	27 I	14 H	1 G	-11 F	-24 E	-37 D	-49 C	-62 B	-75 A							
20×12.0J		66 L	54 K	41 J	28 I	16 H	3 G	-10 F	-22 E	-35 D	-48 C	-60 B	-73 A				58 L	46 K	33 J	20 I	8 H	-5 G	-18 F	-30 E	-43 D	-56 C	-68 B	-81 A					
20×12.5J			60 L	47 K	35 J	22 I	9 H	-3 G	-16 F	-29 E	-41 D	-54 C	-67 B	-79 A						52 L	39 K	27 J	14 I	1 H	-11 G	-24 F	-37 E	-49 D	-62 C	-75 B	-87 A		
20×13.0J				54 L	41 K	28 J	16 I	3 H	-10 G	-22 F	-35 E	-48 D	-60 C	-73 B	-86 A							46 L	33 K	20 J	8 I	-5 H	-18 G	-30 F	-43 E	-56 D	-68 C	-81 B	-94 A
20×13.5J					47 L	35 K	22 J	9 I	-3 H	-16 G	-29 F	-41 E	-54 D	-67 C	-79 B								39 L	27 K	14 J	1 I	-11 H	-24 G	-37 F	-49 E	-62 D	-75 C	-87 B
20×14.0J						41 L	28 K	16 J	3 I	-10 H	-22 G	-35 F	-48 E	-60 D	-73 C								33 L	20 K	8 J	-5 I	-18 H	-30 G	-43 F	-56 E	-68 D	-81 C	
20×14.5J							35 L	22 K	9 J	-3 I	-16 H	-29 G	-41 F	-54 E	-67 D									27 L	14 K	1 J	-11 I	-24 H	-37 G	-49 F	-62 E	-75 D	
20×15.0J								28 L	16 K	3 J	-10 I	-22 H	-35 G	-48 F	-60 E										20 L	8 K	-5 J	-18 I	-30 H	-43 G	-56 F	-68 E	
PCD RANGE															5H-100~120.65																		

●STANDARD COLOR: MATT DARK GUNMETAL( MDG) / BRILLIANT SILVER BLACK( BSB) / SILKY RICH SILVER( SRS)  
●INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC( V27C)  
※STANDARD BARREL FINISH: BUFF ANODIZED( D)

VS-XV·55~125EA

▲SPECIFICATIONS 20inch 3PIECE/REVERSE(S/W)

SIZE	STANDARD Adisk								DEEP RIM Odisk							
	5H-114.3								5H-114.3							
	LIP SIZE (mm)								LIP SIZE (mm)							
	47	60	73	85	98	111	123	136	47	60	73	85	98	111	123	136
20×7.5J	21 C								27 C							
20×8.0J	28 D	15 C							34 D	21 C						
20×8.5J	34 E	21 D	9 C						40 E	27 D	15 C					
20×9.0J	40 F	28 E	15 D	2 C					46 F	34 E	21 D	8 C				
20×9.5J	47 G	34 F	21 E	9 D	-4 C				53 G	40 F	27 E	15 D	2 C			
20×10.0J	53 H	40 G	28 F	15 E	2 D	-10 C			59 H	46 G	34 F	21 E	8 D	-4 C		
20×10.5J		47 H	34 G	21 F	9 E	-4 D	-17 C			53 H	40 G	27 F	15 E	2 D	-11 C	
20×11.0J			40 H	28 G	15 F	2 E	-10 D	-23 C			46 H	34 G	21 F	8 E	-4 D	-17 C
20×11.5J				34 H	21 G	9 F	-4 E	-17 D				40 H	27 G	15 F	2 E	-11 D
20×12.0J					28 H	15 G	2 F	-10 E					34 H	21 G	8 F	-4 E
20×12.5J						21 H	9 G	-4 F						27 H	15 G	2 F
20×13.0J							15 H	2 G							21 H	8 G
PCD RANGE	5H-98~120.65															

SIZE	BIG CALIPER Ldisk								BIG CALIPER Rdisk							
	5H-114.3								5H-114.3							
	LIP SIZE (mm)								LIP SIZE (mm)							
	47	60	73	85	98	111	123	136	47	60	73	85	98	111	123	136
20×7.5J	9 C								1 C							
20×8.0J	16 D	3 C							8 D	-5 C						
20×8.5J	22 E	9 D	-3 C						14 E	1 D	-11 C					
20×9.0J	28 F	16 E	3 D	-10 C					20 F	8 E	-5 D	-18 C				
20×9.5J	35 G	22 F	9 E	-3 D	-16 C				27 G	14 F	1 E	-11 D	-24 C			
20×10.0J	41 H	28 G	16 F	3 E	-10 D	-22 C			33 H	20 G	8 F	-5 E	-18 D	-30 C		
20×10.5J		35 H	22 G	9 F	-3 E	-16 D	-29 C			27 H	14 G	1 F	-11 E	-24 D	-37 C	
20×11.0J			28 H	16 G	3 F	-10 E	-22 D	-35 C			20 H	8 G	-5 F	-18 E	-30 D	-43 C
20×11.5J				22 H	9 G	-3 F	-16 E	-29 D				14 H	1 G	-11 F	-24 E	-37 D
20×12.0J					16 H	3 G	-10 F	-22 E					8 H	-5 G	-18 F	-30 E
20×12.5J						9 H	-3 G	-16 F						1 H	-11 G	-24 F
20×13.0J							3 H	-10 G							-5 H	-18 G
PCD RANGE	5H-98~120.65															

●STANDARD COLOR: MATT DARK GUNMETAL( MDG) / BRILLIANT SILVER BLACK( BSB) / SILKY RICH SILVER( SRS)

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC-VALVE STEM/ 1PC( V27C)

※STANDARD BARREL FINISH: BUFF ANODIZED( D)

VS-

VS-

▲SPECIFICATIONS 21inch 3PIECE/REVERSE(S/W)

SIZE	STANDARD 5H-114.3						DEEP RIM 5H-114.3						BIG CALIPER 5H-114.3						BIG CALIPER 5H-114.3					
	Adisk						Odisk						Ldisk						Rdisk					
	LIP SIZE (mm)						LIP SIZE (mm)						LIP SIZE (mm)						LIP SIZE (mm)					
	58	71	83	96	109	121	58	71	83	96	109	121	58	71	83	96	109	121	58	71	83	96	109	121
21 x 8.0J	15 C	2 B					21 C	8 B					3 C	-10 B					-5 C	-18 B				
21 x 8.5J	21 D	9 C	-4 B				27 D	15 C	2 B				9 D	-3 C	-16 B				1 D	-11 C	-24 B			
21 x 9.0J	28 E	15 D	2 C	-10 B			34 E	21 D	8 C	-4 B			16 E	3 D	-10 C	-22 B			8 E	-5 D	-18 C	-30 B		
21 x 9.5J	34 F	21 E	9 D	-4 C	-17 B		40 F	27 E	15 D	2 C	-11 B		22 F	9 E	-3 D	-16 C	-29 B		14 F	1 E	-11 D	-24 C	-37 B	
21 x 10.0J		28 F	15 E	2 D	-10 C	-23 B		34 F	21 E	8 D	-4 C	-17 B		16 F	3 E	-10 D	-22 C	-35 B		8 F	-5 E	-18 D	-30 C	-43 B
21 x 10.5J			21 F	9 E	-4 D	-17 C		27 F	15 E	2 D	-11 C			9 F	-3 E	-16 D	-29 C			1 F	-11 E	-24 D	-37 C	
21 x 11.0J				15 F	2 E	-10 D			21 F	8 E	-4 D				3 F	-10 E	-22 D				-5 F	-18 E	-30 D	
21 x 11.5J					9 F					15 F	2 E					-3 F	-16 E					-11 F	-24 E	
21 x 12.0J						2 F						8 F						-10 F					-18 F	
PCD RANGE	5H-100~120.65																							

●STANDARD COLOR: MATT DARK GUNMETAL(MDG) / BRILLIANT SILVER BLACK(BSB) / SILKY RICH SILVER(SRS)  
 ●INCLUDED ACCESSORIES: CENTER CAP/ 1PC-VALVE STEM/ 1PC(V27C)  
 ※STANDARD BARREL FINISH: BUFF ANODIZED(D)

VS-