

▲SPECIFICATIONS 22inch 2PIECE/FULL REVERSE

[]HUB CLEARANCE/mm

DISK COLOR		◆OPTIONAL COLOR	SIZE	STANDAR		Adisk[49]	DEEP		Odisk[37]
MBL	BRU	PBU		5H-114.3(73.3) 5H-120(72.5)			5H-114.3(73.3) 5H-120(72.5)		
MSL		PP2		5H-112(66.5) 5H-130(71.6)			5H-112(66.5) 5H-130(71.6)		
				INSET(LIP SIZE)mm			INSET(LIP SIZE)mm		
				INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2		
			22 × 8.5J	35(40)~14(61)	13(62)~-4(79)	47(40)~26(61)	25(62)~8(79)		
			22 × 9.0J	41(40)~8(73)	7(74)~-10(91)	53(40)~20(73)	19(74)~2(91)		
			22 × 9.5J	47(40)~2(85)	1(86)~-16(103)	59(40)~14(85)	13(86)~-4(103)		
			22 × 10.0J	54(40)~-5(99)	-6(100)~-23(117)	66(40)~7(99)	6(100)~-11(117)		
			22 × 10.5J	60(40)~-11(111)	-12(112)~-29(129)	72(40)~1(111)	0(112)~-17(129)		
			22 × 11.0J	66(40)~-17(123)	-18(124)~-35(141)	78(40)~-5(123)	-6(124)~-23(141)		
			22 × 11.5J	73(40)~-24(137)	-25(138)~-42(155)	85(40)~-12(137)	-13(138)~-30(155)		
			PCD RANGE	5H-108~130					

●STANDARD COLOR:MATT BLACK(MBL)/MATT SILVER(MSL)/BRUSHED(BRU)RXM•HRH

◆OPTIONAL COLOR:COMPOSITE BUFFED & BRUSHED(PBU)/BUFF FINISH(PP2)

●INCLUDED ACCEORIES: CENTER CAP/1PC•VALVE SEM/1PC(V24C/ V39A)

INSET RANGE 1= V24C、INSET RANGE 2= V39A

※STANDARD BARREL FINISH: BUFF ANODIZE(D)

※GNOSIS RXM 22inch FR PASSED JWL-P840KG(PASSENGER STANDARD).

※THE SPOKE WOULD COME OU OF RIM FANGE WHEN THE LIP SIZE IS LESS THAN 43MM.

Optional Items

- CENTER CAP (MATT BLACK)
- CENTER CAP (EGS)/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MATT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

▲SPECIFICATIONS 22inch 2PIECE/REVERSE

[]HUB CLEARANCE/mm

DISK COLOR		◆OPTIONAL COLOR	SIZE	STANDARD Adisk[49]	DEEP RIM Odisk[35]	BIG CALIPER Rdisk[61]
MBL	BRU	PBU		5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	★
MSL		PP2		INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
				INSET RANGE	INSET RANGE	INSET RANGE
			22×8.5J	28(52)~5(85)	42(52)~9(85)	16(52)~17(85)
			22×9.0J	34(52)~11(97)	48(52)~3(97)	22(52)~23(97)
			22×9.5J	40(52)~17(109)	54(52)~3(109)	28(52)~29(109)
			22×10.0J	47(52)~24(123)	61(52)~10(123)	35(52)~36(123)
			22×10.5J	53(52)~30(135)	67(52)~16(135)	41(52)~42(135)
			22×11.0J	59(52)~36(147)	73(52)~22(147)	47(52)~48(147)
			22×11.5J	66(52)~43(161)	80(52)~29(161)	54(52)~55(161)
			22×12.0J	70(54)~49(173)	84(54)~35(173)	62(54)~61(173)
			22×12.5J	64(66)~55(185)	78(66)~41(185)	52(66)~67(185)
			PCD RANGE	5H-108~120.65		

●STANDARD COLOR:MATT BLACK(MBL)/MATT SILVER(MSL)/BRUSHED(BRU) RXM-SR-HRN

◆OPTIONAL COLOR:COMPOSITE BUFFED & BRUSHED(PBU)/BUFF FINISH(PP2)

●INCLUDED ACCEORIES: CENTER CAP/1PC・VALVE SEM/1PC(V24C)

※STANDARD BARREL FINISH: BUFF ANODIZE(D)

※GNOSIS RXM 22inch FULL REVERSE PASSED JWL-P840KG(PASSENGER STANDARD).

※★= CUSTOM PCD ONLY.

Optional Items

- CENTER CAP (MATT BLACK) NO EXTRA CHARGE
- CENTER CAP (EGS)/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MATT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲SPECIFICATIONS 21inch 2PIECE/FULL REVERSE

[HUB
CLEARANCE (mm)

DISK COLOR		◆OPTIONAL COLOR	SIZE	STANDARD Adisk[49]		DEE Odisk[50]		BIG CALIPER Rdisk[61]	
MBL	BRU	PBU		5H- 5H-114.3(73.3) 5H-120(72.5)		5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		★	
MSL		PP2		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
				INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2
			21 × 7.5J	27(40)~23(44)	22(45)~5(62)	41(40)~37(44)	36(45)~19(62)	15(40)~11(44)	10(45)~7(62)
			21 × 8.0J	33(40)~17(56)	16(57)~1(74)	47(40)~31(56)	30(57)~13(74)	21(40)~5(56)	4(57)~13(74)
			21 × 8.5J	40(40)~17(63)	16(64)~1(81)	54(40)~31(63)	30(64)~13(81)	28(40)~5(63)	4(64)~13(81)
			21 × 9.0J	46(40)~11(75)	10(76)~7(93)	60(40)~25(75)	24(76)~7(93)	34(40)~1(75)	2(76)~19(93)
			21 × 9.5J	52(40)~5(87)	4(88)~13(105)	66(40)~19(87)	18(88)~1(105)	40(40)~7(87)	8(88)~25(105)
			21 × 10.0J	59(40)~2(101)	3(102)~20(119)	73(40)~12(101)	11(102)~6(119)	47(40)~14(101)	15(102)~32(119)
			21 × 10.5J	65(40)~8(113)	9(114)~26(131)	79(40)~6(113)	5(114)~12(131)	53(40)~20(113)	21(114)~38(131)
			21 × 11.0J	71(40)~14(125)	15(126)~32(143)	85(40)~0(125)	1(126)~18(143)	59(40)~26(125)	27(126)~44(143)
			21 × 11.5J	77(41)~21(139)	22(140)~39(157)	85(47)~7(139)	8(140)~25(157)	65(41)~33(139)	34(140)~51(157)
			PCD RANGE	5H-108~120.65					

●STANDARD COLOR: MATT BLACK(MBL)/MATT SILVER(MSL)/BRUSHED(BRU)

◆OPTIONAL COLOR: COMPOSITE BUFFED & BRUSHED(PBU)/BUFF FINISH(PP2)

●INCLUDED ACCESSORIES: CENTER CAP/1PC・VALVE STEM/1PC(V24C/ V39A)

INSET RANGE 1= V24C, INSET RANGE 2= V39A

※STANDARD BARREL FINISH: BUFF ANODIZE(D)

※GNOSIS RXM 21inch FULL REVERSE PASSED JW-LP840KG(PASSENGER STANDARD).

※★= CUSTOM PCD ONLY.

Optional Items

■ CENTER CAP (MATT BLACK)

■ CENTER CAP (EGS)/1PC

■ BLACK VALVE STEM/1PC

RXM・HRH

Repair Parts

■ No.120159 CENTER CAP/1PC

■ No.120164 CENTER CAP/1PC (MATT BLACK)

■ No.120259 CENTER CAP/1PC (EGS)

■ No.180012 VALVE STEM/1PC (V24C)

■ No.180088 BLACK VALVE STEM/1PC (V24K)

■ No.180087 VALVE STEM/1PC (V39A)

■ No.180089 BLACK VALVE STEM/1PC (V39K)

▲SPECIFICATIONS 21inch 2PIECE/REVERSE

[]HUB CLEARANCE/mm

DISK COLOR		◆OPTIONAL COLOR	SIZE	STANDARD	DEEP RIM	BIG CALIPER	
MBL	BRU	PBU		Adisk[49]	Odisk[35]	Rdisk[59]	
MSL		5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	★		
		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
		INSET RANGE		INSET RANGE		INSET RANGE	
			21 × 8.5J	28(52)～-8(88)	42(52)～-6(88)	18(52)～-18(88)	
			21 × 9.0J	34(52)～-14(100)	48(52)～-0(100)	24(52)～-24(100)	
			21 × 9.5J	40(52)～-20(112)	54(52)～-6(112)	30(52)～-30(112)	
			21 × 10.0J	47(52)～-27(126)	61(52)～-13(126)	37(52)～-37(126)	
			21 × 10.5J	53(52)～-33(138)	67(52)～-19(138)	43(52)～-43(138)	
			21 × 11.0J	59(52)～-39(150)	73(52)～-25(150)	49(52)～-49(150)	
			21 × 11.5J	66(52)～-46(164)	80(52)～-32(164)	56(52)～-56(164)	
			21 × 12.0J	70(54)～-52(176)	84(54)～-38(176)	60(54)～-62(176)	
			21 × 12.5J	64(66)～-58(188)	78(66)～-44(188)	54(66)～-68(188)	
			PCD RANGE	5H-108～120.65			

●STANDARD COLOR:MATT BLACK(MBL)/MATT SILVER(MSL)/BRUSHED(BRU) RXM-SR•HRN

◆OPTIONAL COLOR:COMPOSITE BUFFED & BRUSHED(PBU)／BUFF FINISH(PP2)

●INCLUDED ACCEORIES:CENTER CAP/1PC•VALVE SEM/1PC(V24C)

※STANDARD BARREL FINISH: BUFF ANODIZE(D)

※GNOSIS RXM 21inch SR PASSED JWLP720KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (MATT BLACK)
- CENTER CAP (EGS)/1PC
- BLACK VALVE STEM/1set(2PCS)

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MATT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲SPECIFICATIONS 20inch 2PIECE/FULL REVERSE

DISK COLOR		◆OPTIONAL COLOR	SIZE	STANDARD Adisk[49]		DEEP Odiak[59]		BIG CALIPER Rdisk[59]	
MBL	BRU	PBU		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		★	
MSL		PP2		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
				INSET RANGE : 1	INSET RANGE : 2	INSET RANGE : 1	INSET RANGE : 2	INSET RANGE : 1	INSET RANGE : 2
			20 × 8.0J	36(37)~14(59)	13(60)~9(82)	50(37)~28(59)	27(60)~5(82)	26(37)~4(59)	3(60)~19(82)
			20 × 8.5J	43(37)~7(73)	6(74)~16(96)	57(37)~21(73)	20(74)~2(96)	33(37)~3(73)	-4(74)~26(96)
			20 × 9.0J	49(37)~1(85)	0(86)~22(108)	63(37)~15(85)	14(86)~8(108)	39(37)~9(85)	-10(86)~32(108)
			20 × 9.5J	55(37)~5(97)	-6(98)~28(120)	69(37)~9(97)	8(98)~14(120)	45(37)~15(97)	-16(98)~38(120)
			20 × 10.0J	62(37)~12(111)	-13(112)~35(134)	76(37)~2(111)	1(112)~21(134)	52(37)~22(111)	-23(112)~45(134)
			20 × 10.5J	68(37)~18(123)	-19(124)~41(146)	82(37)~4(123)	-5(124)~27(146)	58(37)~28(123)	-29(124)~51(146)
			20 × 11.0J	74(37)~24(135)	-25(136)~47(158)	85(40)~10(135)	-11(136)~33(158)	64(37)~34(135)	-35(136)~57(158)
			20 × 11.5J	75(43)~31(149)	-32(150)~54(172)	85(47)~17(149)	-18(150)~40(172)	65(43)~41(149)	-42(150)~64(172)
			20 × 12.0J	69(55)~37(161)	-38(162)~60(184)	83(55)~23(161)	-24(162)~46(184)	59(55)~47(161)	-48(162)~70(184)
			20 × 12.5J	63(67)~43(173)	-44(174)~66(196)	77(67)~29(173)	-30(174)~52(196)	53(67)~53(173)	-54(174)~76(196)
			PCD RANGE	5H-108~120.65					

●STANDARD COLOR: MATT BLACK(MBL)/MATT SILVER(MSL)/BRUSHED(BRU)

RXM·HRH

◆OPTIONAL COLOR: COMPOSITE BUFFED & BRUSHED(PBU)/BUFF FINISH(PP2)

●INCLUDED ACCESSORIES: CENTER CAP/1PC·VALVE SEM/1PC(V24C/ V39A)

INSET RANGE 1= V24C, INSET RANGE 2= V39A

※STANDARD BARREL FINISH: BUFF ANODIZE(D)

※GNOSIS RXM 20inch FR PASSED JWL-P720KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (MATT BLACK)
- CENTER CAP (EGS)/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MATT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

▲SPECIFICATIONS 20inch 2PIECE/REVERSE

[]HUB CLEARANCE/mm

DISK COLOR		◆OPTIONAL COLOR	SIZE	STANDARD	DEEP RIM	
MBL	BRU	PBU		Adiak[49]	Odiak[35]	
MSL		PP2		5H-100(57/60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		
				INSET(LIP SIZE)mm		
				INSET RANGE		INSET RANGE
	20 × 8.0J		23(50)~1(74)	37(50)~13(74)		
			20 × 8.5J	30(50)~8(88)	44(50)~6(88)	
			20 × 9.0J	36(50)~14(100)	50(50)~0(100)	
			20 × 9.5J	42(50)~20(112)	56(50)~6(112)	
			20 × 10.0J	49(50)~27(126)	63(50)~13(126)	
			20 × 10.5J	55(50)~33(138)	69(50)~19(138)	
			20 × 11.0J	61(50)~39(150)	75(50)~25(150)	
			20 × 11.5J	68(50)~46(164)	82(50)~32(164)	
			20 × 12.0J	74(50)~52(176)	85(53)~38(176)	
			20 × 12.5J	69(61)~58(188)	83(61)~44(188)	
			PCD RANGE	5H-108~120.65		

●STANDARD COLOR: MATT BLACK(MBL)/MATT SILVER(MSL)/BRUSHED(BRU) RXM-

◆OPTIONAL COLOR: COMPOSITE BUFFED & BRUSHED(PBU)/BUFF FINISH(PP2)

●INCLUDED ACCEORIES: CENTER CAP/1PC•VALVE SEM/1PC(V24C)

※STANDARD BARREL FINISH: BUFF ANODIZE(D)

※GNOSIS RXM 20inch SR PASSED JWL-P720KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (MATT BLACK)
- CENTER CAP (EGS)/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP (EGS)
- No.120164 CENTER CAP (EGS)
- No.120259 CENTER CAP (EGS)
- No.180012 VALVE STEM (EGS)
- No.180088 BLACK VALVE STEM (EGS)

▲SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

[]HUB
CLEARANCE

DISK COLOR		◆OPTIONAL COLOR	SIZE	STANDA		Adia	DEEP		Odiak(35)
MBL	BRU	PBU		5H-100(57/60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)			5H-100(57/60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		
MSL		PP2		INSET(LIP SIZE)mm			INSET(LIP SIZE)mm		
				INSET RANGE:1	INSET RANGE:2		INSET RANGE:1	INSET RANGE:2	
			19×7.5J	32(35)~15(52)	14(53)~2(65)		46(35)~29(52)	28(53)~16(65)	
			19×8.0J	38(35)~9(64)	8(65)~4(77)		52(35)~23(64)	22(65)~10(77)	
			19×8.5J	45(35)~2(78)	1(79)~11(91)		59(35)~16(78)	15(79)~3(91)	
			19×9.0J	51(35)~4(90)	5(91)~17(103)		65(35)~10(90)	9(91)~3(103)	
			19×9.5J	57(35)~10(102)	11(103)~23(115)		71(35)~4(102)	3(103)~9(115)	
			19×10.0J	64(35)~17(116)	18(117)~30(129)		78(35)~3(116)	4(117)~16(129)	
			19×10.5J	70(35)~23(128)	24(129)~36(141)		84(35)~9(128)	10(129)~22(141)	
			19×11.0J	76(35)~29(140)	30(141)~42(153)		85(40)~15(140)	16(141)~28(153)	
			19×11.5J	81(37)~36(154)	37(155)~49(167)		85(47)~22(154)	23(155)~35(167)	
			19×12.0J	72(49)~42(166)	43(167)~55(179)		85(53)~28(166)	29(167)~41(179)	
			19×12.5J	69(61)~48(178)	49(179)~61(191)		83(61)~34(178)	35(179)~47(191)	
			PCD RANGE	5H-108~120.65					

●STANDARD COLOR: MATT BLACK(MBL)/MATT SILVER(MSL)/BRUSHED(BRU) RXM•HRH

◆OPTIONAL COLOR: COMPOSITE BUFFED & BRUSHED(PBU)/BUFF FINISH(PP2)

●INCLUDED ACCESSORIES: CENTER CAP/1PC•VALVE STEM/1PC(V24C/ V39A)

INSET RANGE 1= V24C, INSET RANGE 2= V39A

※STANDARD BARREL FINISH: BUFF ANODIZE(D)

※GNOSIS RXM 19inch FR PASSED JWL-P720KG(PASSENGER STANDARD).

※THE SPOKE WOULD COME OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 36MM.

Optional Items

- CENTER CAP (MATT BLACK)
- CENTER CAP (EGS)/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MATT)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC