

LANVEC LS10(21)SR-251003

[] HUB CLEARANCE/mm

▲ SPECIFICATIONS 21inch 2PIECE/REVERSE

DISK COLOR	SIZE	STANDARD		Adisk [50]	DEEP RIM		Odisk [36]
		5H-114.3(73.3) 5H-120(60)			5H-114.3(73.3) 5H-120(60)		
		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm			
GRP		STANDARD INSET	ORDER INSET		STANDARD INSET	ORDER INSET	
	21 × 8.5J			35(51)~-3(89)	45(55)	35(65)	49(51)~11(89)
GTK	21 × 9.0J	35(57)		41(51)~-9(101)	45(61)	35(71)	55(51)~5(101)
GRP	21 × 9.5J	45(53)	35(63)	47(51)~-15(113)	45(67)	35(77)	61(51)~-1(113)
	21 × 10.0J	35(70)		54(51)~-22(127)	35(84)		68(51)~-8(127)
	21 × 10.5J			60(51)~-28(139)			74(51)~-14(139)
	21 × 11.0J			66(51)~-34(151)			80(51)~-20(151)
	21 × 11.5J			73(51)~-41(165)			85(53)~-27(165)
	21 × 12.0J			75(55)~-47(177)			85(59)~-33(177)
	21 × 12.5J			68(68)~-53(189)			82(68)~-39(189)

● STANDARD COLOR: GR SILVER POLISH(GRP)/GRIMIT BLACK(GTK)

LST-SR-HRN

● INCLUDED ACCESSORIES: CENTER CAP/ 1PC • VALVE STEM/ 1PC (V24C)

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ LANVEC LS10 21inch REVERSE PASSED JWL-P735KG(FOR PASSENGER) STANDARD.

※ THE SPOKE COMES OUT OF THE INNER STEPPED AREA WHEN THE LIP SIZE IS LESS THAN 68MM.

(IT WILL NOT COME OUT OF THE RIM FLANGE)

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (W LOGO BLACK)/1PC
- CENTER CAP (W LOGO RED)/1PC
- CENTER CAP (W LOGO SILVER)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC
- BLACK VALVE STEM NO EXTRA CHARGE

Repair Parts

- No.120277 CENTER CAP/1PC
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO BLACK)
- No.120208 CENTER CAP/1PC (W LOGO RED)
- No.120295 CENTER CAP/1PC (W LOGO SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲SPECIFICATIONS 20inch 2PIECE/FULL REVERSE

[C]CENTER HUB CLEARANCE/mm

DISK COLOR	SIZE	STANDARD			Adisk[50]		DEEP RIM			Odisk[36]			
		5H-114.3(73.3) 5H-120(60)						5H-114.3(73.3) 5H-120(60)					
GTK	GRP	INSET(LIP SIZE)mm						INSET(LIP SIZE)mm					
		STANDARD INSET	ORDER INSET: 1	ORDER INSET: 2	STANDARD INSET	ORDER INSET: 1	ORDER INSET: 2	STANDARD INSET	ORDER INSET: 1	ORDER INSET: 2	STANDARD INSET	ORDER INSET: 1	ORDER INSET: 2
	20 × 8.0J	35(44)		36(43)~18(61)	17(62)~-5(84)		45(48)	35(58)	50(43)~32(61)	31(62)~9(84)			
	20 × 8.5J	43(43)	35(51)	43(43)~11(75)	10(76)~-12(98)		45(55)	35(65)	57(43)~25(75)	24(76)~2(98)			
	20 × 9.0J	45(47)	35(57)	49(43)~5(87)	4(88)~-18(110)		45(61)	35(71)	63(43)~19(87)	18(88)~-4(110)			
	20 × 9.5J	45(53)	35(63)	55(43)~-1(99)	-2(100)~-24(122)		45(67)	35(77)	69(43)~13(99)	12(100)~-10(122)			
	20 × 10.0J	35(70)		62(43)~-8(113)	-9(114)~-31(136)		35(84)		76(43)~6(113)	5(114)~-17(136)			
	20 × 10.5J			68(43)~-14(125)	-15(126)~-37(148)				82(43)~0(125)	-1(126)~-23(148)			
	20 × 11.0J			74(43)~-20(137)	-21(138)~-43(160)				85(46)~-6(137)	-7(138)~-29(160)			
	20 × 11.5J			81(43)~-27(151)	-28(152)~-50(174)				85(53)~-13(151)	-14(152)~-36(174)			
	20 × 12.0J			75(55)~-33(163)	-34(164)~-56(186)				85(59)~-19(163)	-20(164)~-42(186)			
	20 × 12.5J			68(68)~-39(175)	-40(176)~-62(198)				82(68)~-25(175)	-26(176)~-48(198)			

LST•

● STANDARD COLOR: GR SILVER POLISH(GRP)/GRIMIT BLACK(GTK)

● INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC (V24C OR V39A)

ORDER INSET 1 = V24C, ORDER INSET 2 = V39A

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※LANVEC LS10 20inch FULL REVERSE PASSED JWLP-735KG(PASSENGER CAR) STANDARD.

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (W LOGO BLACK)/1PC
- CENTER CAP (W LOGO RED)/1PC
- CENTER CAP (W LOGO SILVER)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC
- BLACK VALVE STEM NO EXTRA CHARGE

※GOLD VALVE STEM IS AVAILABE FOR ONLY ORDER INSET: 1

Repair Parts

- No.120277 CENTER CAP/1PC
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO BLACK)
- No.120208 CENTER CAP/1PC (W LOGO RED)
- No.120295 CENTER CAP/1PC (W LOGO SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

▲SPECIFICATIONS 20inch 2PIECE/REVERSE

[] HUB CLEARANCE/mm

DISK COLOR	SIZE	DEEP RIM Odisk[41]		
		5H-100(80) 5H-114.3(73.3)		
GTK		INSET(LIP SIZE)mm		
GRP		STANDARD INSET	ORDER INSET	
	20 × 8.0J	45(53)	35(63)	48(50)~18(80)
	20 × 8.5J	45(60)	35(70)	55(50)~11(94)
	20 × 9.0J	45(66)	35(76)	61(50)~5(106)
	20 × 9.5J	45(72)	35(82)	67(50)~-1(118)
	20 × 10.0J	35(89)		74(50)~-8(132)
	20 × 10.5J			80(50)~-14(144)
	20 × 11.0J			85(51)~-20(156)
	20 × 11.5J			85(58)~-27(170)
	20 × 12.0J			85(64)~-33(182)
	20 × 12.5J			85(70)~-39(194)

LST-SR·HRN

●STANDARD COLOR: GR SILVER POLISH(GRP)/GRIMIT BLACK(GTK)

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC (V24C)

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※THE SPOKE COMES OUT OF THE INNER STEPPED AREA WHEN THE LIP SIZE IS LESS THAN 66MM.

(IT WILL NOT COME OUT OF THE RIM FLANGE)

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (W LOGO BLACK)/1PC
- CENTER CAP (W LOGORED)/1PC
- CENTER CAP (W LOGO SILVER)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC
- BLACK VALVE STEM NO EXTRA CHARGE

Repair Parts

- No.120277 CENTER CAP/1PC
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO BLACK)
- No.120208 CENTER CAP/1PC (W LOGORED)
- No.120295 CENTER CAP/1PC (W LOGO SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

LANVEC LS10(19)-251003

▲SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

[] HUB CLEARANCE/mm

DISK COLOR	SIZE	DEEP RIM		Odisk[41]	
		5H-100(60) 5H-114.3(73.3)			
GTK		INSET(リムof深さ)mm			
GRP		STANDARD INSET	ORDER INSET : 1	ORDER INSET : 2	
	19 × 7.5J	45(47)	35(57)	53(39)~34(58)	33(59)~21(71)
	19 × 8.0J	45(53)	35(63)	59(39)~28(70)	27(71)~15(83)
	19 × 8.5J	45(60)	35(70)	66(39)~21(84)	20(85)~8(97)
	19 × 9.0J	45(66)	35(76)	72(39)~15(96)	14(97)~2(109)
	19 × 9.5J	45(72)	35(82)	78(39)~9(108)	8(109)~-4(121)
	19 × 10.0J	35(89)		85(39)~2(122)	1(123)~-11(135)
	19 × 10.5J			85(45)~-4(134)	-5(135)~-17(147)
	19 × 11.0J			85(51)~-10(146)	-11(147)~-23(159)
	19 × 11.5J			85(58)~-17(160)	-18(161)~-30(173)
	19 × 12.0J			85(64)~-23(172)	-24(173)~-36(185)
	19 × 12.5J			85(70)~-29(184)	-30(185)~-42(197)

●STANDARD COLOR: GR SILVER POLISH(GRP)/GRIMIT BLACK(GTK) LST・H

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC・VALVE STEM/ 1PC (V24C OR V39A)

ORDER INSET 1 = V24C, ORDER INSET 2 = V39A

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 43MM.

EVEN WITH THE LIP SIZE MORE THAN THE ABOVE VALUE, THE SPOKE MAY SLIGHTLY COME OF THE RIM

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (W LOGO BLACK)/1PC
- CENTER CAP (W LOGORED)/1PC
- CENTER CAP (W LOGO SILVER)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC
- BLACK VALVE STEM NO EXTRA CHARGE

※GOLD VALVE STEM IS AVAILABE FOR ONLY ORDER INSET: 1

Repair Parts

- No.120277 CENTER CAP/1PC
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO BLACK)
- No.120208 CENTER CAP/1PC (W LOGORED)
- No.120295 CENTER CAP/1PC (W LOGO SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

LANVEC LS10(19)SR-251003
 ▲SPECIFICATIONS 19inch 2PIECE/REVERSE

[] HUB CLEARANCE/mm

DISK COLOR	SIZE	DEEP RIM Odisk[41]		
		5H-100(60) 5H-114.3(73.3)		
GTK		INSET(リムの深さ)mm		
GRP		標準インセット	オーダーインセット	
	19 × 8.0J	45(55)	35(65)	49(51)~20(80)
	19 × 8.5J	45(62)	35(72)	56(51)~13(94)
	19 × 9.0J	45(68)	35(78)	62(51)~7(106)
	19 × 9.5J	45(74)	35(84)	68(51)~1(118)
	19 × 10.0J	35(91)		75(51)~6(132)
	19 × 10.5J			81(51)~12(144)
	19 × 11.0J			85(53)~18(156)
	19 × 11.5J			85(60)~25(170)
	19 × 12.0J			85(66)~31(182)
	19 × 12.5J			85(72)~37(194)

LST-SR-HRN

●STANDARD COLOR: GR SILVER POLISH(GRP)/GRIMIT BLACK(GTK)

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC・VALVE STEM/ 1PC (V24C)

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※THE SPOKE COMES OUT OF THE INNER STEPPED AREA WHEN THE LIP SIZE IS LESS THAN 67MM.

(IT WILL NOT COME OUT OF THE RIM FLANGE)

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (W LOGO BLACK)/1PC
- CENTER CAP (W LOGORED)/1PC
- CENTER CAP (W LOGO SILVER)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC
- BLACK VALVE STEM NO EXTRA CHARGE

Repair Parts

- No.120277 CENTER CAP/1PC
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO BLACK)
- No.120208 CENTER CAP/1PC (W LOGORED)
- No.120295 CENTER CAP/1PC (W LOGO SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)

LANVEC LS10(18)-251003

▲SPECIFICATIONS 18inch 2PIECE/FULL REVERSE

[] HUB CLEARANCE/mm

DISK COLOR	SIZE	DEEP RIM		Odisk[41]	
		5H-100(60) 5H-114.3(73.3)			
		INSET(LIP SIZE)mm			
GTK		STANDARD INSET		ORDER INSET	
GRP					
	18 × 7.0J	51(36)	48(39)	42(45)	51(36)~42(45)
	18 × 7.5J	50(43)	45(48)		57(36)~41(52)
	18 × 8.0J	45(54)	40(59)	35(64)	63(36)~35(64)
	18 × 8.5J	45(61)	35(71)		70(36)~34(72)
	18 × 9.0J	45(67)	35(77)		76(36)~28(84)
	18 × 9.5J	45(73)	35(83)		82(36)~22(96)
	18 × 10.0J	35(90)			85(40)~15(110)
	18 × 10.5J				85(46)~9(122)
	18 × 11.0J				85(52)~3(134)
	18 × 11.5J				85(59)~-4(148)
	18 × 12.0J				85(65)~-10(160)
	18 × 12.5J				85(71)~-16(172)

●STANDARD COLOR: GR SILVER POLISH(GRP)/GRIMIT BLACK(GTK) LST•HR

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC•VALVE STEM/ 1PC (V24C)

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 41MM.

EVEN WITH THE LIP SIZE MORE THAN THE ABOVE VALUE, THE SPOKE MAY SLIGHTLY COME OF THE RIM

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (W LOGO BLACK)/1PC
- CENTER CAP (W LOGORED)/1PC
- CENTER CAP (W LOGO SILVER)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC
- BLACK VALVE STEM NO EXTRA CHARGE

Repair Parts

- No.120277 CENTER CAP/1PC
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO BLACK)
- No.120208 CENTER CAP/1PC (W LOGORED)
- No.120295 CENTER CAP/1PC (W LOGO SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)