

▲SPECIFICATIONS 20inch 2PIECE/REVERSE

[] = HUB CLEARANCE (mm)

STD COLOR		SIZE	MIDDLE CONCAVE				DEEP CONCAVE	
AHG	GTS		BIG CALIPER 5H-100(80) 5H-114.3(73.3)	Rdisk [F:43/H:51]	BIG CALIPER 5H-100(80) 5H-114.3(73.3)	Ldisk [F:30/H:38]	STANDARD 5H-100(80) 5H-114.3(73.3)	Adisk [F:28/H:34]
MGM			INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
WHT			INSET RANGE		INSET RANGE		INSET RANGE	
		20 × 8.0J	28(47)~2(75)		39(47)~11(75)		25(47)~3(75)	
		20 × 8.5J	33(47)~9(89)		46(47)~4(89)		32(47)~10(89)	
		20 × 9.0J	39(47)~15(101)		52(47)~2(101)		38(47)~16(101)	
		20 × 9.5J	45(47)~21(113)		58(47)~8(113)		44(47)~22(113)	
		20 × 10.0J	52(47)~28(127)		65(47)~15(127)		51(47)~29(127)	
		20 × 10.5J	58(47)~34(139)		71(47)~21(139)		57(47)~35(139)	
		20 × 11.0J	64(47)~40(151)		77(47)~27(151)		63(47)~41(151)	
		20 × 11.5J	71(47)~47(165)		84(47)~34(165)		70(47)~48(165)	
		20 × 12.0J	76(48)~53(177)		85(52)~40(177)		75(48)~54(177)	
		20 × 12.5J	69(61)~59(189)		82(61)~46(189)		68(61)~60(189)	
		PCD RANGE			5H-98~120.65			

● STANDARD COLOR: ASH-TITANIUM(AHG) / MAT CARBON(MGM) / WHITE(WHT) / GLIM SILVER(GTS)

T5RSR-HR

● INCLUDED ACCESSORIES: VALVE STEM(V24C) / 1PC, STICKER / 1PC

※ CENTER CAP IS SOLD SEPARATELY

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ WORKEMOTION T5R 2P 20inch SR PASSES JWLP720KG(PASSENGER) STANDARD.

※ MIDDLE COCAVE FACE: THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 48MM.

※ MIDDLE COCAVE FACE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 76MM.

※ DEEP COCAVE FACE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 81MM.

Optional Items

- No.120273 CENTER CAP (FLAT TYPE, BLACK/RED RING)/ 1PC
- No.120179 CENTER CAP (FLAT TYPE, SILVER)/ 1PC
- No.120180 CENTER CAP (HIGH TYPE, SILVER)/ 1PC
- No.120186 CENTER CAP (FLAT TYPE, BLACK)/ 1PC
- No.120187 CENTER CAP (HIGH TYPE, BLACK)/ 1PC
- No.120219 CENTER CAP (FLAT TYPE, RED)/ 1PC
- No.120220 CENTER CAP (HIGH TYPE, RED)/ 1PC
- No.120250 CENTER CAP (FLAT TYPE, BLUE)/ 1PC
- No.120251 CENTER CAP (HIGH TYPE, BLUE)/ 1PC
- No.120235 CENTER CAP(FLAT TYPE, W LOGO, BLACK)/ 1PC
- No.120279 CENTER CAP(FLAT TYPE, W LOGO, BLACK/ NAVY RING)/ 1PC
- BLACK VALVE STEM NO EXTRA CHARGE

Repair Parts

- No.130064 STICKER/ 1PC (WORK EMOTION)
- No.180012 VALVE STEM/ 1PC (V24C)
- No.180088 BLACK VALVE STEM/ 1PC (V24K)

▲SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

STD COLOR		SIZE	MIDDLE CONCAVE				DEEP CONCAVE		
AHG	GTS		BIG GALPER Rdisk 5H-100(80) 5H-114.3(73.3) [D43/H34]		BIG GALPER Ldisk 5H-100(80) 5H- 114.3(73.3) [D30/H34]		STANDARD Adisk 5H-100(80) 5H- 114.3(73.3) [D26/H34]		
			INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		
MGM		INSET RANGE : 1		INSET RANGE : 2		INSET RANGE : 1		INSET RANGE : 2	
WHT		INSET RANGE : 1		INSET RANGE : 2		INSET RANGE : 1		INSET RANGE : 2	
		19 x 7.5J	26(41)~15(52)	14(53)~2(65)	39(41)~28(52)	27(53)~15(65)	25(41)~14(52)	13(53)~1(65)	
		19 x 8.0J	32(41)~9(64)	8(65)~4(77)	45(41)~22(64)	21(65)~9(77)	31(41)~8(64)	7(65)~5(77)	
		19 x 8.5J	39(41)~2(78)	1(79)~11(91)	52(41)~15(78)	14(79)~2(91)	38(41)~1(78)	0(79)~12(91)	
		19 x 9.0J	45(41)~4(90)	-5(91)~17(103)	58(41)~9(90)	8(91)~4(103)	44(41)~5(90)	-6(91)~18(103)	
		19 x 9.5J	51(41)~10(102)	-11(103)~23(115)	64(41)~3(102)	2(103)~10(115)	50(41)~11(102)	-12(103)~24(115)	
		19 x 10.0J	58(41)~17(116)	-18(117)~30(129)	71(41)~4(116)	-5(117)~17(129)	57(41)~18(116)	-19(117)~31(129)	
		19 x 10.5J	59(46)~23(128)	-24(129)~36(141)	72(46)~10(128)	-11(129)~23(141)	63(41)~24(128)	-25(129)~37(141)	
		19 x 11.0J	65(46)~29(140)	-30(141)~42(153)	78(46)~16(140)	-17(141)~29(153)	69(41)~30(140)	-31(141)~43(153)	
		19 x 11.5J	72(46)~36(154)	-37(155)~49(167)	85(46)~23(154)	-24(155)~36(167)	76(41)~37(154)	-38(155)~50(167)	
		19 x 12.0J	75(49)~42(166)	-43(167)~55(179)	85(52)~29(166)	-30(167)~42(179)	74(49)~43(166)	-44(167)~56(179)	
		19 x 12.5J	69(61)~48(178)	-49(179)~61(191)	82(61)~35(178)	-36(179)~48(191)	68(61)~49(178)	-50(179)~62(191)	
		PCD RANGE	5H-98~120.65						

- STANDARD COLOR: ASH-TITANIUM(AHG) / MAT CARBON(MGM) / WHITE(WHT) / GLIM SILVER(GTS)
- T5R2P-HRH
- INCLUDED ACCESSORIES: VALVE STEM(V24C OR V39A)/ 1PC, STICKER/ 1PC INSET RANGE :1= V24C, INSET RANGE:2= V39A
- ※ CENTER CAP IS SOLD SEPARATELY
- ※ STANDARD BARREL FINISH: BUFF ANODIZED(D)
- ※ WORKEMOTION T5R 2P 19inch FR PASSES JWL-P720KG(PASSENGER) STANDARD.
- ※ MIDDLE CONCAVE FACE: THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 48MM.

Optional Items

- No.120273 CENTER CAP (FLAT TYPE, BLACK/RED RING)/ 1PC
- No.120179 CENTER CAP (FLAT TYPE, SILVER)/ 1PC
- No.120180 CENTER CAP (HIGH TYPE, SILVER)/ 1PC
- No.120186 CENTER CAP (FLAT TYPE, BLACK)/ 1PC
- No.120187 CENTER CAP (HIGH TYPE, BLACK)/ 1PC
- No.120219 CENTER CAP (FLAT TYPE, RED)/ 1PC
- No.120220 CENTER CAP (HIGH TYPE, RED)/ 1PC
- No.120250 CENTER CAP (FLAT TYPE, BLUE)/ 1PC
- No.120251 CENTER CAP (HIGH TYPE, BLUE)/ 1PC
- No.120235 CENTER CAP(FLAT TYPE, W LOGO, BLACK)/ 1PC
- No.120279 CENTER CAP(FLAT TYPE, W LOGO, BLACK/ NAVY RING)/ 1PC
- BLACK VALVE STEM NO EXTRA CHARGE

Repair Parts

- No.130064 STICKER/ 1PC (WORK EMOTION)
- No.180012 VALVE STEM/ 1PC (V24C)
- No.180088 BLACK VALVE STEM/ 1PC (V24C)
- No.180087 VALVE STEM/ 1PC (V39A)
- No.180089 BLACK VALVE STEM/ 1PC (V39C)

▲SPECIFICATIONS 19inch 2PIECE/REVERSE

[]= HUB CLEARANCE/mm

STD COLOR		SIZE	MIDDLE CONCAVE				DEEP CONCAVE	
AHG	GTS		BIG CALIPER 5H-100(60) 5H-114.3(73.3)	Rdisk [F:43/H:51]	BIG CALIPER 5H-100(60) 5H-114.3(73.3)	Ldisk [F:30/H:38]	STANDARD 5H-100(60) 5H-114.3(73.3)	Adisk [F:26/H:34]
MGM		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		
WHT		INSET RANGE		INSET RANGE		INSET RANGE		
			19 × 8.0J	26(47)~1(74)		39(47)~12(74)		25(48)~2(75)
		19 × 8.5J	33(47)~8(88)		46(47)~8(88)		32(48)~9(89)	
		19 × 9.0J	39(47)~14(100)		52(47)~1(100)		38(48)~15(101)	
		19 × 9.5J	45(47)~20(112)		58(47)~7(112)		44(48)~21(113)	
		19 × 10.0J	52(47)~27(126)		65(47)~14(126)		51(48)~28(127)	
		19 × 10.5J	58(47)~33(138)		71(47)~20(138)		57(48)~34(139)	
		19 × 11.0J	64(47)~39(150)		77(47)~26(150)		63(48)~40(151)	
		19 × 11.5J	71(47)~46(164)		84(47)~33(164)		70(48)~47(165)	
		19 × 12.0J	75(49)~52(176)		85(52)~39(176)		74(50)~53(177)	
		19 × 12.5J	69(61)~58(188)		82(61)~45(188)		68(62)~59(189)	
		PCD RANGE	5H-98~120.65					

●STANDARD COLOR: ASH-TITANIUM(AHG) / MAT CARBON(MGM) / WHITE(WHT) / GLIM SILVER(GTS)

T5RSR·H

●INCLUDED ACCESSORIES: VALVE STEM(V24C)/ 1PC, STICKER/ 1PC

※CENTER CAP IS SOLD SEPARATELY

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※WORKEMOTION T5R 2P 19inch SR PASSES JWL-P720KG(PASSENGER) STANDARD.

※MIDDLE COCAVE FACE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 77MM.

※DEEP COCAVE FACE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 81MM.

Optional Items

- No.120273 CENTER CAP (FLAT TYPE, BLACK/RED RING)/ 1PC
- No.120179 CENTER CAP (FLAT TYPE, SILVER)/ 1PC
- No.120180 CENTER CAP (HIGH TYPE, SILVER)/ 1PC
- No.120186 CENTER CAP (FLAT TYPE, BLACK)/ 1PC
- No.120187 CENTER CAP (HIGH TYPE, BLACK)/ 1PC
- No.120219 CENTER CAP (FLAT TYPE, RED)/ 1PC
- No.120220 CENTER CAP (HIGH TYPE, RED)/ 1PC
- No.120250 CENTER CAP (FLAT TYPE, BLUE)/ 1PC
- No.120251 CENTER CAP (HIGH TYPE, BLUE)/ 1PC
- No.120235 CENTER CAP(FLAT TYPE, W LOGO, BLACK)/ 1PC
- No.120279 CENTER CAP(FLAT TYPE, W LOGO, BLACK/ NAVY RING)/ 1PC
- BLACK VALVE STEM NO EXTRA CHARGE

Repair Parts

- No.130064 STICKER/ 1PC (WORK EMOTION)
- No.180012 VALVE STEM/ 1PC (V24C)
- No.180088 BLACK VALVE STEM/ 1PC (V24K)

[]= HUB CLEARANCE/mm

▲SPECIFICATIONS 18inch 2PIECE/FULL REVERSE

STD COLOR		SIZE	MIDDLE COCAVE		DEEP COCAVE	
AHG	GTS		BIG CALIPER 5H-100(80) 5H-114.3(73.3) Rdisk [F:43/H:51]	BIG CALIPER 5H-100(80) 5H-114.3(73.3) Ldisk [F:30/H:38]	STANDARD 5H-100(80) 5H-114.3(73.3)	Adisk [F:26/H:34]
MGM			INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	
WHT			INSET RANGE	INSET RANGE	INSET RANGE	
		18 × 7.0J	21(40)	34(40)	-	
		18 × 7.5J	27(40)~20(47)	40(40)~33(47)	25(41)~19(47)	
		18 × 8.0J	33(40)~14(59)	46(40)~27(59)	31(41)~13(59)	
		18 × 8.5J	40(40)~13(67)	53(40)~26(67)	38(41)~12(67)	
		18 × 9.0J	46(40)~7(79)	59(40)~20(79)	44(41)~6(79)	
		18 × 9.5J	52(40)~1(91)	65(40)~14(91)	50(41)~0(91)	
		18 × 10.0J	59(40)~6(105)	72(40)~7(105)	57(41)~7(105)	
		18 × 10.5J	65(40)~12(117)	78(40)~1(117)	63(41)~13(117)	
		18 × 11.0J	71(40)~18(129)	84(40)~5(129)	69(41)~19(129)	
		18 × 11.5J	78(40)~25(143)	85(46)~12(143)	76(41)~26(143)	
		18 × 12.0J	75(49)~31(155)	85(52)~18(155)	74(49)~32(155)	
		18 × 12.5J	69(61)~37(167)	82(61)~24(167)	68(61)~38(167)	
		PCD RANGE	5H-98~120.65			

● STANDARD COLOR: ASH-TITANIUM(AHG) / MAT CARBON(MGM) / WHITE(WHT) / GLIM SILVER(GTS)

T5R2P·H

● INCLUDED ACCESSORIES: VALVE STEM(V24C)/ 1PC, STICKER/ 1PC

※ CENTER CAP IS SOLD SEPARATELY

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※WORKEMOTION T5R 2P 18inch FR PASSES JWLP720KG(PASSENGER) STANDARD.

※MIDDLE COCAVE FACE: THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN

※DEEP COCAVE FACE: THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 47MM.

Optional Items

- No.120273 CENTER CAP (FLAT TYPE, BLACK/RED RING)/ 1PC
- No.120179 CENTER CAP (FLAT TYPE, SILVER)/ 1PC
- No.120180 CENTER CAP (HIGH TYPE, SILVER)/ 1PC
- No.120186 CENTER CAP (FLAT TYPE, BLACK)/ 1PC
- No.120187 CENTER CAP (HIGH TYPE, BLACK)/ 1PC
- No.120219 CENTER CAP (FLAT TYPE, RED)/ 1PC
- No.120220 CENTER CAP (HIGH TYPE, RED)/ 1PC
- No.120250 CENTER CAP (FLAT TYPE, BLUE)/ 1PC
- No.120251 CENTER CAP (HIGH TYPE, BLUE)/ 1PC
- No.120235 CENTER CAP(FLAT TYPE, W LOGO, BLACK)/ 1PC
- No.120279 CENTER CAP(FLAT TYPE, W LOGO, BLACK/ NAVY RING)/ 1PC
- BLACK VALVE STEM NO EXTRA CHARGE

Repair Parts

- No.130064 STICKER/ 1PC (WORK EMOTION)
- No.180012 VALVE STEM/ 1PC (V24C)
- No.180088 BLACK VALVE STEM/ 1PC (V24K)