

[] = HUB CLEARANCE/mm

▲SPECIFICATIONS 20inch 2PIECE/REVERSE

STD COLOR		SIZE	SEMI CONCAVE		DEEP CONCAVE	
AHG	GTS		BIG CALIPER Rdisk [F:43/H:51]	BIG CALIPER Ldisk [F:30/H:38]	STANDARD Adisk [F:26/H:34]	
MGM		GTS	20 × 8.0J	5H-100(60) 5H-114.3(73.3)	5H-100(60) 5H-114.3(73.3)	5H-100(60) 5H-114.3(73.3)
WHT						
			INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	
			INSET RANGE	INSET RANGE	INSET RANGE	
		20 × 8.0J	29(47)~1(75)	42(47)~14(75)	25(47)~-3(75)	
		20 × 8.5J	36(47)~-6(89)	49(47)~7(89)	32(47)~-10(89)	
		20 × 9.0J	42(47)~-12(101)	55(47)~1(101)	38(47)~-16(101)	
		20 × 9.5J	48(47)~-18(113)	61(47)~-5(113)	44(47)~-22(113)	
		20 × 10.0J	55(47)~-25(127)	68(47)~-12(127)	51(47)~-29(127)	
		20 × 10.5J	61(47)~-31(139)	74(47)~-18(139)	57(47)~-35(139)	
		20 × 11.0J	67(47)~-37(151)	80(47)~-24(151)	63(47)~-41(151)	
		20 × 11.5J	74(47)~-44(165)	85(49)~-31(165)	70(47)~-48(165)	
		20 × 12.0J	79(48)~-50(177)	85(55)~-37(177)	75(48)~-54(177)	
		20 × 12.5J	73(60)~-56(189)	85(61)~-43(189)	69(60)~-60(189)	
		PCD RANGE	5H-98~115			

● STANDARD COLOR: ASH-TITANIUM(AHG) / MAT CARBON(MGM) / WHITE(WHT) / GLIM SILVER(GTS)

T7RSR·H

● INCLUDED ACCESSORIES: VALVE STEM(V24C)/ 1PC, STICKER/ 1PC

※ CENTER CAP IS SOLD SEPARATELY

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ SEMI COCAVE FACE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 78MM.

※ SEMI COCAVE FACE: THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 48MM.

※ DEEP COCAVE FACE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 90MM.

Optional Items

- No.120273 CENTER CAP (FLAT TYPE, BLACK/RED RING)/ 1PC
- No.120179 CENTER CAP (FLAT TYPE, SILVER)/ 1PC
- No.120180 CENTER CAP (HIGH TYPE, SILVER)/ 1PC
- No.120186 CENTER CAP (FLAT TYPE, BLACK)/ 1PC
- No.120187 CENTER CAP (HIGH TYPE, BLACK)/ 1PC
- No.120219 CENTER CAP (FLAT TYPE, RED)/ 1PC
- No.120220 CENTER CAP (HIGH TYPE, RED)/ 1PC
- No.120250 CENTER CAP (FLAT TYPE, BLUE)/ 1PC
- No.120251 CENTER CAP (HIGH TYPE, BLUE)/ 1PC
- No.120235 CENTER CAP(FLAT TYPE, W LOGO, BLACK)/ 1PC
- No.120279 CENTER CAP(FLAT TYPE, W LOGO, BLACK/ NAVY RING)/ 1PC
- BLACK VALVE STEM NO EXTRA CHARGE

Repair Parts

- No.130064 STICKER/ 1PC
- No.180012 VALVE STEM/
- No.180088 BLACK VALVE

▲SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

STD COLOR		SIZE	SEMI CONCAVE				DEEP CONCAVE	
AHG	GTS		BIG CALIPER 114.3(73.3) <small>[P=43/H=81]</small>		BIG CALIPER 114.3(73.3) <small>[P=20/H=38]</small>		STANDARD 114.3(73.3) <small>[P=28/H=34]</small>	
MGM			INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
WHT			INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2
		19 x 7.5J	29(41)~18(52)	17(53)~5(65)	42(41)~31(52)	30(53)~18(65)	25(41)~14(52)	13(53)~1(65)
		19 x 8.0J	35(41)~12(64)	11(65)~1(77)	48(41)~25(64)	24(65)~12(77)	31(41)~8(64)	7(65)~5(77)
		19 x 8.5J	42(41)~5(78)	4(79)~8(91)	55(41)~18(78)	17(79)~9(91)	38(41)~1(78)	0(79)~12(91)
		19 x 9.0J	48(41)~1(90)	-2(91)~14(103)	61(41)~12(90)	11(91)~1(103)	44(41)~5(90)	-6(91)~18(103)
		19 x 9.5J	54(41)~7(102)	-8(103)~20(115)	67(41)~6(102)	5(103)~7(115)	50(41)~11(102)	-12(103)~24(115)
		19 x 10.0J	61(41)~14(116)	-15(117)~27(129)	74(41)~1(116)	-2(117)~14(129)	57(41)~18(116)	-19(117)~31(129)
		19 x 10.5J	62(46)~20(128)	-21(129)~33(141)	75(46)~7(128)	-8(129)~20(141)	58(46)~24(128)	-25(129)~37(141)
		19 x 11.0J	68(46)~26(140)	-27(141)~39(153)	81(46)~13(140)	-14(141)~26(153)	64(46)~30(140)	-31(141)~43(153)
		19 x 11.5J	75(46)~33(154)	-34(155)~46(167)	85(49)~21(154)	-21(155)~33(167)	71(46)~37(154)	-38(155)~50(167)
		19 x 12.0J	79(48)~39(166)	-40(167)~52(179)	85(55)~26(166)	-27(167)~39(179)	75(48)~43(166)	-44(167)~56(179)
		19 x 12.5J	73(60)~45(178)	-46(179)~58(191)	85(61)~32(178)	-33(179)~45(191)	69(60)~49(178)	-50(179)~62(191)
		PCD RANGE	5H-98~115					

- STANDARD COLOR: ASH-TITANIUM(AHG) / MAT CARBON(MGM) / WHITE(WHT) / GLIM SILVER(GTST) 7R2P·HRH
- INCLUDED ACCESSORIES: VALVE STEM(V24C OR 39A)/ 1PC, STICKER/ 1PC INSET RANGE:1= V24C, INSET RANGE:2= V39A
- ※ CENTER CAP IS SOLD SEPARATELY
- ※ STANDARD BARREL FINISH: BUFF ANODIZED(D)
- ※ SEMI COCAVE FACE: THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 48MM.
- ※ DEEP COCAVE FACE: THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 47MM.

Optional Items

- No.120273 CENTER CAP (FLAT TYPE, BLACK/RED RING)/ 1PC
- No.120179 CENTER CAP (FLAT TYPE, SILVER)/ 1PC
- No.120180 CENTER CAP (HIGH TYPE, SILVER)/ 1PC
- No.120186 CENTER CAP (FLAT TYPE, BLACK)/ 1PC
- No.120187 CENTER CAP (HIGH TYPE, BLACK)/ 1PC
- No.120219 CENTER CAP (FLAT TYPE, RED)/ 1PC
- No.120220 CENTER CAP (HIGH TYPE, RED)/ 1PC
- No.120250 CENTER CAP (FLAT TYPE, BLUE)/ 1PC
- No.120251 CENTER CAP (HIGH TYPE, BLUE)/ 1PC
- No.120235 CENTER CAP(FLAT TYPE, W LOGO, BLACK)/ 1PC
- No.120279 CENTER CAP(FLAT TYPE, W LOGO, BLACK/ NAVY RING)/ 1PC
- BLACK VALVE STEM NO EXTRA CHARGE

Repair Parts

- No.130064 STICKER/ 1PC
- No.180012 VALVE STEM/ 1PC
- No.180088 BLACK VALVE
- No.180087 VALVE STEM/ 1PC
- No.180089 BLACK VALVE

▲SPECIFICATIONS 19inch 2PIECE/REVERSE

[] = HUB CLEARANCE/mm

STD COLOR		SIZE	SEMI CONCAVE				DEEP CONCAVE	
AHG	GTS		BIG CALIPER		BIG CALIPER		STANDARD	
MGM		Rdisk [F:43/H:51]		Ldisk [F:30/H:38]		Adisk [F:26/H:34]		
WHT		5H-100(60) 5H-114.3(73.3)		5H-100(60) 5H-114.3(73.3)		5H-100(60) 5H-114.3(73.3)		
		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		
		INSET RANGE		INSET RANGE		INSET RANGE		
		19 × 8.0J	22(47)~5(69)		35(47)~8(69)		25(47)~2(75)	
		19 × 8.5J	29(47)~12(88)		42(47)~1(88)		32(47)~9(88)	
		19 × 9.0J	35(47)~18(100)		48(47)~5(100)		38(47)~15(100)	
		19 × 9.5J	41(47)~24(112)		54(47)~11(112)		44(47)~21(112)	
		19 × 10.0J	48(47)~31(126)		61(47)~18(126)		51(47)~28(126)	
		19 × 10.5J	54(47)~37(138)		67(47)~24(138)		57(47)~34(138)	
		19 × 11.0J	60(47)~43(150)		73(47)~30(150)		63(47)~40(150)	
		19 × 11.5J	67(47)~50(164)		80(47)~37(164)		70(47)~47(164)	
		19 × 12.0J	71(49)~56(176)		84(49)~43(176)		74(49)~53(176)	
		19 × 12.5J	65(61)~62(188)		78(61)~49(188)		68(61)~59(188)	
		PCD RANGE	5H-98~115					

●STANDARD COLOR: ASH-TITANIUM(AHG) / MAT CARBON(MGM) / WHITE(WHT) / GLIM SILVER(GTS)

T7RSR·HR

●INCLUDED ACCESSORIES: VALVE STEM(V27C)/ 1PC, STICKER/ 1PC

※CENTER CAP IS SOLD SEPARATELY

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※SEMI COCAVE FACE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 65MM.

※DEEP COCAVE FACE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 83MM.

Optional Items

- No.120273 CENTER CAP (FLAT TYPE, BLACK/RED RING)/ 1PC
- No.120179 CENTER CAP (FLAT TYPE, SILVER)/ 1PC
- No.120180 CENTER CAP (HIGH TYPE, SILVER)/ 1PC
- No.120186 CENTER CAP (FLAT TYPE, BLACK)/ 1PC
- No.120187 CENTER CAP (HIGH TYPE, BLACK)/ 1PC
- No.120219 CENTER CAP (FLAT TYPE, RED)/ 1PC
- No.120220 CENTER CAP (HIGH TYPE, RED)/ 1PC
- No.120250 CENTER CAP (FLAT TYPE, BLUE)/ 1PC
- No.120251 CENTER CAP (HIGH TYPE, BLUE)/ 1PC
- No.120235 CENTER CAP(FLAT TYPE, W LOGO, BLACK)/ 1PC
- No.120279 CENTER CAP(FLAT TYPE, W LOGO, BLACK/ NAVY RING)/ 1PC

Repair Parts

- No.130064 STICKER/ 1PC (WORK EMOTION)
- No.180014 VALVE STEM/ 1PC (V27C)
- No.180058 BLACK VALVE STEM/ 1PC (V27K)

▲SPECIFICATIONS 18inch 2PIECE/FULL REVERSE

[]= HUB CLEARANCE/mm

STD COLOR		SIZE	SEMI CONCAVE		DEEP CONCAVE			
AHG	GTS		BIG CALIPER	Rdisk [F:43/H:51]	BIG CALIPER	Ldisk [F:30/H:38]	STANDARD	Adisk [F:26/H:34]
MGM			5H-100(60) 5H-114.3(73.3)					
WHT		INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm		
			INSET RANGE					
		18 x 7.0J	22(35)~17(40)	35(35)~30(40)	-	-	-	
		18 x 7.5J	28(35)~16(47)	41(35)~29(47)	23(43)~19(47)			
		18 x 8.0J	34(35)~10(59)	47(35)~23(59)	29(43)~13(59)			
		18 x 8.5J	41(35)~9(67)	54(35)~22(67)	36(43)~12(67)			
		18 x 9.0J	47(35)~3(79)	60(35)~16(79)	42(43)~6(79)			
		18 x 9.5J	53(35)~3(91)	66(35)~10(91)	48(43)~0(91)			
		18 x 10.0J	60(35)~10(105)	73(35)~3(105)	55(43)~7(105)			
		18 x 10.5J	66(35)~16(117)	79(35)~3(117)	61(43)~13(117)			
		18 x 11.0J	72(35)~22(129)	85(35)~9(129)	67(43)~19(129)			
		18 x 11.5J	78(36)~29(143)	85(42)~16(143)	74(43)~26(143)			
		18 x 12.0J	72(48)~35(155)	85(48)~22(155)	75(48)~32(155)			
		18 x 12.5J	66(60)~41(167)	79(60)~28(167)	69(60)~38(167)			
		PCD RANGE		5H-98~115				

● STANDARD COLOR: ASH-TITANIUM(AHG) / MAT CARBON(MGM) / WHITE(WHT) / GLIM SILVER(GTS)

T7R2P·H

● INCLUDED ACCESSORIES: VALVE STEM(V27C)/ 1PC, STICKER/ 1PC

※ CENTER CAP IS SOLD SEPARATELY

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ SEMI COCAVE FACE: THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 39MM.

※ DEEP COCAVE FACE: THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 47MM.

Optional Items

- No.120273 CENTER CAP (FLAT TYPE, BLACK/RED RING)/ 1PC
- No.120179 CENTER CAP (FLAT TYPE, SILVER)/ 1PC
- No.120180 CENTER CAP (HIGH TYPE, SILVER)/ 1PC
- No.120186 CENTER CAP (FLAT TYPE, BLACK)/ 1PC
- No.120187 CENTER CAP (HIGH TYPE, BLACK)/ 1PC
- No.120219 CENTER CAP (FLAT TYPE, RED)/ 1PC
- No.120220 CENTER CAP (HIGH TYPE, RED)/ 1PC
- No.120250 CENTER CAP (FLAT TYPE, BLUE)/ 1PC
- No.120251 CENTER CAP (HIGH TYPE, BLUE)/ 1PC
- No.120235 CENTER CAP(FLAT TYPE, W LOGO, BLACK)/ 1PC
- No.120279 CENTER CAP(FLAT TYPE, W LOGO, BLACK/ NAVY RING)/ 1PC

Repair Parts

- No.130064 STICKER/ 1PC (WORK EMOTION)
- No.180014 VALVE STEM/ 1PC (V27C)
- No.180058 BLACK VALVE STEM/ 1PC (V27K)