

▲SPECIFICATIONS 22inch 3PIECE/FULL REVERSE

[]= HUB CLEARANCE/mm

STD COLOR			SIZE	STANDARD 5H-114.3(73.3)								DEEP RIM 5H-114.3(73.3)										
SRS	SKA/B	PP		LIP SIZE(mm)								LIP SIZE(mm)										
				44	57	69	82	95	107	120	44	57	69	82	95	107	120					
			22×8.0J	46 D	33 C	20 B							52 D	39 C	26 B							
			22×8.5J	52 E	39 D	27 C	14 B						58 E	45 D	33 C	20 B						
			22×9.0J	58 F	46 E	33 D	20 C	8 B					64 F	52 E	39 D	26 C	14 B					
			22×9.5J	65 G	52 F	39 E	27 D	14 C	1 B				71 G	58 F	45 E	33 D	20 C	7 B				
			22×10.0J	71 H	58 G	46 F	33 E	20 D	8 C	-5 B			77 H	64 G	52 F	39 E	26 D	14 C	1 B			
			22×10.5J		65 H	52 G	39 F	27 E	14 D	1 C			71 H	58 G	45 F	33 E	20 D	7 C				
			22×11.0J			58 H	46 G	33 F	20 E	8 D				64 H	52 G	39 F	26 E	14 D				
			22×11.5J				52 H	39 G	27 F	14 E					58 H	45 G	33 F	20 E				
			22×12.0J					46 H	33 G	20 F						52 H	39 G	26 F				
			22×12.5J						39 H	27 G							45 H	33 G				
			22×13.0J																			39 H
P.C.D. RANGE			5H-108~130																			

SIZE	BIG CALIPER 5H-114.3(73.3)							
	Rdisk [57]							
	LIP SIZE(mm)							
	44	57	69	82	95	107	120	
22×8.0J	35 D	22 C	9 B					
22×8.5J	41 E	28 D	16 C	3 B				
22×9.0J	47 F	35 E	22 D	9 C	-3 B			
22×9.5J	54 G	41 F	28 E	16 D	3 C	-10 B		
22×10.0J	60 H	47 G	35 F	22 E	9 D	-3 C	-16 B	
22×10.5J		54 H	41 G	28 F	16 E	3 D	-10 C	
22×11.0J			47 H	35 G	22 F	9 E	-3 D	
22×11.5J				41 H	28 G	16 F	3 E	
22×12.0J					35 H	22 G	9 F	
22×12.5J						28 H	16 G	
22×13.0J							22 H	
P.C.D. RANGE	5H-108~120.65							

EPS-FR-65~95RK

- STANDARD COLOR: SILKY RICH SILVER(SRS)/ANODIZED BLACK(SKB)/BUFFED(PP)
- INCLUDED ITEM: CENTER CAP/1PC·VALVE STEM/1PC(V36C)
- ※ STANDARD BARREL FINISH: BUFF ANODIZED(D)
- ※ EQUIP E05 22inch FR PASSES JWL-P840KG(FOR PASSENGER) STANDARD.

Optional Items

- GOLD PIERCE BOLT/1PC
- BLACK CHROME PIERCE BOLT/1PC
- GOLD VALVE STEM/1PC

Repair Parts

- No.120162 CENTER CAP/1PC (CHROME)
- No.180077 VALVE STEM/1PC (V36C)
- No.180078 GOLD VALVE STEM/1PC (V36G)
- No.180125 BLACK VALVE STEM/1PC (V36K)

