

▲SPECIFICATIONS 22inch 2PIECE/REVERSE

[] HUB CLEARANCE (mm)

DISK COLOR			SIZE	MIDDLE CONCAVE			DEEP CONCAVE	
MBL	PBU	BRU		STANDARD Adisk[49]	DEEP RIM Odisk[37]	BIG CALIPER Rdisk[61]	STANDARD Hdisk[47]	DEEP RIM Wdisk[33]
MSL	PP2			5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	*	*	5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
			INSET (LIP SIZE)mm	INSET (LIP SIZE)mm	INSET (LIP SIZE)mm	INSET (LIP SIZE)mm	INSET (LIP SIZE)mm	
			INSET RANGE	INSET RANGE	INSET RANGE	INSET RANGE	INSET RANGE	
			22 × 8.5J	26(50)~8(84)	38(50)~4(84)	14(50)~20(84)	7(47)~29(83)	21(47)~15(83)
			22 × 9.0J	32(50)~14(96)	44(50)~2(96)	20(50)~26(96)	13(47)~35(95)	27(47)~21(95)
			22 × 9.5J	38(50)~20(108)	50(50)~8(108)	26(50)~32(108)	19(47)~41(107)	33(47)~27(107)
			22 × 10.0J	45(50)~27(122)	57(50)~15(122)	33(50)~39(122)	26(47)~48(121)	40(47)~34(121)
			22 × 10.5J	51(50)~33(134)	63(50)~21(134)	39(50)~45(134)	32(47)~54(133)	46(47)~40(133)
			22 × 11.0J	57(50)~39(146)	69(50)~27(146)	45(50)~51(146)	38(47)~60(145)	52(47)~46(145)
			22 × 11.5J	64(50)~46(160)	76(50)~34(160)	52(50)~58(160)	45(47)~67(159)	59(47)~53(159)
			22 × 12.0J	67(53)~52(172)	79(53)~40(172)	55(53)~64(172)	46(52)~73(171)	60(52)~59(171)
			22 × 12.5J	61(65)~58(184)	73(65)~46(184)	49(65)~70(184)	39(65)~79(183)	53(65)~65(183)
			PCD RANGE	5H-108~120.65	5H-108~130	5H-108~120.65	5H-108~120.65	5H-108~130

● STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU)
/ COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)

CVFM-SR-HRN
CVFD-SR-HRN

● INCLUDED ACCESSORIES: CENTER CAP/1PC·VALVE STEM/1PC(V24C)

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 78MM.

DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 80MM

(IT WON'T COME OUT OF RIM FLANGE.)

※ GNOSIS CVF 22inch REVERSE PASSED JWLP840KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP(EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC(MAT BLACK)
- No.120259 CENTER CAP/1PC(EGS)
- No.180012 VALVE STEM/1PC(V24C)
- No.180088 BLACK VALVE STEM/1PC(V24K)

▲SPECIFICATIONS 21inch 2PIECE/FULL REVERSE

[] HUB CLEARANCE

DISK COLOR			SIZE	MIDDLE CONCAVE					
MBL	BRU	PBU		STANDARD Hdialek(49)		DEEP RIM Odalek(37)		BIQ * Rdalek	
				SH- 5H-114.3(73.3) 5H-120(72.5)		SH-112(66.5) 5H-114.3(73.3) 5H-120(72.5)			
MSL		PP2	INSET LIP SIZE:mm		INSET LIP SIZE:mm		INSET LIP SIZE:mm		
			INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2	
			21 x 7.5J	23(40)~20(43)	19(44)~2(61)	35(40)~32(43)	31(44)~14(61)	11(40)~8(43)	7(44)~10(61)
			21 x 8.0J	29(40)~14(55)	13(56)~4(73)	41(40)~26(55)	25(56)~8(73)	17(40)~2(55)	1(56)~16(73)
			21 x 8.5J	36(40)~14(62)	13(63)~4(80)	48(40)~26(62)	25(63)~8(80)	24(40)~2(62)	1(63)~16(80)
			21 x 9.0J	42(40)~8(74)	7(75)~10(92)	54(40)~20(74)	19(75)~2(92)	30(40)~4(74)	-5(75)~22(92)
			21 x 9.5J	48(40)~2(86)	1(87)~16(104)	60(40)~14(86)	13(87)~4(104)	38(40)~10(86)	-11(87)~28(104)
			21 x 10.0J	55(40)~5(100)	-6(101)~23(118)	67(40)~7(100)	6(101)~11(118)	43(40)~17(100)	-18(101)~35(118)
			21 x 10.5J	61(40)~11(112)	-12(113)~29(130)	73(40)~1(112)	0(113)~17(130)	49(40)~23(112)	-24(113)~41(130)
			21 x 11.0J	67(40)~13(124)	-18(125)~35(142)	79(40)~5(124)	-6(125)~23(142)	55(40)~28(124)	-30(125)~47(142)
			21 x 11.5J	73(41)~24(138)	-25(139)~42(156)	85(41)~12(138)	-13(139)~30(156)	61(41)~36(138)	-37(139)~54(156)
			PCD RANGE	5H-108~120.65		5H-108~130		5H-108~120.65	

CVFM-HRH

SIZE	DEEP CONCAVE			
	STANDARD Hdalek(47)		DEEP RIM Wdalek(33)	
	SH-114.3(73.3) 5H-120(72.5)		SH-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	
	INSET LIP SIZE:mm		INSET LIP SIZE:mm	
	INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2
21 x 7.5J	-2(43)	-3(44)~20(61)	12(43)	11(44)~6(61)
21 x 8.0J	4(43)~8(55)	-9(56)~26(73)	18(43)~6(55)	5(56)~12(73)
21 x 8.5J	11(43)~8(62)	-9(63)~26(80)	25(43)~6(62)	5(63)~12(80)
21 x 9.0J	17(43)~14(74)	-15(75)~32(92)	31(43)~0(74)	-1(75)~18(92)
21 x 9.5J	23(43)~20(86)	-21(87)~38(104)	37(43)~6(86)	-7(87)~24(104)
21 x 10.0J	30(43)~27(100)	-28(101)~45(118)	44(43)~13(100)	-14(101)~31(118)
21 x 10.5J	36(43)~33(112)	-34(113)~51(130)	50(43)~19(112)	-20(113)~37(130)
21 x 11.0J	42(43)~39(124)	-40(125)~57(142)	56(43)~25(124)	-26(125)~43(142)
21 x 11.5J	49(43)~46(138)	-47(139)~64(156)	63(43)~32(138)	-33(139)~50(156)
PCD RANGE	5H-108~120.65		5H-108~130	

CVFD-HRH

- STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU) / COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)
- INCLUDED ACCESSORIES: CENTER CAP/IPC-VALVE STEM/IPC(V24C/39A)
INSET RANGE:1=V24C, INSET RANGE:2=V39A
- ※ STANDARD BARREL FINISH: BUFF ANODIZED(D)
- ※ GNOSIS CVF 21inch FR PASSED JWLP-P840KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (EGS)/IPC
- BLACK CHROME BOLT/IPC
- BLACK VALVE STEM/IPC

Resale Parts

- No.120159 CENTER CAP/IPC
- No.120164 CENTER CAP/IPC (MAT BLACK)
- No.120259 CENTER CAP/IPC (EGS)
- No.180012 VALVE STEM/IPC (V24C)
- No.180088 BLACK VALVE STEM/IPC (V24K)
- No.180087 VALVE STEM/IPC (V39A)
- No.180089 BLACK VALVE STEM/IPC (V39K)

▲SPECIFICATIONS 21inch 2PIECE/REVERSE

[]HUB
CFE RANGE/mm

DISK COLOR			SIZE	MIDDLE CONCAVE			DEEP CONCAVE	
MBL	BRU	PBU		STANDARD Adisk[48]	DEEP RIM Odisk[36]	BIG GALIPER Rdisk[56]	STANDARD Hdisk[47]	DEEP RIM Wdisk[33]
MSL		PP2		5H-100(57/60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-100(57/60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	*	*	5H-100(57/60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
			INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	
			INSET RANGE	INSET RANGE	INSET RANGE	INSET RANGE	INSET RANGE	
			21 × 8.5J	27(47)~13(87)	39(47)~1(87)	19(47)~21(87)	7(48)~32(87)	21(48)~18(87)
			21 × 9.0J	33(47)~19(99)	45(47)~7(99)	25(47)~27(99)	13(48)~38(99)	27(48)~24(99)
			21 × 9.5J	39(47)~25(111)	51(47)~13(111)	31(47)~33(111)	19(48)~44(111)	33(48)~30(111)
			21 × 10.0J	46(47)~32(125)	58(47)~20(125)	38(47)~40(125)	26(48)~51(125)	40(48)~37(125)
			21 × 10.5J	52(47)~38(137)	64(47)~26(137)	44(47)~46(137)	32(48)~57(137)	46(48)~43(137)
			21 × 11.0J	58(47)~44(149)	70(47)~32(149)	50(47)~52(149)	38(48)~63(149)	52(48)~49(149)
			21 × 11.5J	65(47)~51(163)	77(47)~39(163)	57(47)~59(163)	45(48)~70(163)	59(48)~56(163)
			21 × 12.0J	65(53)~57(175)	77(53)~45(175)	57(53)~65(175)	46(53)~76(175)	60(53)~62(175)
			21 × 12.5J	59(65)~63(187)	71(65)~51(187)	51(65)~71(187)	39(66)~82(187)	53(66)~68(187)
			PCD RANGE	5H-108~120.65				

● STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU)
/ COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)

CVFM-SR-HRN
CVFD-SR-HRN

● INCLUDED ACCESSORIES: CENTER CAP/1PC+VALVE STEM/1PC(V24C)

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 76MM.

DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 82MM

(IT WON'T COME OUT OF RIM FLANGE.)

※GNOSIS CVF 21inch SR PASSED JWL-P735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP(EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC(MAT BLACK)
- No.120259 CENTER CAP/1PC(EGS)
- No.180012 VALVE STEM/1PC(V24C)
- No.180088 BLACK VALVE STEM/1PC(V24K)

▲ SPECIFICATIONS 20inch 2PIECE/FULL REVERSE

[JHUB
CLEARANCE (mm)

DISK COLOR			SIZE	MIDDLE CONCAVE					
MBL	BRU	PBU		STANDARD Adisk[48]		DEEP RIM Odisk[36]		BIG CALIPER Rdisk[56]	
				5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		★	
MSL	PP2	INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm			
		INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2		
¥100,000	¥115,000	¥125,000	20 × 8.0J	31(36)~9(58)	8(59)~14(81)	43(36)~21(58)	20(59)~2(81)	23(36)~1(58)	0(59)~22(81)
¥101,000	¥116,000	¥126,000	20 × 8.5J	38(36)~2(72)	1(73)~21(95)	50(36)~14(72)	13(73)~9(95)	30(36)~6(72)	-7(73)~29(95)
¥102,000	¥117,000	¥127,000	20 × 9.0J	44(36)~4(84)	-5(85)~27(107)	56(36)~8(84)	7(85)~15(107)	36(36)~12(84)	-13(85)~35(107)
¥103,000	¥118,000	¥128,000	20 × 9.5J	50(36)~10(96)	-11(97)~33(119)	62(36)~2(96)	1(97)~21(119)	42(36)~18(96)	-19(97)~41(119)
¥104,000	¥119,000	¥129,000	20 × 10.0J	57(36)~17(110)	-18(111)~40(133)	69(36)~5(110)	-6(111)~28(133)	49(36)~25(110)	-26(111)~48(133)
¥105,000	¥120,000	¥130,000	20 × 10.5J	63(36)~23(122)	-24(123)~46(145)	75(36)~11(122)	-12(123)~34(145)	55(36)~31(122)	-32(123)~54(145)
¥106,000	¥121,000	¥131,000	20 × 11.0J	69(36)~29(134)	-30(135)~52(157)	81(36)~17(134)	-18(135)~40(157)	61(36)~37(134)	-38(135)~60(157)
¥107,000	¥122,000	¥132,000	20 × 11.5J	71(41)~36(147)	-37(148)~59(170)	83(41)~24(147)	-25(148)~47(170)	63(41)~44(147)	-45(148)~67(170)
¥108,000	¥123,000	¥133,000	20 × 12.0J	65(53)~42(159)	-43(160)~65(182)	77(53)~30(159)	-31(160)~53(182)	57(53)~50(159)	-51(160)~73(182)
¥109,000	¥124,000	¥134,000	20 × 12.5J	58(66)~48(171)	-49(172)~71(194)	70(66)~36(171)	-37(172)~59(194)	50(66)~56(171)	-57(172)~79(194)
¥10,000up			PCD RANGE	5H-108~120.65					

CVFM·HRH

SIZE	DEEP CONCAVE			
	STANDARD Hdisk[47]		DEEP RIM Wdisk[33]	
	★		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	
	INSET(LIP SIZE)mm			
	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2
20 × 8.0J	6(42)~11(59)	-12(60)~34(82)	20(42)~3(59)	2(60)~20(82)
20 × 8.5J	13(42)~18(73)	-19(74)~41(96)	27(42)~4(73)	-5(74)~27(96)
20 × 9.0J	19(42)~24(85)	-25(86)~47(108)	33(42)~10(85)	-11(86)~33(108)
20 × 9.5J	25(42)~30(97)	-31(98)~53(120)	39(42)~16(97)	-17(98)~39(120)
20 × 10.0J	32(42)~37(111)	-38(112)~60(134)	46(42)~23(111)	-24(112)~46(134)
20 × 10.5J	38(42)~43(123)	-44(124)~66(146)	52(42)~29(123)	-30(124)~52(146)
20 × 11.0J	44(42)~49(135)	-50(136)~72(158)	58(42)~35(135)	-36(136)~58(158)
20 × 11.5J	51(42)~56(149)	-57(150)~79(172)	65(42)~42(149)	-43(150)~65(172)
20 × 12.0J	46(53)~62(161)	-63(162)~85(184)	60(53)~48(161)	-49(162)~71(184)
20 × 12.5J	39(66)~68(173)	-69(174)~91(196)	53(66)~54(173)	-55(174)~77(196)
PCD RANGE		5H-108~120.65		

CVFD·HRH

- STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(/ COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)
- INCLUDED ACCESSORIES: CENTER CAP/1PC·VALVE STEM/1PC(V24C/39A)
INSET RANGE:1=V24C, INSET RANGE:2=V39A

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※GNOSIS CVF 20inch FR PASSED JWL-P735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MAT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

▲SPECIFICATIONS 20inch 2PIECE/REVERSE

[] HUB CLEARANCE (mm)

DISK COLOR			SIZE	MIDDLE CONCAVE		DEEP CONCAVE	
MBL	BRU	PBU		STANDARD Adisk[48]	DEEP RIM Odisk[36]	STANDARD Hdisk[41]	DEEP RIM Wdisk[33]
MSL		PP2		5H-100(57.60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-100(57.60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	★	5H-100(57.60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
	INSET (LIP SIZE)mm			INSET (LIP SIZE)mm	INSET (LIP SIZE)mm	INSET (LIP SIZE)mm	
			INSET	INSET	INSET	INSET	
			20 × 8.0J	26(48)~2(76)	38(48)~10(76)	-	-
			20 × 8.5J	33(48)~9(90)	45(48)~3(90)	20(49)~22(91)	28(49)~14(91)
			20 × 9.0J	39(48)~15(102)	51(48)~3(102)	26(49)~28(103)	34(49)~20(103)
			20 × 9.5J	45(48)~21(114)	57(48)~9(114)	32(49)~34(115)	40(49)~26(115)
			20 × 10.0J	52(48)~28(128)	64(48)~16(128)	39(49)~41(129)	47(49)~33(129)
			20 × 10.5J	58(48)~34(140)	70(48)~22(140)	45(49)~47(141)	53(49)~39(141)
			20 × 11.0J	64(48)~40(152)	76(48)~28(152)	51(49)~53(153)	59(49)~45(153)
			20 × 11.5J	70(49)~47(166)	82(49)~35(166)	58(49)~60(167)	66(49)~52(167)
			20 × 12.0J	74(51)~53(178)	85(52)~41(178)	61(52)~66(179)	69(52)~58(179)
			20 × 12.5J	67(64)~59(190)	79(64)~47(190)	55(64)~72(191)	63(64)~64(191)
PCD RANGE				5H-108~120.65			

●STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU) / COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2) CVFM-SR-HRN
 ●INCLUDED ACCESSORIES: CENTER CAP/IPC·VALVE STEM/IPC(V24C) CVFD-SR-HRN

※STANDARD BARREL FINISH: BUFF ANODIZED(D)
 ※MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 78MM.
 DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 86MM
 (IT WON'T COME OUT OF RIM FLANGE.)

※GNOSIS CVF 20inch REVERSE PASSED JWLP-735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (EGS)/IPC
- BLACK CHROME BOLT/IPC
- BLACK VALVE STEM/IPC

Repair Parts

- No.120159 CENTER CAP/IPC
- No.120164 CENTER CAP/IPC (MAT BLACK)
- No.120259 CENTER CAP/IPC (EGS)
- No.180012 VALVE STEM/IPC (V24C)
- No.180088 BLACK VALVE STEM/IPC (V24K)

▲ SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

DISK COLOR		PBU	SIZE	MIDDLE CONCAVE				
MBL	BRU			S		I		
MSL	PP2	INSET (LIP SIZE)mm		INSET (LIP SIZE)mm				
		INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2			
			19 x 7.5J	30(38)~-14(54)	13(55)~-1(67)	42(38)~-26(54)	25(55)~-13(67)	
			19 x 8.0J	36(38)~-8(86)	7(67)~-5(79)	48(38)~-20(66)	19(67)~-7(79)	
			19 x 8.5J	43(38)~-1(80)	0(81)~-12(93)	55(38)~-13(80)	12(81)~-0(93)	
			19 x 9.0J	49(38)~-5(92)	-6(93)~-18(105)	61(38)~-7(92)	6(93)~-6(105)	
			19 x 9.5J	55(38)~-11(104)	-12(105)~-24(117)	67(38)~-11(104)	0(105)~-12(117)	
			19 x 10.0J	62(38)~-18(116)	-19(118)~-31(131)	74(38)~-6(116)	-7(118)~-19(131)	
			19 x 10.5J	68(38)~-24(130)	-25(131)~-37(143)	80(38)~-12(130)	-13(131)~-25(143)	
			19 x 11.0J	74(38)~-30(142)	-31(143)~-43(155)	85(38)~-18(142)	-19(143)~-31(155)	
			19 x 11.5J	80(39)~-37(156)	-38(157)~-50(169)	85(46)~-25(156)	-26(157)~-38(169)	
			19 x 12.0J	74(51)~-43(188)	-44(189)~-56(181)	85(52)~-31(188)	-32(189)~-44(181)	
			19 x 12.5J	67(64)~-49(180)	-50(181)~-62(193)	79(64)~-37(180)	-38(181)~-50(193)	
			PCD RANGE	SH-108 ~ 120.65				CVFM-HRH
DISK COLOR		PBU	SIZE	DEEP CONCAVE				
MSL	PP2			S		I		
MSL	PP2	INSET (LIP SIZE)mm		INSET (LIP SIZE)mm				
		INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2			
			19 x 7.5J	-	-	-	-	
			19 x 8.0J	15(47)~-5(67)	-6(68)~-18(80)	23(47)~-3(67)	2(68)~-10(80)	
			19 x 8.5J	22(47)~-12(81)	-13(82)~-25(94)	30(47)~-4(81)	-5(82)~-17(94)	
			19 x 9.0J	28(47)~-18(93)	-19(94)~-31(106)	36(47)~-10(93)	-11(94)~-23(106)	
			19 x 9.5J	34(47)~-24(105)	-25(106)~-37(118)	42(47)~-16(105)	-17(106)~-29(118)	
			19 x 10.0J	41(47)~-31(118)	-32(120)~-44(132)	49(47)~-23(118)	-24(120)~-36(132)	
			19 x 10.5J	47(47)~-37(131)	-38(132)~-50(144)	55(47)~-29(131)	-30(132)~-42(144)	
			19 x 11.0J	53(47)~-43(143)	-44(144)~-56(156)	61(47)~-35(143)	-36(144)~-48(156)	
			19 x 11.5J	60(47)~-50(157)	-51(158)~-63(170)	68(47)~-42(157)	-43(158)~-55(170)	
			19 x 12.0J	61(52)~-56(189)	-57(170)~-69(182)	69(52)~-48(189)	-49(170)~-61(182)	
			19 x 12.5J	55(64)~-62(181)	-63(182)~-75(194)	63(64)~-54(181)	-55(182)~-67(194)	
			PCD RANGE	SH-108 ~ 120.65				CVFD-HRH

- STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU) / COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)
- INCLUDED ACCESSORIES: CENTER CAP/1PC-VALVE STEM/1PC(V24C/39A) INSET RANGE:1=V24C, INSET
- ※ STANDARD BARREL FINISH: BUFF
- ※ GNOSIS CVF 19inch FR PASSED JWL-P735KG(PASSENGER STANDARD).

- Optional Items**
- CENTER CAP (EGS)/1PC
 - BLACK CHROME BOLT/1PC
 - BLACK VALVE STEM/1PC

Basic Parts

- No.120159
- No.120164
- No.120259
- No.180012
- No.180068
- No.180087
- No.180089