

▲SPECIFICATIONS 22inch 2PIECE/REVERSE

[]HUB
CLEARANCE (mm)

DISK COLOR			SIZE	MIDDLE CONCAVE			DEEP CONCAVE	
MBL	BRU	PBU		STANDARD Adiek[49]	DEEP RIM Odiek[37]	BIG CALIPER Rdiek[61]	STANDARD Hdiek[47]	DEEP RIM Wdiek[33]
MSL		PP2		5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	★	★	5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
			INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	
			INSET	INSET	INSET	INSET	INSET	
			22 × 8.5J	26(48)~8(82)	38(48)~4(82)	14(48)~20(82)	7(46)~29(82)	21(46)~15(82)
			22 × 9.0J	32(48)~14(94)	44(48)~2(94)	20(48)~26(94)	13(46)~35(94)	27(46)~21(94)
			22 × 9.5J	38(48)~20(106)	50(48)~8(106)	26(48)~32(106)	19(46)~41(106)	33(46)~27(106)
			22 × 10.0J	45(48)~27(120)	57(48)~15(120)	33(48)~39(120)	26(46)~48(120)	40(46)~34(120)
			22 × 10.5J	51(48)~33(132)	63(48)~21(132)	39(48)~45(132)	32(46)~54(132)	46(46)~40(132)
			22 × 11.0J	57(48)~39(144)	69(48)~27(144)	45(48)~51(144)	38(46)~60(144)	52(46)~46(144)
			22 × 11.5J	64(48)~46(158)	76(48)~34(158)	52(48)~58(158)	45(46)~67(158)	59(46)~53(158)
			22 × 12.0J	67(51)~52(170)	79(51)~40(170)	55(51)~64(170)	46(51)~73(170)	60(51)~59(170)
			22 × 12.5J	61(63)~58(182)	73(63)~46(182)	49(63)~70(182)	39(64)~79(182)	53(64)~65(182)
			PCD RANGE			5H-108~120.65		

● STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU)
/ COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)

CVSM-SR·HRN
CVSD-SR·HRN

● INCLUDED ACCESSORIES: CENTER CAP/1PC·VALVE STEM/1PC(V24C)

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 76MM.

DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 79MM

(IT WON'T COME OUT OF RIM FLANGE.)

※ GNOSIS CVS 22inch REVERSE PASSED JWLP-735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MAT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲SPECIFICATIONS 21inch 2PIECE/FULL REVERSE

[]HUB CLEARANCE

DISK COLOR			SIZE	MIDDLE CONCAVE					
MBL	PBU	STANDARD Adisk(49) 5H- 5H-114.3(73.3) 5H-120(72.5)		DEEP RIM Odisk(37) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		BIG CALIPER Rdisk ★			
MSL	BRU PP2			INSET LIP SIZE:mm					
		INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2		
		21 × 7.5J	23(38)~20(41)	19(42)~2(59)	35(38)~32(41)	31(42)~14(59)	11(38)~8(41)	7(42)~10(59)	
		21 × 8.0J	29(38)~14(53)	19(54)~4(71)	41(38)~26(53)	25(54)~8(71)	17(38)~2(53)	1(54)~16(71)	
		21 × 8.5J	36(38)~14(60)	13(61)~4(78)	48(38)~26(60)	25(61)~8(78)	24(38)~2(60)	1(61)~16(78)	
		21 × 9.0J	42(38)~8(72)	7(73)~10(90)	54(38)~20(72)	19(73)~2(90)	30(38)~4(72)	-5(73)~22(90)	
		21 × 9.5J	48(38)~2(84)	1(85)~16(102)	60(38)~14(84)	13(85)~4(102)	36(38)~10(84)	-11(85)~28(102)	
		21 × 10.0J	55(38)~5(96)	-6(99)~23(116)	67(38)~7(96)	6(99)~11(116)	43(38)~17(96)	-16(99)~35(116)	
		21 × 10.5J	61(38)~11(110)	-12(111)~29(128)	73(38)~1(110)	0(111)~17(128)	49(38)~23(110)	-24(111)~41(128)	
		21 × 11.0J	67(38)~13(122)	-16(123)~35(140)	79(38)~5(122)	-6(123)~23(140)	55(38)~28(122)	-30(123)~47(140)	
		21 × 11.5J	73(38)~24(136)	-25(137)~42(154)	85(38)~12(136)	-13(137)~30(154)	61(38)~36(136)	-37(137)~54(154)	
		PCD RANGE	5H-108~120.65					CVSM-HRH	

SIZE	DEEP CONCAVE			
	STANDARD ★ Hdisk(47)		DEEP RIM Wdisk(33) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	
	INSET LIP SIZE:mm		INSET LIP SIZE:mm	
	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2
21 × 7.5J	-2(42)	-3(43)~20(60)	12(42)	11(43)~6(60)
21 × 8.0J	4(42)~8(54)	-9(55)~28(72)	18(42)~8(54)	5(55)~12(72)
21 × 8.5J	11(42)~8(61)	-9(62)~28(79)	25(42)~8(61)	5(62)~12(79)
21 × 9.0J	17(42)~14(73)	-15(74)~32(91)	31(42)~0(73)	-1(74)~18(91)
21 × 9.5J	23(42)~20(85)	-21(86)~38(103)	37(42)~6(85)	-7(86)~24(103)
21 × 10.0J	30(42)~27(99)	-28(100)~45(117)	44(42)~13(99)	-14(100)~31(117)
21 × 10.5J	36(42)~33(111)	-34(112)~51(129)	50(42)~19(111)	-20(112)~37(129)
21 × 11.0J	42(42)~39(123)	-40(124)~57(141)	56(42)~25(123)	-26(124)~43(141)
21 × 11.5J	49(42)~46(137)	-47(138)~64(155)	63(42)~32(137)	-33(138)~50(155)
PCD RANGE	5H-108~120.65			

- STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU) / COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)
- INCLUDED ACCESSORIES: CENTER CAP/1PC-VALVE STEM/1PC(V24C/V39A)
INSET RANGE:1=V24C, INSET RANGE:2=V39A
- ※ STANDARD BARREL FINISH: BUFF ANODIZED(D)
- ※ GNOSIS CVS 21inch FULL REVERSE PASSED JW-L-P735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

Basic Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MAT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

▲SPECIFICATIONS 21inch 2PIECE/REVERSE

[]HUB CLEARANCE (mm)

DISK COLOR			SIZE	MIDDLE CONCAVE			DEEP CONCAVE	
MBL	BRU	PBU		STANDARD Adiek[48]	DEEP RIM Odiek[36]	BIG CALIPER Rdiek[56]	STANDARD Hdiek[47]	DEEP RIM Wdiek[33]
MSL		PP2		5H-10057(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-10057(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	★	★	5H-10057(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
				INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
			INSET RANGE	INSET RANGE	INSET RANGE	INSET RANGE	INSET RANGE	
			21 × 8.5J	27(45)~13(85)	39(45)~1(85)	19(45)~21(85)	7(46)~32(85)	21(46)~18(85)
			21 × 9.0J	33(45)~19(97)	45(45)~7(97)	25(45)~27(97)	13(46)~38(97)	27(46)~24(97)
			21 × 9.5J	39(45)~25(109)	51(45)~13(109)	31(45)~33(109)	19(46)~44(109)	33(46)~30(109)
			21 × 10.0J	46(45)~32(123)	58(45)~20(123)	38(45)~40(123)	26(46)~51(123)	40(46)~37(123)
			21 × 10.5J	52(45)~38(135)	64(45)~26(135)	44(45)~46(135)	32(46)~57(135)	46(46)~43(135)
			21 × 11.0J	58(45)~44(147)	70(45)~32(147)	50(45)~52(147)	38(46)~63(147)	52(46)~49(147)
			21 × 11.5J	65(45)~51(161)	77(45)~39(161)	57(45)~59(161)	45(46)~70(161)	59(46)~56(161)
			21 × 12.0J	65(51)~57(173)	77(51)~45(173)	57(51)~65(173)	46(51)~76(173)	60(51)~62(173)
			21 × 12.5J	59(63)~63(185)	71(63)~51(185)	51(63)~71(185)	39(64)~82(185)	53(64)~68(185)
			PCD RANGE	5H-108~120.65				

●STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU) / COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2) CVSM-SR·HRN
CVSD-SR·HRN

●INCLUDED ACCESORIES: CENTER CAP/1PC·VALVE STEM/1PC(V24C)

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 74MM.

DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 80MM

(IT WON'T COME OUT OF RIM FLANGE.)

※GNOSIS CVS 21inch SR PASSED JWLP-735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MAT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲ SPECIFICATIONS 20inch 2PIECE/FULL REVERSE

[] HUB
CLEARANCE/mm

DISK COLOR			SIZE	MIDDLE CONCAVE					
MBL	BRU	PBU		STANDARD Adisk[48]		DEEP RIM Odisk[36]		BIG CALIPER Rdisk[56]	
		PP2		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		★	
MSL					INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm
			INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2	
			20 × 8.0J	31(35)~9(57)	8(58)~-14(80)	43(35)~21(57)	20(58)~-2(80)	23(35)~1(57)	0(58)~-22(80)
			20 × 8.5J	38(35)~2(71)	1(72)~-21(94)	50(35)~14(71)	13(72)~-9(94)	30(35)~-6(71)	-7(72)~-29(94)
			20 × 9.0J	44(35)~-4(83)	-5(84)~-27(106)	56(35)~8(83)	7(84)~-15(106)	36(35)~-12(83)	-13(84)~-35(106)
			20 × 9.5J	50(35)~-10(95)	-11(96)~-33(118)	62(35)~2(95)	1(96)~-21(118)	42(35)~-18(95)	-19(96)~-41(118)
			20 × 10.0J	57(35)~-17(109)	-18(110)~-40(132)	69(35)~-5(109)	-6(110)~-28(132)	49(35)~-25(109)	-26(110)~-48(132)
			20 × 10.5J	63(35)~-23(121)	-24(122)~-46(144)	75(35)~-11(121)	-12(122)~-34(144)	55(35)~-31(121)	-32(122)~-54(144)
			20 × 11.0J	69(35)~-29(133)	-30(134)~-52(156)	81(35)~-17(133)	-18(134)~-40(156)	61(35)~-37(133)	-38(134)~-60(156)
			20 × 11.5J	71(40)~-36(147)	-37(148)~-59(170)	83(40)~-24(147)	-25(148)~-47(170)	63(40)~-44(147)	-45(148)~-67(170)
			20 × 12.0J	65(52)~-42(159)	-43(160)~-65(182)	77(52)~-30(159)	-31(160)~-53(182)	57(52)~-50(159)	-51(160)~-73(182)
			20 × 12.5J	59(64)~-48(171)	-49(172)~-71(194)	71(64)~-36(171)	-37(172)~-59(194)	51(64)~-56(171)	-57(172)~-79(194)
			PCD RANGE	5H-108~120.65					

CVSM·HRH

SIZE	DEEP CONCAVE			
	STANDARD ★		DEEP RIM Wdisk[33]	
	Hdisk[47]		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	
	INSET(LIP SIZE)mm			
	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2
20 × 8.0J	6(41)~-11(58)	-12(59)~-34(81)	20(41)~3(58)	2(59)~-20(81)
20 × 8.5J	13(41)~-18(72)	-19(73)~-41(95)	27(41)~-4(72)	-5(73)~-27(95)
20 × 9.0J	19(41)~-24(84)	-25(85)~-47(107)	33(41)~-10(84)	-11(85)~-33(107)
20 × 9.5J	25(41)~-30(96)	-31(97)~-53(119)	39(41)~-16(96)	-17(97)~-39(119)
20 × 10.0J	32(41)~-37(110)	-38(111)~-60(133)	46(41)~-23(110)	-24(111)~-46(133)
20 × 10.5J	38(41)~-43(122)	-44(123)~-66(145)	52(41)~-29(122)	-30(123)~-52(145)
20 × 11.0J	44(41)~-49(134)	-50(135)~-72(157)	58(41)~-35(134)	-36(135)~-58(157)
20 × 11.5J	51(41)~-56(148)	-57(149)~-79(171)	65(41)~-42(148)	-43(149)~-65(171)
20 × 12.0J	46(52)~-62(160)	-63(161)~-85(183)	60(52)~-48(160)	-49(161)~-71(183)
20 × 12.5J	39(65)~-68(172)	-69(173)~-91(195)	53(65)~-54(172)	-55(173)~-77(195)
PCD RANGE	5H-108~120.65			

CVSD·HRH

- STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(/ COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)
- INCLUDED ACCESSORIES: CENTER CAP/1PC·VALVE STEM/1PC(V24C/V39A)
INSET RANGE:1=V24C, INSET RANGE:2=V39A
- ※ STANDARD BARREL FINISH: BUFF ANODIZED(D)
- ※ GNOSIS CVS 20inch FR PASSED JWL-P735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MAT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

▲SPECIFICATIONS 20inch 2PIECE/REVERSE

[J]HUB CLEARANCE/mm

DISK COLOR			SIZE	MIDDLE CONCAVE		DEEP CONCAVE	
MBL	BRU	PBU		STANDARD Adisk[47]	DEEP RIM Odisk[35]	STANDARD Hdisk[41]	DEEP RIM Wdisk[33]
MSL	PP2	PP2		5H-100(57.60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-100(57.60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	*	5H-100(57.60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
				INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
			INSET	INSET	INSET	INSET	
			20 × 8.0J	26(48)~2(76)	38(48)~10(76)	-	-
			20 × 8.5J	33(48)~9(90)	45(48)~3(90)	20(49)~22(91)	28(49)~14(91)
			20 × 9.0J	39(48)~15(102)	51(48)~3(102)	26(49)~28(103)	34(49)~20(103)
			20 × 9.5J	45(48)~21(114)	57(48)~9(114)	32(49)~34(115)	40(49)~26(115)
			20 × 10.0J	52(48)~28(128)	64(48)~16(128)	39(49)~41(129)	47(49)~33(129)
			20 × 10.5J	58(48)~34(140)	70(48)~22(140)	45(49)~47(141)	53(49)~39(141)
			20 × 11.0J	64(48)~40(152)	76(48)~28(152)	51(49)~53(153)	59(49)~45(153)
			20 × 11.5J	70(49)~47(166)	82(49)~35(166)	58(49)~60(167)	66(49)~52(167)
			20 × 12.0J	74(51)~53(178)	85(52)~41(178)	61(52)~66(179)	69(52)~58(179)
			20 × 12.5J	67(64)~59(190)	79(64)~47(190)	55(64)~72(191)	63(64)~64(191)
PCD RANGE				5H-108~120.65			

●STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU) / COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2) CVSM-SR·HRN
 ●INCLUDED ACCESORIES: CENTER CAP/1PC·VALVE STEM/1PC(V24C) CVSD-SR·HRN

※STANDARD BARREL FINISH: BUFF ANODIZED(D)
 ※MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 78MM.
 DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 83MM
 (IT WON'T COME OUT OF RIM FLANGE.)

※GNOSIS CVS 20inch SR PASSED JWLP735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MAT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲ SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

[3]HUB CLEARANCE

DISK COLOR			SIZE	MIDDLE CONCAVE			
MBL	BRU	PBU		STAN		A	
MSL		PP2		SH-100.57(60) SH-112(66.5) SH-114.3(73.3) SH-120(72.5)			
	INSET LIP SIZE:mm			INSET LIP SIZE:mm			
			INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2	
			19 x 7.5J	30(38)~-14(54)	13(55)~-1(67)	42(38)~-26(54)	25(55)~-13(67)
			19 x 8.0J	36(38)~-8(66)	7(67)~-9(70)	48(38)~-20(66)	19(67)~-7(70)
			19 x 8.5J	43(38)~-1(60)	0(61)~-12(63)	55(38)~-13(60)	12(61)~-0(63)
			19 x 9.0J	49(38)~-5(92)	-5(93)~-18(105)	61(38)~-7(92)	8(93)~-6(105)
			19 x 9.5J	55(38)~-11(104)	-12(105)~-24(117)	67(38)~-1(104)	0(105)~-12(117)
			19 x 10.0J	62(38)~-18(118)	-19(119)~-31(131)	74(38)~-6(118)	-7(119)~-18(131)
			19 x 10.5J	68(38)~-24(130)	-25(131)~-37(143)	80(38)~-12(130)	-13(131)~-25(143)
			19 x 11.0J	74(38)~-30(142)	-31(143)~-43(155)	85(38)~-18(142)	-19(143)~-31(155)
			19 x 11.5J	80(38)~-37(156)	-38(157)~-50(169)	89(46)~-25(156)	-26(157)~-38(169)
			19 x 12.0J	74(51)~-42(180)	-44(181)~-56(193)	85(52)~-31(180)	-32(181)~-44(193)
			19 x 12.5J	67(64)~-49(180)	-50(181)~-62(193)	79(64)~-37(180)	-38(181)~-50(193)
PCD RANGE			SH-108~120.65				CVSM-HRH
			SIZE	DEEP CONCAVE			
				STAN		H	
			SH-100.57(60) SH-112(66.5) SH-114.3(73.3) SH-120(72.5)				
			INSET LIP SIZE:mm		INSET LIP SIZE:mm		
			INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2	
			19 x 7.5J	-	-	-	-
			19 x 8.0J	15(47)~-5(67)	-6(68)~-18(80)	23(47)~-3(67)	2(68)~-10(80)
			19 x 8.5J	22(47)~-12(81)	-13(82)~-25(94)	30(47)~-4(81)	-5(82)~-17(94)
			19 x 9.0J	28(47)~-18(93)	-19(94)~-31(106)	36(47)~-10(93)	-11(94)~-23(106)
			19 x 9.5J	34(47)~-24(105)	-25(106)~-37(118)	42(47)~-16(105)	-17(106)~-29(118)
			19 x 10.0J	41(47)~-31(119)	-32(120)~-44(132)	49(47)~-23(119)	-24(120)~-36(132)
			19 x 10.5J	47(47)~-37(131)	-38(132)~-50(144)	55(47)~-29(131)	-30(132)~-42(144)
			19 x 11.0J	53(47)~-43(143)	-44(144)~-56(156)	61(47)~-35(143)	-36(144)~-48(156)
			19 x 11.5J	60(47)~-50(157)	-51(158)~-63(170)	68(47)~-42(157)	-43(158)~-55(170)
			19 x 12.0J	61(52)~-56(189)	-57(170)~-69(182)	69(52)~-48(189)	-49(170)~-61(182)
			19 x 12.5J	55(64)~-62(181)	-63(182)~-75(194)	63(64)~-54(181)	-55(182)~-67(194)
PCD RANGE			SH-108~120.65				CVSD-HRH

● STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU) / COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)

● INCLUDED ACCESSORIES: CENTER CAP/IPC-VALVE STEM/IPC(V24C/V39A) INSET RANGE:1~V24C, INSET

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ GNOSIS CVS 19inch FULL REVERSE PASSED JWL-P735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (EGS)/IPC
- BLACK CHROME BOLT/IPC
- BLACK VALVE STEM/IPC

