

## ▲SPECIFICATIONS 22inch 2PIECE/REVERSE

[ JHUB  
CLF&PA&N&E /mm

DISK COLOR			SIZE	MIDDLE CONCAVE			DEEP CONCAVE	
MBL	BRU	PBU		STANDARD Adisk[48]	DEEP RIM Odisk[36]	BIG CALIPER Rdisk[60]	STANDARD Hdisk[44]	DEEP RIM Wdisk[30]
MSL		PP2		5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	*	*	5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
			INSET(リムの深さ)mm	INSET(リムの深さ)mm	INSET(リムの深さ)mm	INSET(リムの深さ)mm	INSET(リムの深さ)mm	
			オーダーインセット	オーダーインセット	オーダーインセット	オーダーインセット	オーダーインセット	
			22×8.5J	26(49)~-8(83)	38(49)~-4(83)	14(49)~-20(83)	7(46)~-29(82)	21(46)~-15(82)
			22×9.0J	32(49)~-14(95)	44(49)~-2(95)	20(49)~-26(95)	13(46)~-35(94)	27(46)~-21(94)
			22×9.5J	38(49)~-20(107)	50(49)~-8(107)	26(49)~-32(107)	19(46)~-41(106)	33(46)~-27(106)
			22×10.0J	45(49)~-27(121)	57(49)~-15(121)	33(49)~-39(121)	26(46)~-48(120)	40(46)~-34(120)
			22×10.5J	51(49)~-33(133)	63(49)~-21(133)	39(49)~-45(133)	32(46)~-54(132)	46(46)~-40(132)
			22×11.0J	57(49)~-39(145)	69(49)~-27(145)	45(49)~-51(145)	38(46)~-60(144)	52(46)~-46(144)
			22×11.5J	64(49)~-46(159)	76(49)~-34(159)	52(49)~-58(159)	45(46)~-67(158)	59(46)~-53(158)
			22×12.0J	67(52)~-52(171)	79(52)~-40(171)	55(52)~-64(171)	46(51)~-73(170)	60(51)~-59(170)
			22×12.5J	61(64)~-58(183)	73(64)~-46(183)	49(64)~-70(183)	39(64)~-79(182)	53(64)~-65(182)
			PCD RANGE	5H-108~120.65				

●STANDARD COLOR: MAT BLACK( MBL) / MAT SILVER( MSL) / BRUSHED( BRU)

CVXM-SR-HRN

/ COMPOSITE BUFFED &amp; BRUSHED( PBU) / BUFF FINISH( PP2)

CVXD-SR-HRN

●INCLUDED ACCESORIES: CENTER CAP/1PC・VALVE STEM/1PC( V24C)

※STANDARD BARREL FINISH: BUFF ANODIZED( D)

※MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 76MM.

DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 80MM

(IT WON'T COME OUT OF RIM FLANGE.)

※GNOSIS CVX 22inch SR PASSED JWL-P840KG( PASSENGER STANDARD).

## Optional Items

- CENTER CAP( EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

## Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC( MAT BLACK)
- No.120259 CENTER CAP/1PC( EGS)
- No.180012 VALVE STEM/1PC( V24C)
- No.180088 BLACK VALVE STEM/1PC( V24K)

2025/11/21 12:48

▲SPECIFICATIONS 21inch 2PIECE/FULL REVERSE

DISK COLOR			SIZE	MIDDLE CONCAVE					
MBL	BRU	PBU		STANDARD Adiak(48) SH-114.3(73.3) SH-120(72.5)	DEEP RIM SH-112(66.5) SH-114.3(73.3) SH-120(72.5)	OdiaK(36)	BIG * RdiaK		
MSL		PP2	INSET(LIP)		INSET(LIP) SIZE(mm)		INSET(LIP)		
			INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2	
			21 x 7.5J	23(3)~20(2)	19(4)~2(0)	35(5)~32(2)	31(4)~14(5)	11(3)~8(2)	7(4)~10(6)
			21 x 8.0J	29(3)~14(5)	13(5)~4(7)	41(3)~28(5)	25(5)~8(7)	17(3)~2(4)	1(5)~16(7)
			21 x 8.5J	36(3)~14(6)	13(6)~4(7)	48(3)~26(6)	25(6)~8(7)	24(3)~2(6)	1(6)~16(7)
			21 x 9.0J	42(3)~8(7)	7(7)~10(6)	54(3)~20(7)	18(7)~2(6)	30(3)~4(7)	-5(7)~22(6)
			21 x 9.5J	48(3)~2(8)	1(8)~16(10)	60(3)~14(8)	13(8)~4(10)	36(3)~10(8)	-11(8)~22(10)
			21 x 10.0J	55(3)~5(9)	-6(10)~23(17)	67(3)~7(9)	6(10)~11(17)	43(3)~11(9)	-16(10)~35(17)
			21 x 10.5J	61(3)~11(11)	-12(12)~29(12)	73(3)~11(11)	0(12)~17(12)	49(3)~23(11)	-24(12)~41(12)
			21 x 11.0J	67(3)~17(12)	-18(12)~35(14)	79(3)~5(12)	-6(12)~23(14)	55(3)~29(12)	-30(12)~47(14)
			21 x 11.5J	73(4)~24(13)	-25(13)~42(15)	85(4)~12(13)	-13(13)~30(15)	61(4)~36(13)	-37(13)~54(15)
PCD RANGE			SH-108~120.65						

CVXM-HRH

SIZE	DEEP CONCAVE			
	STANDARD * HdiaK(41)	DEEP RIM SH-112(66.5) SH-114.3(73.3) SH-120(72.5)	WdiaK(30)	
INSET(LIP)				
INSET(LIP) SIZE(mm)				
INSET RANGE: 1				
INSET RANGE: 2				
21 x 7.5J	-5(4)	-3(4)~20(6)	12(4)	11(4)~6(6)
21 x 8.0J	4(4)~8(5)	9(5)~26(7)	18(4)~6(5)	5(5)~12(7)
21 x 8.5J	11(4)~8(6)	9(6)~26(8)	25(4)~6(6)	5(6)~12(8)
21 x 9.0J	17(4)~14(7)	-15(7)~32(8)	31(4)~0(7)	-1(7)~18(8)
21 x 9.5J	23(4)~20(8)	-21(8)~38(10)	37(4)~6(8)	-7(8)~24(10)
21 x 10.0J	30(4)~27(10)	-28(10)~45(11)	44(4)~13(10)	-14(10)~31(11)
21 x 10.5J	36(4)~33(12)	-34(12)~51(13)	50(4)~19(12)	-20(12)~37(13)
21 x 11.0J	42(4)~39(12)	-40(12)~57(14)	56(4)~25(12)	-26(12)~43(14)
21 x 11.5J	49(4)~46(13)	-47(13)~64(15)	63(4)~32(13)	-32(13)~50(15)
PCD RANGE				
SH-108~120.65				

CVXD-HRH

- STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU) / COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)
- INCLUDED ACCESSORIES: CENTER CAP/IPC-VALVE STEM/IPC(V24C/V39A)  
INSET RANGE:1=V24C, INSET RANGE:2=V39A
- ※ STANDARD BARREL FINISH: BUFF ANODIZED(D)
- ※ GNOSIS CVX 21inch FR PASSED JW-L-P840KG/ PASSENGER STANDARD).

- Optional Items**
- CENTER CAP(EGS)/IPC
  - BLACK CHROME BOLT/IPC
  - BLACK VALVE STEM/IPC

## ▲SPECIFICATIONS 21inch 2PIECE/REVERSE

[ ]HUB CLEARANCE(mm)

DISK COLOR			SIZE	MIDDLE CONCAVE			DEEP CONCAVE	
MBL	PBU	BRU		STANDARD Adiek[48]	DEEP RIM Odiek[36]	BIG CALIPER Rdiek[56]	STANDARD Hdiek[43]	DEEP RIM Wdiek[29]
MSL	PP2			5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	*	*	5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
			INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	
			INSET RANGE	INSET RANGE	INSET RANGE	INSET RANGE	INSET RANGE	
			21 × 8.5J	27(45)~13(85)	39(45)~1(85)	19(45)~21(85)	7(46)~32(85)	21(46)~18(85)
			21 × 9.0J	33(45)~19(97)	45(45)~7(97)	25(45)~27(97)	13(46)~38(97)	27(46)~24(97)
			21 × 9.5J	39(45)~25(109)	51(45)~13(109)	31(45)~33(109)	19(46)~44(109)	33(46)~30(109)
			21 × 10.0J	46(45)~32(123)	58(45)~20(123)	38(45)~40(123)	26(46)~51(123)	40(46)~37(123)
			21 × 10.5J	52(45)~38(135)	64(45)~26(135)	44(45)~46(135)	32(46)~57(135)	46(46)~43(135)
			21 × 11.0J	58(45)~44(147)	70(45)~32(147)	50(45)~52(147)	38(46)~63(147)	52(46)~49(147)
			21 × 11.5J	65(45)~51(161)	77(45)~39(161)	57(45)~59(161)	45(46)~70(161)	59(46)~56(161)
			21 × 12.0J	65(51)~57(173)	77(51)~45(173)	57(51)~65(173)	46(51)~76(173)	60(51)~62(173)
			21 × 12.5J	59(63)~63(185)	71(63)~51(185)	51(63)~71(185)	39(64)~82(185)	53(64)~68(185)
			PCD RANGE	5H-108~120.65				

●STANDARD COLOR: MAT BLACK( MBL ) / MAT SILVER( MSL ) / BRUSHED( BRU )  
/ COMPOSITE BUFFED & BRUSHED( PBU ) / BUFF FINISH( PP2 )

CVXM-SR-HRN

●INCLUDED ACCESSORIES: CENTER CAP/1PC·VALVE STEM/1PC( V24C )

CVXD-SR-HRN

※STANDARD BARREL FINISH: BUFF ANODIZED( D )

※MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 75MM.

DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 80MM

(IT WON'T COME OUT OF RIM FLANGE.)

※GNOSIS CVS 21inch SR PASSED JWLP-735KG( PASSENGER STANDARD ).

**Optional Items**

- CENTER CAP (EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

**Repair Parts**

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MAT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)

2025/11/21 12:49

## ▲SPECIFICATIONS 20inch 2PIECE/FULL REVERSE

DISK COLOR			SIZE	MIDDLE CONCAVE					
MBL	BRU	PBU		STANDARD Adisk[48]		DEEP RIM Odisk[36]		BIG CALIPER Rdisk[56]	
				5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		★	
MSL	PP2	INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm			
		INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2		
			20 × 8.0J	31(35)~9(57)	8(58)~14(80)	43(35)~21(57)	20(58)~2(80)	23(35)~1(57)	0(58)~22(80)
			20 × 8.5J	38(35)~2(71)	1(72)~21(94)	50(35)~14(71)	13(72)~9(94)	30(35)~6(71)	-7(72)~29(94)
			20 × 9.0J	44(35)~4(83)	-5(84)~27(106)	56(35)~8(83)	7(84)~15(106)	36(35)~12(83)	-13(84)~35(106)
			20 × 9.5J	50(35)~10(95)	-11(96)~33(118)	62(35)~2(95)	1(96)~21(118)	42(35)~18(95)	-19(96)~41(118)
			20 × 10.0J	57(35)~17(109)	-18(110)~40(132)	69(35)~5(109)	-6(110)~28(132)	49(35)~25(109)	-26(110)~48(132)
			20 × 10.5J	63(35)~23(121)	-24(122)~46(144)	75(35)~11(121)	-12(122)~34(144)	55(35)~31(121)	-32(122)~54(144)
			20 × 11.0J	69(35)~29(133)	-30(134)~52(156)	81(35)~17(133)	-18(134)~40(156)	61(35)~37(133)	-38(134)~60(156)
			20 × 11.5J	71(40)~36(147)	-37(148)~59(170)	83(40)~24(147)	-25(148)~47(170)	63(40)~44(147)	-45(148)~67(170)
			20 × 12.0J	65(52)~42(159)	-43(160)~65(182)	77(52)~30(159)	-31(160)~53(182)	57(52)~50(159)	-51(160)~73(182)
			20 × 12.5J	59(64)~48(171)	-49(172)~71(194)	71(64)~36(171)	-37(172)~59(194)	51(64)~56(171)	-57(172)~79(194)
			PCD RANGE	5H-108~120.65					

CVXM・HRH

SIZE	DEEP CONCAVE			
	STANDARD Hdisk[43]		DEEP RIM Wdisk[29]	
	★		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	
	INSET(リムの深さ)mm			
	オーダーインセット:1	オーダーインセット:2	オーダーインセット:1	オーダーインセット:2
20 × 8.0J	6(41)~11(58)	-12(59)~34(81)	20(41)~3(58)	2(59)~20(81)
20 × 8.5J	13(41)~18(72)	-19(73)~41(95)	27(41)~4(72)	-5(73)~27(95)
20 × 9.0J	19(41)~24(84)	-25(85)~47(107)	33(41)~10(84)	-11(85)~33(107)
20 × 9.5J	25(41)~30(96)	-31(97)~53(119)	39(41)~16(96)	-17(97)~39(119)
20 × 10.0J	32(41)~37(110)	-38(111)~60(133)	46(41)~23(110)	-24(111)~46(133)
20 × 10.5J	38(41)~43(122)	-44(123)~66(145)	52(41)~29(122)	-30(123)~52(145)
20 × 11.0J	44(41)~49(134)	-50(135)~72(157)	58(41)~35(134)	-36(135)~58(157)
20 × 11.5J	51(41)~56(148)	-57(149)~79(171)	65(41)~42(148)	-43(149)~65(171)
20 × 12.0J	46(52)~62(160)	-63(161)~85(183)	60(52)~48(160)	-49(161)~71(183)
20 × 12.5J	39(65)~68(172)	-69(173)~91(195)	53(65)~54(172)	-55(173)~77(195)
		PCD RANGE	5H-108~120.65	

●STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU)

CVXD・HRH

/ COMPOSITE BUFFED &amp; BRUSHED(PBU) / BUFF FINISH(PP2)

●INCLUDED ACCESSORIES: CENTER CAP/1PC・VALVE STEM/1PC(V24C/V39A)

INSET RANGE:1=V24C, INSET RANGE:2=V39A

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※GNOSIS CVX 20inch FR PASSED JWL-P735KG( PASSENGER STANDARD).

## Optional Items

- CENTER CAP(EGS)/1PC
- BLACK CHROME BOLT/1PC
- BLACK VALVE STEM/1PC

## Repair Parts

- No.120159 CENTER CAP/1PC
- No.120164 CENTER CAP/1PC (MAT BLACK)
- No.120259 CENTER CAP/1PC (EGS)
- No.180012 VALVE STEM/1PC (V24C)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

▲SPECIFICATIONS 20inch 2PIECE/REVERSE

[ ] HUB CLEARANCE/mm

DISK COLOR			SIZE	MIDDLE CONCAVE			DEEP CONCAVE	
MBL	BRU	PBU		STANDARD Adiek[47]	DEEP RIM Odiek[35]	BIG GALIPER Rdiek[55]	STANDARD Hdiek[37]	DEEP RIM Wdiek[29]
MSL		PP2		SH-100(57.60) SH-112(66.5) SH-114.3(73.3) SH-120(72.5)	SH-100(57.60) SH-112(66.5) SH-114.3(73.3) SH-120(72.5)	*	*	SH-100(57.60) SH-112(66.5) SH-114.3(73.3) SH-120(72.5)
			INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	
			INSET	INSET	INSET	INSET	INSET	
			20 × 8.0J	26(48)~2(76)	38(48)~10(76)	18(48)~10(76)	-	-
			20 × 8.5J	33(48)~9(90)	45(48)~3(90)	25(48)~17(90)	20(48)~22(90)	28(48)~14(90)
			20 × 9.0J	39(48)~15(102)	51(48)~3(102)	31(48)~23(102)	26(48)~28(102)	34(48)~20(102)
			20 × 9.5J	45(48)~21(114)	57(48)~9(114)	37(48)~29(114)	32(48)~34(114)	40(48)~26(114)
			20 × 10.0J	52(48)~28(128)	64(48)~16(128)	44(48)~36(128)	39(48)~41(128)	47(48)~33(128)
			20 × 10.5J	58(48)~34(140)	70(48)~22(140)	50(48)~42(140)	45(48)~47(140)	53(48)~39(140)
			20 × 11.0J	64(48)~40(152)	76(48)~28(152)	56(48)~48(152)	51(48)~53(152)	59(48)~45(152)
			20 × 11.5J	70(49)~47(166)	82(49)~35(166)	62(49)~55(166)	58(48)~60(166)	66(48)~52(166)
			20 × 12.0J	74(51)~53(178)	85(52)~41(178)	66(51)~61(178)	61(51)~66(178)	69(51)~58(178)
			20 × 12.5J	67(64)~59(190)	79(64)~47(190)	59(64)~67(190)	55(63)~72(190)	63(63)~64(190)
			PCD RANGE			5H-108~120.65		

●STANDARD COLOR: MAT BLACK( MBL) / MAT SILVER( MSL) / BRUSHED( BRU)  
/ COMPOSITE BUFFED & BRUSHED( PBU) / BUFF FINISH( PP2)

CVXM-SR·HRN  
CVXD-SR·HRN

●INCLUDED ACCESSORIES: CENTER CAP/IPC·VALVE STEM/IPC( V24C)

※STANDARD BARREL FINISH: BUFF ANODIZED( D)

※MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 78MM.

DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 82MM

(IT WON'T COME OUT OF RIM FLANGE.)

※GNOSIS CVS 20inch SR PASSED JWL-P735KG( PASSENGER STANDARD).

Optional Items

- CENTER CAP (EGS)/IPC
- BLACK CHROME BOLT/IPC
- BLACK VALVE STEM/IPC

Repair Parts

- No.120159 CENTER CAP/IPC
- No.120164 CENTER CAP/IPC (MAT BLACK)
- No.120259 CENTER CAP/IPC (EGS)
- No.180012 VALVE STEM/IPC (V24C)
- No.180088 BLACK VALVE STEM/IPC (V24K)

▲ SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

DISK COLOR			SIZE	MIDDLE CONCAVE						
MBL	BRU	PBU		STANDA Hdlak(47) SH-100(57.60) SH-112(66.5) SH-114.3(73.3) SH-120(72.5)	DEEP RIM Odjak(35) SH-100(57.60) SH-112(66.5) SH-114.3(73.3) SH-120(72.5)	BIG Rdlak		Rdlak		
MSL		PP2	INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm			
			INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2		
			19 x 7.5J	30(38)~14(54)	13(55)~1(67)	42(38)~26(54)	25(55)~13(67)	22(38)~6(54)	5(55)~7(67)	
			19 x 8.0J	36(38)~0(66)	7(67)~0(79)	46(38)~20(66)	19(67)~7(79)	28(38)~0(66)	-1(67)~13(79)	
			19 x 8.5J	43(38)~1(66)	0(61)~12(53)	53(38)~13(60)	12(61)~0(53)	35(38)~7(60)	-9(61)~20(53)	
			19 x 9.0J	49(38)~5(92)	-6(93)~16(105)	61(38)~7(92)	6(93)~6(105)	41(38)~13(92)	-14(93)~29(105)	
			19 x 9.5J	55(38)~11(104)	-12(105)~24(117)	67(38)~1(104)	0(105)~12(117)	47(38)~19(104)	-20(105)~32(117)	
			19 x 10.0J	62(38)~18(118)	-19(119)~31(131)	74(38)~6(118)	-7(119)~19(131)	54(38)~26(118)	-27(119)~39(131)	
			19 x 10.5J	68(38)~24(130)	-25(131)~37(143)	80(38)~12(130)	-13(131)~25(143)	60(38)~32(130)	-33(131)~45(143)	
			19 x 11.0J	74(38)~30(142)	-31(143)~43(155)	85(38)~18(142)	-19(143)~31(155)	66(38)~38(142)	-39(143)~51(155)	
			19 x 11.5J	80(39)~37(156)	-38(157)~50(169)	89(46)~25(156)	-28(157)~39(169)	72(39)~43(156)	-46(157)~58(169)	
			19 x 12.0J	74(51)~43(168)	-44(169)~56(181)	85(52)~31(168)	-32(169)~44(181)	66(51)~51(168)	-52(169)~64(181)	
			19 x 12.5J	67(64)~49(180)	-50(181)~62(193)	79(64)~37(180)	-38(181)~50(193)	59(64)~57(180)	-58(181)~70(193)	
PCD RANGE			SH-108~120.65							

CVXM-HRH

SIZE	DEEP CONCAVE			
	STANDA Hdlak(37)	DEEP RIM	Wdlak(29)	
SH-100(57.60) SH-112(66.5) SH-114.3(73.3) SH-120(72.5)				
INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		
INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2	
19 x 7.5J	-	-	-	
19 x 8.0J	15(46)~5(66)	-6(67)~18(79)	23(46)~3(66)	2(67)~10(79)
19 x 8.5J	22(46)~12(80)	-13(81)~25(93)	30(46)~4(80)	-5(81)~17(93)
19 x 9.0J	28(46)~18(92)	-19(93)~31(105)	36(46)~10(92)	-11(93)~23(105)
19 x 9.5J	34(46)~24(104)	-25(105)~37(117)	42(46)~16(104)	-17(105)~29(117)
19 x 10.0J	41(46)~31(116)	-32(117)~44(131)	48(46)~23(116)	-24(117)~36(131)
19 x 10.5J	47(46)~37(130)	-38(131)~50(143)	55(46)~29(130)	-30(131)~42(143)
19 x 11.0J	53(46)~43(142)	-44(143)~56(155)	61(46)~35(142)	-36(143)~48(155)
19 x 11.5J	60(46)~50(156)	-51(157)~63(169)	68(46)~42(156)	-43(157)~55(169)
19 x 12.0J	61(51)~58(168)	-57(169)~69(181)	69(51)~48(168)	-49(169)~61(181)
19 x 12.5J	55(63)~62(180)	-63(181)~75(193)	63(63)~54(180)	-55(181)~67(193)
PCD RANGE	SH-108~120.65			

● STANDARD COLOR: MAT BLACK( MBL ) / MAT SILVER( MSL ) / BRUSHED( BRU ) / COMPOSITE BUFFED & BRUSHED( PBU ) / BUFF FINISH( PP2 ) CVXD-HRH

● INCLUDED ACCESSORIES: CENTER CAP / IPC-VALVE STEM / IPC( V24C / V39A )

※ INSET RANGE:1=V24C, INSET RANGE:2=V39A

※ STANDARD BARREL FINISH: BUFF ANODIZED( D )

※ GNOSIS CVX 19inch FULL REVERSE PASSED JWL-P735KG( PASSENGER STANDARD ).

Optional Items

- CENTER CAP (EGS)/IPC
- BLACK CHROME BOLT/IPC
- BLACK VALVE STEM /IPC

Repair Parts

- No.120159
- No.120164
- No.120259
- No.180012
- No.180068
- No.180087
- No.180089