

▲SPECIFICATIONS 20inch 3PIECE/NORMAL

DISK COLOR		SIZE	STANDARD 5H-114.3(73.3) Adisk							DEEP RIM 5H-114.3(73.3) Odisk								
WHT	PP		LIP SIZE(mm)							LIP SIZE(mm)								
SIL			60	73	85	98	111	123	136	149	60	73	85	98	111	123	136	149
BLK	HPG	20 × 8.0J	32 D	19 C	6 B						42 D	29 C	16 B					
		20 × 8.5J	38 E	25 D	13 C	0 B					48 E	35 D	23 C	10 B				
		20 × 9.0J	44 F	32 E	19 D	6 C	-6 B				54 F	42 E	29 D	16 C	4 B			
		20 × 9.5J	51 G	38 F	25 E	13 D	0 C	-13 B			61 G	48 F	35 E	23 D	10 C	-3 B		
		20 × 10.0J	57 H	44 G	32 F	19 E	6 D	-6 C	-19 B		67 H	54 G	42 F	29 E	16 D	4 C	-9 B	
		20 × 10.5J		51 H	38 G	25 F	13 E	0 D	-13 C	-25 B	61 H	48 G	35 F	23 E	10 D	-3 C	-15 B	
		20 × 11.0J			44 H	32 G	19 F	6 E	-6 D	-19 C		54 H	42 G	29 F	16 E	4 D	-9 C	
		20 × 11.5J				38 H	25 G	13 F	0 E	-13 D				48 H	35 G	23 F	10 E	-3 D
		20 × 12.0J					32 H	19 G	6 F	-6 E					42 H	29 G	16 F	4 E
		20 × 12.5J						25 H	13 G	0 F						35 H	23 G	10 F
		20 × 13.0J							19 H	6 G							29 H	16 G
PCD RANGE			5H-98~120.65							5H-98~130								

BLK

SIZE	BIG CALIPER 5H-114.3(73.3) Ldisk							BIG CALIPER 5H-114.3(73.3) Rdisk								
	LIP SIZE(mm)							LIP SIZE(mm)								
	60	73	85	98	111	123	136	149	60	73	85	98	111	123	136	149
20 × 8.0J	22 D	9 C	-4 B						13 D	0 C	-13 B					
20 × 8.5J	28 E	15 D	3 C	-10 B					19 E	6 D	-6 C	-19 B				
20 × 9.0J	34 F	22 E	9 D	-4 C	-16 B				25 F	13 E	0 D	-13 C	-25 B			
20 × 9.5J	41 G	28 F	15 E	3 D	-10 C	-23 B			32 G	19 F	6 E	-6 D	-19 C	-32 B		
20 × 10.0J	47 H	34 G	22 F	9 E	-4 D	-16 C	-29 B		38 H	25 G	13 F	0 E	-13 D	-25 C	-38 B	
20 × 10.5J		41 H	28 G	15 F	3 E	-10 D	-23 C	-35 B	32 H	19 G	6 F	-6 E	-19 D	-32 C	-44 B	
20 × 11.0J			34 H	22 G	9 F	-4 E	-16 D	-29 C		25 H	13 G	0 F	-13 E	-25 D	-38 C	
20 × 11.5J				28 H	15 G	3 F	-10 E	-23 D			19 H	6 G	-6 F	-19 E	-32 D	
20 × 12.0J					22 H	9 G	-4 F	-16 E				13 H	0 G	-13 F	-25 E	
20 × 12.5J						15 H	3 G	-10 F					6 H	-6 G	-19 F	
20 × 13.0J							9 H	-4 G						0 H	-13 G	
PCD RANGE	5H-98~120.65							MST/3P-65~100SV								

●STANDARD COLOR: WHITE(WHT) / SILVER(SIL) / BLACK(BLK) / TITANIUM GOLD(HPG)/ BUFF

Optional Items

- TITANIUM PIERCE BOLT/1PC
- GOLD PIERCE BOLT/1PC

●INCLUDED ACCESSORIES: VALVE STEM/1PC(V29A), DISK STICKER/1PC, RIM

※ STANDARD BARREL FINISH: BUFF

※MEISTER S1 3PIECE 20inch PASSES JWL-P735KG(FOR PASSENGER)

Repair Parts

- No.180031 VALVE STEM/1PC (V29A)
- No.180095 BLACK VALVE STEM/1PC (V29K)
- No.180008 STICKER/1PC※DISK STICKER(BLUE)
- No.130009 STICKER/1PC※DISK STICKER(WHITE)
- No.130010 STICKER/1PC※S1 RIM STICKER

ASPECIFICATIONS 18inch SPIECE/NORMAL

MEISTER S1 SPIECE(18)-251002

WHT SIL BLK HPD	DISK COLOR PP	SIDE	STANDARD RH-10000 RH-114(K7L8)																								DEEP RIM RH-10000 RH-114(K7L8)																							
			Adm																								Cdk																							
			LIP SIZE(mm)																								LIP SIZE(mm)																							
33	45	58	71	83	96	109	121	134	147	159	172	185	197	210	223	235	248	33	45	58	71	83	96	109	121	134	147	159	172	185	197	210	223	235	248															
18x7.6J	*43 D	35 C	22 B															*56 D	43 C	30 B																														
18x7.6J	*54 E	41 D	29 C	18 B														*62 E	49 D	37 C	24 B																													
18x10.0J	*46 F	41 E	29 D	18 C	10 B													*49 F	56 E	43 D	30 C	18 B																												
18x10.0J	*67 G	54 F	41 E	29 D	18 C	10 B	3 B												68 F	45 E	32 D	20 C	11 B																											
18x9.9J	60 G	46 F	35 E	22 D	10 C	-3 B													68 G	56 F	43 E	30 D	18 C	5 B																										
18x9.9J	60 H	46 G	35 F	22 E	10 D	-3 E													62 H	49 G	37 F	24 E	11 D	-14 B																										
18x10.0J	60 H	46 G	35 F	22 E	10 D	-3 C	-10 B												68 H	56 G	43 F	30 E	18 D	5 C	-8 B																									
18x10.0J	67 I	54 H	41 G	29 F	18 E	3 D	-10 C	-22 B												62 I	49 H	37 G	24 F	11 E	-11 C	-14 B																								
18x11.0J		60 I	46 H	35 G	22 F	10 E	-3 D	-10 C	-20 B											68 I	56 H	43 G	30 F	18 E	3 D	-8 C	-20 B																							
18x11.0J		61 J	47 H	35 G	22 F	10 E	-3 E	-10 C	-20 B											62 J	49 H	37 G	24 F	11 E	-11 C	-14 B																								
18x12.0J		48 I	35 H	22 G	10 F	-3 E	-10 D	-20 C	-41 B											58 I	45 H	32 G	20 F	8 E	-8 D	-20 C	-33 B																							
18x12.0J		41 J	29 H	16 G	3 F	-8 E	-20 D	-35 C	-47 B											48 J	37 H	24 G	11 F	-1 E	-14 D	-27 C	-38 B																							
18x13.0J		35 I	22 H	10 G	-3 F	-10 E	-20 D	-35 C	-41 C	-54 D										37 I	24 H	11 G	-1 F	-14 E	-27 D	-38 C	-48 B																							
18x13.0J		20 J	16 H	3 G	-9 F	-22 E	-34 D	-47 C	-60 B											20 J	16 H	3 G	-9 F	-22 E	-34 D	-47 C	-60 B																							
18x14.0J		22 I	10 H	-3 G	-10 F	-20 E	-34 D	-47 C	-60 B											22 I	10 H	-3 G	-10 F	-20 E	-34 D	-47 C	-60 B																							
18x14.0J		18 J	3 H	-8 G	-20 F	-30 E	-41 D	-54 C	-70 B											18 J	3 H	-8 G	-20 F	-30 E	-41 D	-54 C	-70 B																							
18x15.0J		10 I	-3 H	-10 G	-20 F	-34 E	-47 D	-60 C	-76 B											10 I	-3 H	-10 G	-20 F	-34 E	-47 D	-60 C	-76 B																							
18x15.0J		3 I	-8 H	-20 F	-30 E	-41 D	-54 C	-70 B												3 I	-8 H	-20 F	-30 E	-41 D	-54 C	-70 B																								
18x15.0J		-3 J	-10 H	-20 G	-34 F	-47 E	-60 D													-3 J	-10 H	-20 G	-34 F	-47 E	-60 D																									
PCD RANGE		40-50=1143 SH-58=120.65												40-50=1143 SH-58=120																																				

SIZE	STANDARD RH-10000 RH-114(K7L8)																								DEEP RIM RH-10000 RH-114(K7L8)																							
	Adm																								Cdk																							
	LIP SIZE(mm)																								LIP SIZE(mm)																							
33	45	58	71	83	96	109	121	134	147	159	172	185	197	210	223	235	248	33	45	58	71	83	96	109	121	134	147	159	172	185	197	210	223	235	248													
18x7.6J	*42 D	29 C	18 B															*51 D	38 C	26 B																												
18x7.6J	*48 E	35 D	23 C	10 B														*57 E	45 D	33 C	21 B																											
18x8.0J	*54 F	42 E	29 D	18 C	4 B													*63 F	51 E	39 D	27 C	15 B																										
18x8.0J	*61 G	49 F	36 E	23 D	10 C	-3 B												*70 G	57 F	44 E	32 D	20 C	11 B																									
18x9.0J	*67 H	54 G	42 F	29 E	18 D	4 C	-9 B											*76 H	63 G	51 F	39 E	27 D	15 C	-10 B																								
18x9.0J	61 H	48 G	35 F	23 E	10 D	-3 C	-10 B												62 I	50 H	37 G	24 F	12 E	-11 D	-14 C	-26 B																						
18x10.0J	67 I	54 H	42 G	29 F	18 E	4 D	-9 C	-22 B											68 I	56 H	43 G	30 F	18 E	5 E	-7 D	-20 C	-33 B																					
18x10.0J	68 I	55 H	43 G	30 F	18 D	4 C	-9 B	-22 A											69 I	57 H	44 G	31 F	19 E	5 E	-7 D	-20 C	-33 B																					
18x11.0J		54 J	42 H	29 G	16 F	4 E	-9 D	-22 C	-34 B										43 J	31 H	18 G	5 F	-7 E	-20 D	-33 C	-45 B																						
18x11.0J		48 J	35 H	23 G	10 F	-3 E	-10 D	-20 C	-41 B										37 J	24 H	12 G	-1 F	-14 E	-26 D	-38 C	-48 B																						
18x12.0J		42 I	29 H	16 G	4 F	-9 E	-22 D	-34 C	-47 B										31 I	18 H	5 G	-7 F	-20 E	-33 D	-45 C	-58 B																						
18x12.0J		35 J	23 H	10 G	-3 F	-10 E	-20 D	-34 C	-47 B										24 J	12 H	-1 G	-14 F	-26 E	-38 D	-50 C	-64 B																						
18x13.0J		29 I	16 H	4 G	-9 F	-22 E	-34 D	-47 C	-60 B										18 I	5 H	-7 G	-20 F	-33 E	-45 D	-58 C	-71 B																						
18x13.0J		23 J	10 H	-3 G	-10 F	-20 E	-34 D	-47 C	-60 B										12 J	-1 H	-14 G	-26 F	-38 E	-50 D	-64 C	-77 B																						
18x14.0J		18 I	4 H	-9 G	-22 F	-34 E	-47 D	-60 C	-76 B										5 I	-7 H	-20 G	-33 F	-45 E	-58 D	-71 C	-83 B																						
18x14.0J		10 J	-3 H	-10 F	-20 E	-34 D	-47 C	-60 B											-1 J	-14 H	-26 G	-38 F	-50 E	-64 D	-77 C	-90 B																						
18x15.0J		4 J	-9 H	-22 G	-34 F	-47 E	-60 D	-76 C											-7 J	-20 H	-33 G	-45 F	-58 E	-71 D	-84 C																							
18x15.0J		-3 J	-10 H	-20 G	-34 F	-47 E	-60 D												-14 J	-26 H	-38 G	-50 F	-64 E	-77 D																								
18x16.0J		-9 I	-22 H	-34 G	-47 F	-60 E													-21 I	-33 H	-45 G	-58 F	-71 E																									
PCD RANGE		SH-58=120.65												SH-58=120.60																																		

- STANDARD COLOR: WHITE(WHT) / SILVER(SIL) / BLACK(BLK) / TITANIUM GOLD(HPG) / BUFF FINISH(PP)
- INCLUDED ACCESSORIES: VALVE STEM / IPC(V29A or *V13C2), DISK STICKER / IPC, RM STICKER / IPC
- STANDARD BARREL FINISH: BUFF ANODIZED(D)
- THE SPOKE WOULD COME OUT OF RM FLANGE BY 12MM WHEN THE LIP DEPTH IS 33MM
- MEISTER S1 SPIECE 18inch PASSES JWL-P739KG/ FOR PASSENGER) STANDARD.

- Optional Items**
- TITANIUM PERCE BOLT / IPC
 - GOLD PERCE BOLT / IPC

- Road Parts**
- NA18003 VALVE STEM / IPC (V13C2)
 - NA18027 BLACK VALVE STEM / IPC (V19K2)
 - NA18001 VALVE STEM / IPC (V29A)
 - NA18005 BLACK VALVE STEM / IPC (V29G)
 - NA13008 STICKER / IPC(BESK STICKER(BLUE))
 - NA13009 STICKER / IPC(BESK STICKER(WHITE))
 - NA13005 STICKER / IPC(BESK RM STICKER)

MSTN/3P-55~140F

▲SPECIFICATIONS 17inch 3PIECE/NORMAL

MEISTER S1 3PIECE(17)-251002

DISK COLOR	SIZE	STANDAR D Adisk											DEEP RIM Odisk						HYPER DEEP RIM Wdisk																
		4H-100(60) 5H-114.3(73.3)											4H-100(60) 5H-114.3(73.3)						4H-100(60) 5H-114.3(73.3)																
		LIP SIZE(mm)											LIP SIZE(mm)						LIP SIZE(mm)																
WHT	PP	45	58	71	83	96	109	121	134	45	58	71	83	96	109	121	134	45	58	71	83	96	109	121	134										
		17×7.0J	16 C	3 B														29 C	16 B							36 C	23 B								
		17×7.5J	22 D	9 C	-3 B													35 D	22 C	10 B						42 D	29 C	17 B							
		17×8.0J	28 E	16 D	3 C	-10 B												41 E	29 D	16 C	3 B	-3 B				48 E	36 D	23 C	10 B						
		17×8.5J	35 F	22 E	9 D	-3 C	-16 B											48 F	35 E	22 D	10 C	-3 B				55 F	42 E	29 D	17 C	4 B					
		17×9.0J	41 G	28 F	16 E	3 D	-10 C	-22 B										54 G	41 F	29 E	16 D	3 C	-9 B			61 G	48 F	36 E	23 D	10 C	-2 E				
		17×9.5J	47 H	35 G	22 F	9 E	-3 D	-16 C	-29 B									60 H	48 G	35 F	22 E	10 D	-3 C	-16 B		67 H	55 G	42 F	29 E	17 D	4 C	-9 B			
		17×10.0J	41 H	28 G	16 F	3 E	-10 D	-22 C	-35 B									54 H	41 G	29 F	16 E	3 D	-9 C	-22 B		61 H	48 G	36 F	23 E	10 C	-2 C	-15 B			
		17×10.5J			35 H	22 G	9 F	-3 E	-16 D	-29 C									48 H	35 G	22 F	10 E	-3 D	-18 C		55 H	42 G	29 F	17 E	4 D	-9 C				
		17×11.0J				28 H	16 G	3 F	-10 E	-22 D									41 H	29 G	16 F	3 E	-9 D			48 H	36 G	23 F	10 E	-2 D					
		17×11.5J					22 H	9 G	-3 F	-16 E										35 H	22 G	10 F	-3 E				42 H	29 G	17 F	4 E					
		17×12.0J						16 H	3 G	-10 F										29 H	16 G	3 F					36 H	23 G	10 F						
		17×12.5J								9 H	-3 G										22 H	10 G								29 H	17 G				
		17×13.0J																																	23 H
		PCD RANGE																																	

●STANDARD COLOR: WHITE(WHT) / SILVER(SIL) / BLACK(BLK) / TITANIUM GOLD(HPG) / BUFF FINISH(PP) **Optional Items** **Repair Parts** MST/3P-60-95U

- INCLUDED ACCESSORIES: VALVE STEM/1PC(V29A), DISK STICKER/1PC, RIM STICKER/1PC
- ※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

- TITANIUM PIERCE BOLT/1PC
- GOLD PIERCE BOLT/1PC

- No.180031 VALVE STEM/1PC (V29A)
- No.180095 BLACK VALVE STEM/1PC (V29K)
- No.130008 STICKER/1PC&DISK STICKER(BLUE)
- No.130009 STICKER/1PC&DISK STICKER(WHITE)
- No.130010 STICKER/1PC&S1 RIM STICKER

▲SPECIFICATIONS 16inch 3PIECE/NORMAL

MEISTER S1 3PIECE(16)-20251002

WHT SIL BLK HPG	DISK		STANDA													DEEP RIM													HYPER DEEP RIM													Wdiak																																											
	PP	SIZE	Adiak													Odiak													Odiak													Wdiak																																											
			4H-100(60)						4H-100(60) 5H-							4H-100(60)						4H-100(60) 5H-							4H-100(60)						4H-100(60)							4H-100(60)						4H-100(60)																																					
			LIP SIZE(mm)													LIP SIZE(mm)													LIP SIZE(mm)													LIP SIZE(mm)																																											
32	45	57	70	83	95	108	121	133	32	45	57	70	83	95	108	121	133	32	45	57	70	83	95	108	121	133	32	45	57	70	83	95	108	121	133																																																		
	16 X 5.0J	★11 A																★18 A																		★25 A																																																	
	16 X 5.5J	★17 B	4 A															★24 B	11 A																		★35 B	22 A																																															
	16 X 6.0J	★23 C	11 B	-2 A														★30 C	18 B	5 A																	★41 C	29 B	16 A																																														
	16 X 6.5J	★30 D	17 C	4 B	-8 A													★37 D	24 C	11 B	-1 A																★48 D	35 C	22 B	10 A																																													
	16 X 7.0J	★36 E	23 D	11 C	-2 B	-15 A												★43 E	30 D	18 C	5 B	-8 A															★54 E	41 D	29 C	16 B	3 A																																												
	16 X 7.5J	★42 F	30 E	17 D	4 C	-8 B	-21 A											★49 F	37 E	24 D	11 C	-1 B	-14 A														★60 F	48 E	35 D	22 C	10 B	-3 A																																											
	16 X 8.0J		36 F	23 E	11 D	-2 C	-15 B	-27 A											43 F	30 E	18 D	5 C	-8 B	-20 A														54 F	41 E	29 D	16 C	3 B	-9 A																																										
	16 X 8.5J			30 F	17 E	4 D	-8 C	-21 B	-34 A										37 F	24 E	11 D	-1 C	-14 B	-27 A													46 F	35 E	22 D	10 C	-3 B	-16 A																																											
	16 X 9.0J				23 F	11 E	-2 D	-15 C	-27 B	-40 A										30 F	18 E	5 D	-8 C	-20 B	-33 A												41 F	29 E	16 D	3 C	-9 B	-22 A																																											
	16 X 9.5J					17 F	4 E	-8 D	-21 C	-34 B										24 F	11 E	-1 D	-14 C	-27 B													35 F	22 E	10 D	-3 C	-16 B																																												
	16 X 10.0J						11 F	-2 E	-15 D	-27 C											18 F	5 E	-8 D	-20 C														29 F	16 E	3 D	-9 C																																												
	16 X 10.5J						4 F	-8 E	-21 D													11 F	-1 E	-14 D															22 F	10 E	-3 D																																												
	16 X 11.0J							-2 F	-15 E														5 F	-3 E																16 F	3 E																																												
	PCD RANGE																																																																																				

● STANDARD COLOR: WHITE(WHT) / SILVER(SIL) / BLACK(BLK) / TITANIUM GOLD(HPG) / BUFF FINISH(PP)

● INCLUDED ACCESSORIES: VALVE STEM/1PC(V29A or ★-V13C2), DISK STICKER/1PC, RIM STICKER/1PC

● ★ = ONLY FOR 4H-100

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

Optional Items

- TITANIUM PIERCE BOLT/1PC
- GOLD PIERCE BOLT/1PC

Basic Parts

- No.180003 VALVE STEM/1PC (V13C2)
- No.180107 BLACK VALVE STEM/1PC (V13K2)
- No.180031 VALVE STEM/1PC (V29A)
- No.180095 BLACK VALVE STEM/1PC (V29K)
- No.130008 STICKER/1PC(R/DISK STICKER(BLUE))
- No.130009 STICKER/1PC(R/DISK STICKER(WHITE))
- No.130010 STICKER/1PC(S1 RIM STICKER)

MST-3P-50~90B