

SCHWERT-BRUNNEN-(22)SR-251003

▲ SPECIFICATIONS 22inch 2PIECE/REVERSE

[]= HUB CLEARANCE/mm

STD COLOR		SIZE	STANDARD Adisk[49] 5H-114.3(73.3) 5H-120(60)	DEEP RIM Odisk[37] 5H-114.3(73.3) 5H-120(60)	BIG CALIPER Rdisk[57] 5H-114.3(73.3)
BSB	SRS		INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
			INSET RANGE	INSET RANGE	INSET RANGE
		22 × 8.5J	23(51)~-7(81)	35(51)~5(81)	15(51)~-15(81)
		22 × 9.0J	29(51)~-13(93)	41(51)~-1(93)	21(51)~-21(93)
		22 × 9.5J	35(51)~-19(105)	47(51)~-7(105)	27(51)~-27(105)
		22 × 10.0J	42(51)~-26(119)	54(51)~-14(119)	34(51)~-34(119)
		22 × 10.5J	48(51)~-32(131)	60(51)~-20(131)	40(51)~-40(131)
		22 × 11.0J	54(51)~-38(143)	66(51)~-26(143)	46(51)~-46(143)
		22 × 11.5J	61(51)~-45(157)	73(51)~-33(157)	53(51)~-53(157)
		22 × 12.0J	67(51)~-51(169)	79(51)~-39(169)	59(51)~-59(169)
		22 × 12.5J	61(63)~-57(181)	73(63)~-45(181)	53(63)~-65(181)
		PCD RANGE	5H-108~120.65		

● STANDARD COLOR: BRILLIANT SILVER BLACK(BSB)/SILKY RICH SILVER(SRS)

SWB-SR·HNH

● INCLUDED ACCESSORIES: CENTER CAP/PC個・VALVE STEM/PC(V24C)

※BSB FINISH COMES WITH A MATT GREY CENTER CAP

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※SCHWERT BRUNNEN 22inch SR PASSES JWJL-P840KG(PASSENGER)STANDARD.

※THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (BLACK·W EMBLEM)/1PC
- CENTER CAP (RED·W EMBLEM)/1PC
- CENTER CAP (SILVER·W EMBLEM)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

Repair Parts

- No.120254 CENTER CAP/1PC (MATT GREY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (BLACK·W EMBLEM)
- No.120208 CENTER CAP/1PC (RED·W EMBLEM)
- No.120295 CENTER CAP/1PC (SILVER·W EMBLEM)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲SPECIFICATIONS 21inch 2PIECE/FULL REVERSE

[] = HUB CLEARANCE/mm

STD COLOR		SIZE	STANDARD 5H-114.3(73.3) 5H-120(80) Adlek[49]		DEEP RIM 5H-114.3(73.3) 5H-120(80) Odiek[37]		BIG CALIPER 5H-114.3(73.3) Rdiek[57]	
BSB	SRS		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
			INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2
		21 x 7.5J	23(39)~20(42)	19(43)~2(60)	35(39)~32(42)	31(43)~14(60)	15(39)~12(42)	11(43)~6(60)
		21 x 8.0J	29(39)~14(54)	13(55)~4(72)	41(39)~26(54)	25(55)~8(72)	21(39)~6(54)	5(55)~-12(72)
		21 x 8.5J	36(39)~14(61)	13(62)~4(79)	48(39)~26(61)	25(62)~8(79)	28(39)~6(61)	5(62)~-12(79)
		21 x 9.0J	42(39)~8(73)	7(74)~-10(91)	54(39)~20(73)	19(74)~2(91)	34(39)~0(73)	-1(74)~-18(91)
		21 x 9.5J	48(39)~2(85)	1(86)~-16(103)	60(39)~14(85)	13(86)~-4(103)	40(39)~-6(85)	-7(86)~-24(103)
		21 x 10.0J	55(39)~-5(99)	-6(100)~-23(117)	67(39)~7(99)	6(100)~-11(117)	47(39)~-13(99)	-14(100)~-31(117)
		21 x 10.5J	61(39)~-11(111)	-12(112)~-29(129)	73(39)~1(111)	0(112)~-17(129)	53(39)~-19(111)	-20(112)~-37(129)
		21 x 11.0J	67(39)~-17(123)	-18(124)~-35(141)	79(39)~-5(123)	-6(124)~-23(141)	59(39)~-25(123)	-26(124)~-43(141)
		21 x 11.5J	73(40)~-24(137)	-25(138)~-42(155)	85(40)~-12(137)	-13(138)~-30(155)	65(40)~-32(137)	-33(138)~-50(155)
		PCD RANGE	5H-108~120.65					

SWB·HSH

●STANDARD COLOR: BRILLIANT SILVER BLACK(BSB)/SILKY RICH

●INCLUDED ACCESSORIES: CENTER CAP/PC 個・VALVE STEM/PC(V24C/V39A)

INSET RANGE:1=V24C, INSET RANGE:2=V39A

※BSB FINISH COMES WITH A MATT GREY CENTER CAP

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※SCHWERT BRUNNEN 21inch FR PASSES JWLP-P840KG(PASSENGER)STANDARD.

※ THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 41MM.

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (BLACK·W EMBLEM)/1PC
- CENTER CAP (RED·W EMBLEM)/1PC
- CENTER CAP (SILVER·W EMBLEM)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

※GOLD VALVE STEM IS AVAILABLE IN INSET RANGE "1" ONLY.

Repair Parts

- No.120254 CENTER CAP/1PC (MATT GREY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (BLACK·W EMBLEM)
- No.120208 CENTER CAP/1PC (RED·W EMBLEM)
- No.120295 CENTER CAP/1PC (SILVER·W EMBLEM)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

SCHWERT-BRUNNEN-(21)SR-251003

▲ SPECIFICATIONS 21inch 2PIECE/REVERSE

[] = HUB CLEARANCE/mm

STD COLOR		SIZE	STANDARD	DEEP RIM	
BSB	SRS		Adisk[51]	Odisk[36]	
				5H-114.3(73.3) 5H-120(60)	5H-114.3(73.3) 5H-120(60)
				INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
			INSET RANGE	INSET RANGE	
		21 × 8.5J	34(52)~-5(91)	49(52)~10(91)	
		21 × 9.0J	40(52)~-11(103)	55(52)~4(103)	
		21 × 9.5J	46(52)~-17(115)	61(52)~-2(115)	
		21 × 10.0J	53(52)~-24(129)	68(52)~-9(129)	
		21 × 10.5J	59(52)~-30(141)	74(52)~-15(141)	
		21 × 11.0J	65(52)~-36(153)	80(52)~-21(153)	
		21 × 11.5J	72(52)~-43(167)	85(54)~-28(167)	
		21 × 12.0J	77(53)~-49(179)	85(60)~-34(179)	
		21 × 12.5J	71(65)~-55(191)	85(66)~-40(191)	
		PCD RANGE	5H-100~120.65		

● STANDARD COLOR: BRILLIANT SILVER BLACK(BSB)/SILKY RICH SWB-SR·HNH

● INCLUDED ACCESSORIES: CENTER CAP/PC個・VALVE STEM/PC(V24C)

※ BSB FINISH COMES WITH A MATT GREY CENTER CAP

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ SCHWERT BRUNNEN 21inch SR PASSES JWL-P735KG(PASSSENGER)STANDARD.

※ THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (BLACK·W EMBLEM)/1PC
- CENTER CAP (RED·W EMBLEM)/1PC
- CENTER CAP (SILVER·W EMBLEM)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

Repair Parts

- No.120254 CENTER CAP/1PC (MATT GREY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (BLACK·W EMBLEM)
- No.120208 CENTER CAP/1PC (RED·W EMBLEM)
- No.120295 CENTER CAP/1PC (SILVER·W EMBLEM)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲SPECIFICATIONS 20inch 2PIECE/FULL REVERSE

STD COLOR		SIZE	STANDARD Adisk[51]		DEEP RIM Odisk[36]	
BSB	SRS		5H-114.3(73.3)	5H-120(60)	5H-114.3(73.3)	5H-120(60)
			INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
		INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2	
		20 × 8.0J	33(47)~21(59)	20(60)~-2(82)	48(47)~36(59)	35(60)~13(82)
		20 × 8.5J	40(47)~14(73)	13(74)~-9(96)	55(47)~29(73)	28(74)~6(96)
		20 × 9.0J	46(47)~8(85)	7(86)~-15(108)	61(47)~23(85)	22(86)~0(108)
		20 × 9.5J	52(47)~2(97)	1(98)~-21(120)	67(47)~17(97)	16(98)~-6(120)
		20 × 10.0J	59(47)~-5(111)	-6(112)~-28(134)	74(47)~10(111)	9(112)~-13(134)
		20 × 10.5J	65(47)~-11(123)	-12(124)~-34(146)	80(47)~4(123)	3(124)~-19(146)
		20 × 11.0J	71(47)~-17(135)	-18(136)~-40(158)	85(48)~-2(135)	-3(136)~-25(158)
		20 × 11.5J	78(47)~-24(149)	-25(150)~-47(172)	85(55)~-9(149)	-10(150)~-32(172)
		20 × 12.0J	77(54)~-30(161)	-31(162)~-53(184)	85(61)~-15(161)	-16(162)~-38(184)
		20 × 12.5J	71(66)~-36(173)	-37(174)~-59(196)	85(67)~-21(173)	-22(174)~-44(196)
		PCD RANGE	5H-100~120.65			

●STANDARD COLOR:BRILLIANT SILVER BLACK(BSB)/SILKY RICH SILVER(SRS)

SWB·HSH

●INCLUDED ACCESSORIES: CENTER CAP/PC個・VALVE STEM/PC(V24C/V39A)

INSET RANGE:1=V24C, INSET RANGE:2=V39A

※BSB FINISH COMES WITH A MATT GREY CENTER CAP

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※SCHWERT BRUNNEN 20inch FR PASSES JWL-P735KG(PASSENGER)STANDARD.

※ THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 52MM.

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (BLACK·W EMBLEM)/1PC
- CENTER CAP (RED·W EMBLEM)/1PC
- CENTER CAP (SILVER·W EMBLEM)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

※GOLD VALVE STEM IS AVAILABLE IN INSET RANGE "1" ONLY.

Repair Parts

- No.120254 CENTER CAP/1PC (MATT GREY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (BLACK·W EMBLEM)
- No.120208 CENTER CAP/1PC (RED·W EMBLEM)
- No.120295 CENTER CAP/1PC (SILVER·W EMBLEM)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

SCHWERT BRUNNEN(20)SR-251003

▲ SPECIFICATIONS 20inch 2PIECE/REVERSE

[]= HUB CLEARANCE/mm

STD COLOR		SIZE	STANDARD	DEEP RIM
			Adisk[51] 5H-114.3(73.3) 5H-120(60)	Odisk[36] 5H-100(60) 5H-114.3(73.3) 5H-120(60)
BSB	SRS		INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
			INSET RANGE	INSET RANGE
		20 × 8.0J	35(51)~8(78)	50(51)~23(78)
		20 × 8.5J	42(51)~1(92)	57(51)~16(92)
		20 × 9.0J	48(51)~-5(104)	63(51)~10(104)
		20 × 9.5J	54(51)~-11(116)	69(51)~4(116)
		20 × 10.0J	61(51)~-18(130)	76(51)~-3(130)
		20 × 10.5J	67(51)~-24(142)	82(51)~-9(142)
		20 × 11.0J	73(51)~-30(154)	85(54)~-15(154)
		20 × 11.5J	80(51)~-37(168)	85(61)~-22(168)
		20 × 12.0J	85(52)~-43(180)	85(67)~-28(180)
		20 × 12.5J	78(65)~-49(192)	85(73)~-34(192)
		PCD RANGE	5H-100~120.65	

● STANDARD COLOR: BRILLIANT SILVER BLACK(BSB)/SILKY RICH SWB-SR-HNH

● INCLUDED ACCESSORIES: CENTER CAP/PC個・VALVE STEM/PC(V24C)

※ BSB FINISH COMES WITH A MATT GREY CENTER CAP

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ SCHWERT BRUNNEN 20inch SR PASSES JWL-P720KG(PASSENGER)STANDARD.

※ THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 54MM.

※ THE SPOKE COMES OUT OF THE INNER STEPPED AREA WHEN THE LIP SIZE IS LESS THAN 73MM.

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (BLACK·W EMBLEM)/1PC
- CENTER CAP (RED·W EMBLEM)/1PC
- CENTER CAP (SILVER·W EMBLEM)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

Repair Parts

- No.120254 CENTER CAP/1PC (MATT GREY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (BLACK·W EMBLEM)
- No.120208 CENTER CAP/1PC (RED·W EMBLEM)
- No.120295 CENTER CAP/1PC (SILVER·W EMBLEM)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

[]= HUB CLEARANCE/mm

STD COLOR		SIZE	STANDARD Adisk[51]		DEEP RIM Odisk[38]	
BSB	SRS		5H-114.3(73.3) 5H-120(60)		5H-100(60) 5H-114.3(73.3) 5H-120(60)	
			INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
			INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2
		19 × 7.5J	32(48)~24(56)	23(57)~11(69)	47(48)~39(56)	38(57)~26(69)
		19 × 8.0J	38(48)~18(68)	17(69)~5(81)	53(48)~33(68)	32(69)~20(81)
		19 × 8.5J	45(48)~11(82)	10(83)~2(95)	60(48)~26(82)	25(83)~13(95)
		19 × 9.0J	51(48)~5(94)	4(95)~8(107)	66(48)~20(94)	19(95)~7(107)
		19 × 9.5J	57(48)~1(106)	-2(107)~14(119)	72(48)~14(106)	13(107)~1(119)
		19 × 10.0J	64(48)~8(120)	-9(121)~21(133)	79(48)~7(120)	6(121)~6(133)
		19 × 10.5J	70(48)~14(132)	-15(133)~27(145)	85(48)~1(132)	0(133)~12(145)
		19 × 11.0J	76(48)~20(144)	-21(145)~33(157)	85(54)~5(144)	-6(145)~18(157)
		19 × 11.5J	83(48)~27(158)	-28(159)~40(171)	85(61)~12(158)	-13(159)~25(171)
		19 × 12.0J	85(52)~33(170)	-34(171)~46(183)	85(67)~18(170)	-19(171)~31(183)
		19 × 12.5J	78(65)~39(182)	-40(183)~52(195)	85(73)~24(182)	-25(183)~37(195)
		PCD RANGE	5H-100~120.65			

●STANDARD COLOR:BRILLIANT SILVER BLACK(BSB)/SILKY RICH SILVER(SRS)

SWB·HSH

●INCLUDED ACCESSORIES: CENTER CAP/PC個・VALVE STEM/PC(V24C/V39A)

INSET RANGE:1=V24C, INSET RANGE:2=V39A

※BSB FINISH COMES WITH A MATT GREY CENTER CAP

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※SCHWERT BRUNNEN 19inch FR PASSES JWL-P720KG(PASSENGER)STANDARD.

※ THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 52MM.

Optional Items

- CENTER CAP (ESS)/1PC
- CENTER CAP (BLACK·W EMBLEM)/1PC
- CENTER CAP (RED·W EMBLEM)/1PC
- CENTER CAP (SILVER·W EMBLEM)/1PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

※GOLD VALVE STEM IS AVAILABLE IN INSET RANGE "1" ONLY.

Repair Parts

- No.120254 CENTER CAP/1PC (MATT GREY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (BLACK·W EMBLEM)
- No.120208 CENTER CAP/1PC (RED·W EMBLEM)
- No.120295 CENTER CAP/1PC (SILVER·W EMBLEM)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)