

SCHWERT-QUELL2(22)SR-250828

▲ SPECIFICATIONS 22inch 2PIECE/REVERSE

[]= HUB CLEARANCE/mm

DISK COLOR	SIZE	STANDARD	DEEP RIM
		Adisk[50] 5H-114.3(73.3) 5H-120(60)	Odisk[38] 5H-114.3(73.3) 5H-120(60)
GBS			
GTK		INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
		INSET RANGE	INSET RANGE
	22 × 8.5J	20(52)~-10(82)	35(52)~5(82)
	22 × 9.0J	26(52)~-16(94)	41(52)~-1(94)
	22 × 9.5J	32(52)~-22(106)	47(52)~-7(106)
	22 × 10.0J	39(52)~-29(120)	54(52)~-14(120)
	22 × 10.5J	45(52)~-35(132)	60(52)~-20(132)
	22 × 11.0J	51(52)~-41(144)	66(52)~-26(144)
	22 × 11.5J	58(52)~-48(158)	73(52)~-33(158)
	22 × 12.0J	64(52)~-54(170)	79(52)~-39(170)
	22 × 12.5J	58(64)~-60(182)	73(64)~-45(182)
	PCD RANGE	5H-108~120.65	

SWM2-SR·HNH

● STANDARD COLOR: GLIMIT BRIGHT SILVER(GBS) / GLIMIT BLACK(GTK)

● INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC(V24C)

※ GLIMIT BLACK CENTER COMES WITH A MAT GREY CENTER CAP.

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ SCHWERT QUELL2 22inch SR PASSED JWLP840KG(PASSENGER) STANDARD.

※ THE SPOKE COMES OUT OF THE INNER STEPPED AREA WHEN THE LIP SIZE IS LESS THAN 72MM.

Optional Items

- CENTER CAP (ESS)/PC
- CENTER CAP (W LOGO CAP BLACK)/PC
- CENTER CAP (W LOGO CAP RED)/PC
- CENTER CAP (W LOGO CAP SILVER)/PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

Repair Parts

- No.120254 CENTER CAP/1PC (MAT GRAY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO CAP BLACK)
- No.120208 CENTER CAP/1PC (W LOGO CAP RED)
- No.120295 CENTER CAP/1PC (W LOGO CAP SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲SPECIFICATIONS 21inch 2PIECE/FULL REVERSE

[]= HUB CLEARANCE/mm

DISK COLOR		STANDARD		DEEP RIM	
GBS	SIZE	5H-114.3(73.3) 5H-120(60) Adisk[49]		5H-114.3(73.3) 5H-120(60) Odisk[37]	
GTK		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
		INSET RANGE: 1	INSET RANGE: 2	INSET RANGE: 1	INSET RANGE: 2
	21 × 7.5J	20(39)~17(42)	16(43)~-1(60)	35(39)~32(42)	31(43)~14(60)
	21 × 8.0J	26(39)~11(54)	10(55)~-7(72)	41(39)~26(54)	25(55)~8(72)
	21 × 8.5J	33(39)~11(61)	10(62)~-7(79)	48(39)~26(61)	25(62)~8(79)
	21 × 9.0J	39(39)~5(73)	4(74)~-13(91)	54(39)~20(73)	19(74)~2(91)
	21 × 9.5J	45(39)~-1(85)	-2(86)~-19(103)	60(39)~14(85)	13(86)~-4(103)
	21 × 10.0J	52(39)~-8(99)	-9(100)~-26(117)	67(39)~7(99)	6(100)~-11(117)
	21 × 10.5J	58(39)~-14(111)	-15(112)~-32(129)	73(39)~1(111)	0(112)~-17(129)
	21 × 11.0J	64(39)~-20(123)	-21(124)~-38(141)	79(39)~-5(123)	-6(124)~-23(141)
	21 × 11.5J	71(39)~-27(137)	-28(138)~-45(155)	85(40)~-12(137)	-13(138)~-30(155)
	PCD RANGE	5H-108~120.65			

●STANDARD COLOR: GLIMIT BRIGHT SILVER(GBS) / GLIMIT BLACK() SWM2·HSH

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC()

INSET RANGE:1=V24C, INSET RANGE:2=V39A

※GLIMIT BLACK CENTER COMES WITH A MAT GREY CENTER CAP.

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※SCHWERT QUELL2 21inch FR PASSED JWLP840KG(PASSENGER)

Optional Items

- CENTER CAP (ESS)/PC
- CENTER CAP (W LOGO CAP BLACK)/PC
- CENTER CAP (W LOGO CAP RED)/PC
- CENTER CAP (W LOGO CAP SILVER)/PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

※GOLD VALVE STEM IS ONLY AVAILABLE FOR INSET RANGE:1

Repair Parts

- No.120254 CENTER CAP/1PC (MAT GRAY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO CAP BLACK)
- No.120208 CENTER CAP/1PC (W LOGO CAP RED)
- No.120295 CENTER CAP/1PC (W LOGO CAP SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

SCHWERT-QUELL2-(21)SR-250829

▲ SPECIFICATIONS 21inch 2PIECE/REVERSE

[] = HUB CLEARANCE/mm

DISK COLOR	SIZE	STANDARD	DEEP RIM
		Adisk[51]	Odisk[36]
GBS		5H-114.3(73.3) 5H-120(60)	5H-114.3(73.3) 5H-120(60)
GTK		INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
		INSET RANGE	INSET RANGE
	21 × 8.5J	34(52)~-5(91)	49(52)~10(91)
	21 × 9.0J	40(52)~-11(103)	55(52)~4(103)
	21 × 9.5J	46(52)~-17(115)	61(52)~-2(115)
	21 × 10.0J	53(52)~-24(129)	68(52)~-9(129)
	21 × 10.5J	59(52)~-30(141)	74(52)~-15(141)
	21 × 11.0J	65(52)~-36(153)	80(52)~-21(153)
	21 × 11.5J	72(52)~-43(167)	85(54)~-28(167)
	21 × 12.0J	77(53)~-49(179)	85(60)~-34(179)
	21 × 12.5J	71(65)~-55(191)	85(66)~-40(191)
	PCD RANGE	5H-100~120.65	

SWM2-SR-HNH

● STANDARD COLOR: GLIMIT BRIGHT SILVER(GBS) / GLIMIT BLACK(GTK)

● INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC(V24C)

※ GLIMIT BLACK CENTER COMES WITH A MAT GREY CENTER CAP.

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ SCHWERT QUELL2 21inch SR PASSED JWL-P720KG(PASSENGER) STANDARD.

※ THE SPOKE COMES OUT OF THE INNER STEPPED AREA WHEN THE LIP SIZE IS LESS THAN 77MM.

Optional Items

- CENTER CAP (ESS)/PC
- CENTER CAP (W LOGO CAP BLACK)/PC
- CENTER CAP (W LOGO CAP RED)/PC
- CENTER CAP (W LOGO CAP SILVER)/PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

Repair Parts

- No.120254 CENTER CAP/1PC (MAT GRAY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO CAP BLACK)
- No.120208 CENTER CAP/1PC (W LOGO CAP RED)
- No.120295 CENTER CAP/1PC (W LOGO CAP SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲SPECIFICATIONS 20inch 2PIECE/FULL REVERSE

[]= HUB CLEARANCE/mm

DISK COLOR		STANDARD		DEEP RIM	
GBS		5H-114.3(73.3) 5H-120(60) Adisk[51]		5H-114.3(73.3) 5H-120(60) Odisk[36]	
SIZE		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
GTK		INSET RANGE : 1	INSET RANGE : 2	INSET RANGE : 1	INSET RANGE : 2
20 × 8.0J		33(47)~21(59)	20(60)~-2(82)	48(47)~36(59)	35(60)~13(82)
20 × 8.5J		40(47)~14(73)	13(74)~-9(96)	55(47)~29(73)	28(74)~6(96)
20 × 9.0J		46(47)~8(85)	7(86)~-15(108)	61(47)~23(85)	22(86)~0(108)
20 × 9.5J		52(47)~2(97)	1(98)~-21(120)	67(47)~17(97)	16(98)~-6(120)
20 × 10.0J		59(47)~-5(111)	-6(112)~-28(134)	74(47)~10(111)	9(112)~-13(134)
20 × 10.5J		65(47)~-11(123)	-12(124)~-34(146)	80(47)~4(123)	3(124)~-19(146)
20 × 11.0J		71(47)~-17(135)	-18(136)~-40(158)	85(48)~-2(135)	-3(136)~-25(158)
20 × 11.5J		78(47)~-24(149)	-25(150)~-47(172)	85(55)~-9(149)	-10(150)~-32(172)
20 × 12.0J		77(54)~-30(161)	-31(162)~-53(184)	85(61)~-15(161)	-16(162)~-38(184)
20 × 12.5J		71(66)~-36(173)	-37(174)~-59(196)	85(67)~-21(173)	-22(174)~-44(196)
PCD RANGE		5H-100~120.65			

●STANDARD COLOR: GLIMIT BRIGHT SILVER(GBS) / GLIMIT BLACK(GTK)

SWM2·HSH

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC(V24C/V39A)

INSET RANGE:1=V24C, INSET RANGE:2=V39A

※GLIMIT BLACK CENTER COMES WITH A MAT GREY CENTER CAP.

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※SCHWERT QUELL2 20inch FR PASSED JWL-P720KG(PASSENGER) STANDARD.

※ THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 50MM.

Optional Items

- CENTER CAP (ESS)/PC
- CENTER CAP (W LOGO CAP BLACK)/PC
- CENTER CAP (W LOGO CAP RED)/PC
- CENTER CAP (W LOGO CAP SILVER)/PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

※GOLD VALVE STEM IS ONLY AVAILABLE FOR INSET RANGE:1

Repair Parts

- No.120254 CENTER CAP/1PC (MAT GRAY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO CAP BLACK)
- No.120208 CENTER CAP/1PC (W LOGO CAP RED)
- No.120295 CENTER CAP/1PC (W LOGO CAP SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)

SCHWERT QUELL2(20)SR-250908

▲SPECIFICATIONS 20inch 2PIECE/REVERSE

[] = HUB CLEARANCE/mm

DISK COLOR	SIZE	STANDARD	DEEP RIM
		Adisk[51]	Odisk[38]
GBS		5H-114.3(73.3) 5H-120(60)	5H-100(60) 5H-114.3(73.3) 5H-120(60)
GTK		INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
		INSET RANGE	INSET RANGE
	20 × 8.0J	35(51)~8(78)	50(51)~23(78)
	20 × 8.5J	42(51)~1(92)	57(51)~16(92)
	20 × 9.0J	48(51)~-5(104)	63(51)~10(104)
	20 × 9.5J	54(51)~-11(116)	69(51)~4(116)
	20 × 10.0J	61(51)~-18(130)	76(51)~-3(130)
	20 × 10.5J	67(51)~-24(142)	82(51)~-9(142)
	20 × 11.0J	73(51)~-30(154)	85(54)~-15(154)
	20 × 11.5J	80(51)~-37(168)	85(61)~-22(168)
	20 × 12.0J	85(52)~-43(180)	85(67)~-28(180)
	20 × 12.5J	78(65)~-49(192)	85(73)~-34(192)
	PCD RANGE	5H-100~120.65 SWM2-SR-HNH	

●STANDARD COLOR: GLIMIT BRIGHT SILVER(GBS) / GLIMIT BLACK(GTK)

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC(V24C)

※GLIMIT BLACK CENTER COMES WITH A MAT GREY CENTER CAP.

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※SCHWERT QUELL2 20inch FR PASSED JWL-P720KG(PASSENGER) STANDARD.

※THE SPOKE COMES OUT OF THE INNER STEPPED AREA WHEN THE LIP SIZE IS LESS THAN

Optional Items

- CENTER CAP (ESS)/PC
- CENTER CAP (W LOGO CAP BLACK)/PC
- CENTER CAP (W LOGO CAP RED)/PC
- CENTER CAP (W LOGO CAP SILVER)/PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

Repair Parts

- No.120254 CENTER CAP/1PC (MAT GRAY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO CAP BLACK)
- No.120208 CENTER CAP/1PC (W LOGO CAP RED)
- No.120295 CENTER CAP/1PC (W LOGO CAP SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)

▲SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

[]= HUB CLEARANCE/mm

DISK COLOR	SIZE	STANDARD		DEEP RIM	
		Adisk[51]		Odisk[36]	
GBS		5H-114.3(73.3) 5H-120(60)		5H-100(60) 5H-114.3(73.3) 5H-120(60)	
GTK		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
		INSET RANGE : 1	INSET RANGE : 2	INSET RANGE : 1	INSET RANGE : 2
	19 × 7.5J	32(48)~24(56)	23(57)~11(69)	47(48)~39(56)	38(57)~26(69)
	19 × 8.0J	38(48)~18(68)	17(69)~5(81)	53(48)~33(68)	32(69)~20(81)
	19 × 8.5J	45(48)~11(82)	10(83)~2(95)	60(48)~26(82)	25(83)~13(95)
	19 × 9.0J	51(48)~5(94)	4(95)~8(107)	66(48)~20(94)	19(95)~7(107)
	19 × 9.5J	57(48)~-1(106)	-2(107)~-14(119)	72(48)~14(106)	13(107)~1(119)
	19 × 10.0J	64(48)~-8(120)	-9(121)~-21(133)	79(48)~7(120)	6(121)~-6(133)
	19 × 10.5J	70(48)~-14(132)	-15(133)~-27(145)	85(48)~1(132)	0(133)~-12(145)
	19 × 11.0J	76(48)~-20(144)	-21(145)~-33(157)	85(54)~-5(144)	-6(145)~-18(157)
	19 × 11.5J	83(48)~-27(158)	-28(159)~-40(171)	85(61)~-12(158)	-13(159)~-25(171)
	19 × 12.0J	85(52)~-33(170)	-34(171)~-46(183)	85(67)~-18(170)	-19(171)~-31(183)
	19 × 12.5J	78(65)~-39(182)	-40(183)~-52(195)	85(73)~-24(182)	-25(183)~-37(195)
	PCD RANGE	5H-100~120.65			

●STANDARD COLOR: GLIMIT BRIGHT SILVER(GBS) / GLIMIT BLACK(SWM2·HS)

●INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC(V24C/V39A)

INSET RANGE:1=V24C, INSET RANGE:2=V39A

※GLIMIT BLACK CENTER COMES WITH A MAT GREY CENTER CAP.

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※SCHWERT QUELL2 19inch FR PASED JWL-P720KG(PASSENGER) STANDARD.

※ THE SPOKE COMES OUT OF RIM FLANGE WHEN THE LIP SIZE IS LESS THAN 51MM.

Optional Items

- CENTER CAP (ESS)/PC
- CENTER CAP (W LOGO CAP BLACK)/PC
- CENTER CAP (W LOGO CAP RED)/PC
- CENTER CAP (W LOGO CAP SILVER)/PC
- GOLD BOLT/1PC
- BLACK CHROME BOLT/1PC
- GOLD VALVE STEM/1PC

※Aset: ONLY AVAILABLE FOR INSET RANGE:1

Repair Parts

- No.120254 CENTER CAP/1PC (MAT GRAY)
- No.120256 CENTER CAP/1PC (SPIN)
- No.120257 CENTER CAP/1PC (ESS)
- No.120207 CENTER CAP/1PC (W LOGO CAP BLACK)
- No.120208 CENTER CAP/1PC (W LOGO CAP RED)
- No.120295 CENTER CAP/1PC (W LOGO CAP SILVER)
- No.180012 VALVE STEM/1PC (V24C)
- No.180025 GOLD VALVE STEM/1PC (V24G)
- No.180088 BLACK VALVE STEM/1PC (V24K)
- No.180087 VALVE STEM/1PC (V39A)
- No.180089 BLACK VALVE STEM/1PC (V39K)