

▲SPECIFICATIONS 21inch 3PIECE/FULL REVERSE

STD COLOR		SIZE	STANDARD 5H-114.3(73.3)									DEEP RIM 5H-114.3(73.3)									Odisk [84]	
LGS	BSB		LIP SIZE (mm)									LIP SIZE (mm)										
			34	47	60	72	85	98	110	123	34	47	60	72	85	98	110	123				
		21×7.5J	34 D	21 C									40 D	27 C								
		21×8.0J	40 E	28 D	15 C								46 E	34 D	21 C							
		21×8.5J	47 F	34 E	21 D	9 C							53 F	40 E	27 D	15 C						
		21×9.0J	53 G	40 F	28 E	15 D	2 C						59 G	46 F	34 E	21 D	8 C					
		21×9.5J	59 H	47 G	34 F	21 E	9 D	-4 C					65 H	53 G	40 F	27 E	15 D	2 C				
		21×10.0J	66 I	53 H	40 G	28 F	15 E	2 D	-10 C				72 I	59 H	46 G	34 F	21 E	8 D	-4 C			
		21×10.5J	72 J	59 I	47 H	34 G	21 F	9 E	-4 D	-17 C			78 J	65 I	53 H	40 G	27 F	15 E	2 D	-11 C		
		21×11.0J	78 K	66 J	53 I	40 H	28 G	15 F	2 E	-10 D			84 K	72 J	59 I	46 H	34 G	21 F	8 E	-4 D		
		21×11.5J		72 K	59 J	47 I	34 H	21 G	9 F	-4 E			78 K	65 J	53 I	40 H	27 G	15 F	2 E			
		21×12.0J			66 K	53 J	40 I	28 H	15 G	2 F				72 K	59 J	46 I	34 H	21 G	8 F			
		21×12.5J				59 K	47 J	34 I	21 H	9 G					65 K	53 J	40 I	27 H	15 G			
		21×13.0J					53 K	40 J	28 I	15 H						59 K	46 J	34 I	21 H			
		21×13.5J						47 K	34 J	21 I						53 K	40 J	40 J	27 I			
		21×14.0J							40 K	28 J								46 K	34 J			
		PCD RANGE	5H-108~120.65																			
		SIZE	BIG CALIPER 5H- 114.3(73.3)									Ldis k [73.3]	BIG CALIPER 5H-114.3(73.3)									Rdisk [80]
			LIP SIZE (mm)										LIP SIZE (mm)									
			34	47	60	72	85	98	110	123	34		47	60	72	85	98	110	123			
		21×7.5J	22 D	9 C									14 D	1 C								
		21×8.0J	28 E	16 D	3 C								20 E	8 D	-5 C							
		21×8.5J	35 F	22 E	9 D	-3 C							27 F	14 E	1 D	-11 C						
		21×9.0J	41 G	28 F	16 E	3 D	-10 C						33 G	20 F	8 E	-5 D	-18 C					
		21×9.5J	47 H	35 G	22 F	9 E	-3 D	-16 C					39 H	27 G	14 F	1 E	-11 D	-24 C				
		21×10.0J	54 I	41 H	28 G	16 F	3 E	-10 D	-22 C				46 I	33 H	20 G	8 F	-5 E	-18 D	-30 C			
		21×10.5J	60 J	47 I	35 H	22 G	9 F	-3 E	-18 D	-29 C			52 J	39 I	27 H	14 G	1 F	-11 E	-24 D	-37 C		
		21×11.0J	66 K	54 J	41 I	28 H	16 G	3 F	-10 E	-22 D			58 K	46 J	33 I	20 H	8 G	-5 F	-18 E	-30 D		
		21×11.5J		60 K	47 J	35 I	22 H	9 G	-3 F	-16 E				52 K	39 J	27 I	14 H	1 G	-11 F	-24 E		
		21×12.0J			54 K	41 J	28 I	16 H	3 G	-10 F				46 K	33 J	20 I	8 H	-5 G	-18 F			
		21×12.5J				47 K	35 J	22 I	9 H	-3 G					39 K	27 J	14 I	1 H	-11 G			
		21×13.0J					41 K	28 J	16 I	3 H						33 K	20 J	8 I	-5 H			
		21×13.5J						35 K	22 J	9 I							27 K	14 J	1 I			
		21×14.0J							28 K	16 J								20 K	8 J			
		PCD RANGE	5H-108~120.65																			

- STANDARD COLOR: LIGHT GREYISH SILVER(LGS)/BRILLIANT SILVER
- INCLUDED ACCESSORIES: CENTER CAP/ 1PC·VALVE STEM/ 1PC(V27C)
- ※ STANDARD BARREL FINISH: BUFF ANODIZED(D)
- ※ VS KF# 21FR PASSES JWLP-P840KG(FOR PASSENER) STANDARD.

Optional Items

- CENTER CAP (BLACK·W EMBLEM)/PC
- CENTER CAP (RED·W EMBLEM)/PC
- CENTER CAP (SILVER·W EMBLEM)/PC
- TITANIUM COAT PIERCE BOLT/PC
- GOLD PIERCE BOLT/PC
- BLACK CHROME PIERCE BOLT/PC
- GOLD VALVE STEM/PC

Repair Parts

- No.120296 CENTER CAP/PC (SILVER)
- No.120034 CENTER CAP/PC (BLACK)
- No.120268 CENTER CAP/PC (RED)
- No.120280 CENTER CAP/PC (BLACK·W EMBLEM)
- No.120281 CENTER CAP/PC (RED·W EMBLEM)
- No.120294 CENTER CAP/PC (SILVER·W EMBLEM)
- No.180014 VALVE STEM/PC (V27C)
- No.180026 GOLD VALVE STEM/PC (V27G)
- No.180058 BLACK VALVE STEM/PC (V27K)

VS-

ASPECIFICATIONS 20inch SPIEGE/FULL REVERSE

LGS	STD COLOR	SIZE	STANDARD BH-100(60) BH-114(73.5)																	DEEP FORM BH-100(60) BH-114(73.5)																	Oval(84)
			Adm(40)																	Adm(40)																	
			LIP SIZE (mm)																	LIP SIZE (mm)																	
34	47	60	72	85	98	110	123	136	148	161	174	186	199	34	47	60	72	85	98	110	123	136	148	161	174	186	199										
20x7.5J	34 D	21 C	9 B	-4 A											40 D	27 C	15 B	2 A																			
20x8.5J	40 E	28 D	15 C	-2 B	-10 A										46 E	34 D	21 C	8 B	-4 A																		
20x9.5J	47 F	34 E	21 D	9 C	-9 B	-17 A									53 F	40 E	27 D	15 C	2 B	-11 A																	
20x10.5J	53 G	40 F	28 E	15 D	2 C	-10 B	-23 A								59 G	46 F	34 E	21 D	8 C	-4 B	-17 A																
20x11.5J	59 H	47 G	34 F	21 E	9 D	-4 C	-17 B	-29 A							65 H	53 G	40 F	27 E	15 D	2 C	-11 B	-23 A															
20x12.5J	66 I	53 H	40 G	28 F	15 E	2 D	-10 C	-23 B	-36 A						72 I	59 H	46 G	34 F	21 E	8 D	-4 C	-17 B	-30 A														
20x13.5J	72 J	59 I	47 H	34 G	21 F	9 E	-4 D	-17 C	-29 B	-42 A					78 J	65 I	53 H	40 G	27 F	15 E	2 D	-11 C	-23 B	-36 A													
20x14.5J	78 K	66 J	53 I	40 H	28 G	15 F	2 E	-10 D	-23 C	-36 B	-48 A				84 K	72 J	59 I	46 H	34 G	21 F	8 E	-4 D	-17 C	-30 B	-42 A												
20x15.5J	85 L	72 K	59 J	47 I	34 H	21 G	9 F	-4 E	-17 D	-29 C	-42 B	-55 A			90 L	78 K	65 J	53 I	40 H	27 G	15 F	2 E	-11 D	-23 C	-36 B	-49 A											
20x16.5J	91 M	78 L	66 K	53 J	40 I	28 H	15 G	2 F	-10 E	-23 D	-36 C	-48 B	-61 A		96 M	84 L	72 K	59 J	46 I	34 H	21 G	8 F	-4 E	-17 D	-30 C	-42 B	-55 A										
20x17.5J	97 N	85 M	72 L	59 K	47 J	34 I	21 H	9 G	-4 F	-17 E	-29 D	-42 C	-55 B	-67 A		102 N	90 M	78 L	65 K	53 J	40 I	27 H	15 G	2 F	-11 E	-23 D	-36 C	-49 B	-61 A								
20x18.5J	103 O	91 N	78 M	66 L	53 K	40 J	28 I	15 H	2 G	-10 F	-23 E	-36 D	-48 C	-61 B		108 O	96 N	84 M	72 K	59 J	46 I	34 H	21 H	8 G	-4 F	-17 E	-30 D	-42 C	-55 B								
20x19.5J	109 P	97 O	85 N	72 M	59 L	47 K	34 J	21 I	9 H	-4 G	-17 F	-29 E	-42 D	-55 C		114 P	102 O	90 M	78 L	65 K	53 J	40 J	27 I	15 H	2 G	-11 F	-23 E	-36 D	-49 C								
20x20.5J	115 Q	103 P	91 O	78 N	66 M	53 L	40 K	28 J	15 I	2 H	-10 G	-23 F	-36 E	-48 D		120 Q	108 P	96 N	84 M	72 L	65 L	53 K	40 K	27 J	15 I	2 H	-11 G	-23 F	-36 E								
20x21.5J	121 R	109 Q	97 P	85 O	72 N	59 M	47 L	34 K	21 J	9 I	-4 H	-17 G	-29 F	-42 E		126 R	114 Q	102 P	90 O	78 M	65 M	53 L	40 L	27 K	15 J	2 I	-11 H	-23 G	-36 F								
20x22.5J	127 S	115 R	103 Q	91 P	78 O	66 N	53 M	40 L	28 K	15 J	2 I	-10 H	-23 G	-36 F		132 S	120 R	108 Q	96 P	84 N	72 M	65 N	53 M	40 M	27 L	15 K	2 J	-11 I	-23 H	-36 G							
PCD RANGE	SH-98-120.65																	SH-98-120.65																			

- STANDARD COLOR: LIGHT GREYISH SILVER(LGS)/BRILLIANT SILVER
- INCLUDED ACCESSORIES: CENTER CAP/ IPO-VALVE STEM/ IPC/ V27C
- ※ STANDARD BARREL FINISH: BUFF ANODIZED(D)
- ※ VS KF # 19FR PASSES JW/L-P720KG(FOR PASSENER) STANDARD.

- Optional Items**
- CENTER CAP (BLACK-W EMBLEM)/PC
 - CENTER CAP (RED-W EMBLEM)/PC
 - CENTER CAP (SILVER-W EMBLEM)/PC
 - TITANIUM COAT PIERCE BOLT/IPC
 - GOLD NERVE BOLT/IPC
 - BLACK CHROME PIERCE BOLT/IPC
 - GOLD VALVE STEM/IPC

- Bank Data**
- NL120286 CENTER CAP/PC (SILVER)
 - NL120284 CENTER CAP/PC (BLACK)
 - NL120288 CENTER CAP/PC (RED)
 - NL120280 CENTER CAP/PC (BLACK-W EMBLEM)
 - NL120281 CENTER CAP/PC (RED-W EMBLEM)
 - NL120284 CENTER CAP/PC (SILVER-W EMBLEM)
 - NL180014 VALVE STEM/PC (V27C)
 - NL180005 GOLD VALVE STEM/PC (V27D)
 - NL180058 BLACK VALVE STEM/PC (V27K)

